Efficient tomography of microwave photonic cluster states

Yoshiki Sunada,^{1,*} Shingo Kono,² Jesper Ilves,¹ Takanori Sugiyama,³ Yasunari Suzuki,^{4,5}

Tsuyoshi Okubo,⁶ Shuhei Tamate,² Yutaka Tabuchi,² and Yasunobu Nakamura^{1,2}

¹Department of Applied Physics, Graduate School of Engineering,

The University of Tokyo, Bunkyo-ku, Tokyo 113-8656, Japan

²RIKEN Center for Quantum Computing (RQC), Wako, Saitama 351-0198, Japan

³Research Center for Advanced Science and Technology (RCAST),

The University of Tokyo, Meguro-ku, Tokyo 153-8904, Japan

⁴NTT Computer and Data Science Laboratories, Musashino, Tokyo 180-8585, Japan

⁵PRESTO, Japan Science and Technology Agency, Kawaguchi, Saitama 332-0012, Japan

⁶Institute for Physics of Intelligence, The University of Tokyo, Bunkyo-ku, Tokyo 113-0033, Japan

(Dated: October 15, 2024)

Entanglement among a large number of qubits is a crucial resource for many quantum algorithms. Such many-body states have been efficiently generated by entangling a chain of itinerant photonic qubits in the optical or microwave domain. However, it has remained challenging to fully characterize the generated many-body states by experimentally reconstructing their exponentially large density matrices. Here, we develop an efficient tomography method based on the matrix-product-operator formalism and demonstrate it on a cluster state of up to 35 microwave photonic qubits by reconstructing its $2^{35} \times 2^{35}$ density matrix. The full characterization enables us to detect the performance degradation of our photon source which occurs only when generating a large cluster state. This tomography method is generally applicable to various physical realizations of entangled qubits and provides an efficient benchmarking method for guiding the development of high-fidelity sources of entangled photons.

I. INTRODUCTION

Cluster states [1] are a class of many-body entangled states with applications in measurement-based quantum computation [2–4], quantum error correction [5, 6], quantum repeaters [7], quantum secret sharing [8, 9], and quantum metrology [10, 11]. They are also remarkable for the existence of experimental protocols for generating an arbitrarily large cluster state using a finite hardware by time-domain multiplexing [12–14]. Demonstrations of such protocols have generated linear cluster states of itinerant optical [15–18] and microwave [19] photons. These one-dimensional cluster states have been further entangled into two-dimensional cluster states, which are a universal resource for measurement-based quantum computation [20–23].

To fully characterize an experimentally-generated cluster state, its many-body density matrix needs to be reconstructed from a complete set of measurements. The reconstructed density matrix can then be used to calculate such metrics as the localizable entanglement [24, 25], which can evaluate the usefulness of an entangled state for measurement-based quantum computation [26]. However, reconstructing the density matrix of a large entangled state has remained challenging because the conventional quantum state tomography becomes exponentially costly as the number of qubits increases. To circumvent this difficulty, large-scale cluster states have been characterized in one of two ways: evaluating an entanglement witness [15, 17, 18] or performing a quantum process tomography of each operation in the entanglement generation protocol [16, 19]. In the first approach, theoretical work is required to construct a witness operator for each purpose, such as certifying genuine multipartite entanglement [27, 28] and lower-bounding the quantum state fidelity [18] or localizable entanglement [29]. The second approach evaluates the individual steps of the protocol in isolation, which means that a numerical extrapolation is required to evaluate the entire protocol. Recently, Ref. 23 demonstrated a tomography of a 20-qubit quasitwo-dimensional microwave photonic cluster state by implementing an iterative maximum-likelihood algorithm using a matrix-product-operator (MPO) representation of the density matrix [30]. However, an algorithm with a provably fast convergence and a way to propagate the statistical uncertainties of the data is more desirable.

Here, we propose and experimentally demonstrate an efficient tomography method for reconstructing the many-body density matrix of a sequentially emitted chain of entangled photonic qubits. This is made possible by the fact that the exponentially large density matrix can be parameterized efficiently using an MPO representation even if there are coherent and incoherent errors in the photon emission process. To demonstrate the tomography method, we use a superconducting qubit to generate linear cluster states of up to 35 microwave photonic qubits in the discrete-variable basis. We then use a quantum-limited amplifier to measure the quadrature observables of the photonic qubits and efficiently obtain

^{*} yoshiki.sunada@aalto.fi; Present address: QCD Labs, QTF Centre of Excellence, Department of Applied Physics, Aalto University, P.O. Box 13500, FIN-00076 Aalto, Finland

the complete set of correlations among five consecutive qubits. The correlation data is first used to verify that the density matrix of the generated photons can be represented by an MPO with a bond dimension of four. Then, we use a gradient-based least-squares algorithm to efficiently fit the MPO to the measured correlations and propagate the measurement uncertainties to the parameters of the MPO. Using the reconstructed MPO representations of the cluster states, we calculate the quantum state fidelity and localizable entanglement, which are found to be significantly larger than the lower bounds determined by stabilizer measurements [28, 29]. We demonstrate that the entanglement in the 10-qubit cluster state persists for up to a length of seven consecutive photons. We also find that this length decreases for the larger cluster states, which contradicts the numerical extrapolation of the results for the smaller cluster states. Our observation suggests that the successful generation of a smaller cluster state does not guarantee the generation of a larger cluster state, highlighting the importance of efficient tomography methods for large entangled states.

II. EFFICIENT TOMOGRAPHY

Two factors contribute to the exponential difficulty of performing a quantum state tomography of an entangled state of a large number of qubits. The first is the large number of parameters in a multi-qubit density matrix, which increases exponentially with the number of qubits. The second is the large number of possible measurement settings, i.e., the choice of measurement basis for each qubit, which also increases exponentially. In the first part of this section, we resolve the first difficulty by showing that a sequentially generated entangled state can be represented by an MPO whose number of parameters only grows linearly with the number of qubits. Then, we show that the second difficulty can be resolved using the fact that an MPO can be reconstructed from local correlation measurements, which only require a constant number of measurement settings regardless of the number of qubits.

A. Efficient parameterization of sequentially generated entanglement

In general, an N-qubit density matrix $\hat{\rho}$ can be represented in the Pauli basis as

$$\hat{\rho} = \frac{1}{2^N} \sum_{i_1, \dots, i_N \in \{0, 1, 2, 3\}} \rho_{i_1, \dots, i_N} \hat{P}_1^{(i_1)} \cdots \hat{P}_N^{(i_N)}, \quad (1)$$

where ρ_{i_1,\ldots,i_N} is a $4 \times \cdots \times 4$ real tensor, and $\hat{P}_s^{(0)} = \hat{I}_s$, $\hat{P}_s^{(1)} = \hat{X}_s$, $\hat{P}_s^{(2)} = \hat{Y}_s$, and $\hat{P}_s^{(3)} = \hat{Z}_s$ are the Pauli operators on the *s*th qubit for $s = 1, \ldots, N$. In the conventional quantum state tomography, each parameter ρ_{i_1,\ldots,i_N} is estimated from an *N*-qubit correlation measurement as $\rho_{i_1,\ldots,i_N} = \langle \hat{P}_1^{(i_1)} \cdots \hat{P}_N^{(i_N)} \rangle$. Taking into account the unit-trace constraint, $\rho_{0,\dots,0} = \text{Tr}[\hat{\rho}] = 1$, the number of free parameters is $4^N - 1$, which makes this procedure exponentially difficult as the number of qubits increases.

In the MPO representation, the $4 \times \cdots \times 4$ tensor ρ_{i_1,\ldots,i_N} is decomposed into a contraction of N tensors: a $4 \times D$ tensor $A_1, D \times 4 \times D$ tensors A_2, \ldots, A_{N-1} , and a $D \times 4$ tensor A_N [31]. The contraction can be expressed as matrix multiplications by slicing each tensor along the 4-dimensional axis:

$$\rho_{i_1,\dots,i_N} = A_1^{(i_1)} A_2^{(i_2)} \cdots A_{N-1}^{(i_{N-1})} A_N^{(i_N)}.$$
 (2)

Here, $A_1^{(i_1)}$ is a *D*-dimensional row vector, $A_2^{(i_2)}, \ldots, A_{N-1}^{(i_{N-1})}$ are $D \times D$ matrices, and $A_N^{(i_N)}$ is a *D*-dimensional column vector. The dimension *D* of the axes being contracted is called the bond dimension of the MPO. The bond dimension *D* determines the expressivity of the MPO and is closely related to the entanglement entropy across the bond [32, 33]. Note that the decomposition is not unique and is possible with any value of *D* sufficiently large, although a smaller *D* gives a more efficient MPO representation. Appendix B describes how to efficiently calculate multi-qubit correlations, quantum state fidelities, and effects of local errors using the MPO representation.

The MPO representation has been used to efficiently parameterize and characterize a quantum state generated by a system with local interactions such as a linear ion trap [34, 35]. Here, we show that a sequentially-emitted chain of entangled photonic qubits can also be efficiently represented by an MPO because of the locality in the time dimension. We expand on Ref. 36, which showed that a chain of photonic qubits generated by a *d*-level system (qudit) can be represented by a matrix product state (MPS) with a bond dimension of at most *d* if the qudit–photon system remains in a pure state. We use the concepts of mixed-state quantum circuits [37] and tensor networks [38] to confirm the suggestion in Ref. 36 that an MPO can be used to allow for mixed states and decoherence.

Figure 1(a) depicts a qudit sequentially emitting a chain of photonic qubits. This process can be modeled using the mixed-state quantum circuit shown in Fig. 1(b). The initial density matrix of the qudit is represented by a d^2 -dimensional real vector ρ_0 by assuming a Hermitian matrix basis such as the generalized Gell-Mann matrices [39]. Then, the effect of a gate operation on the qudit, including any coherent and incoherent errors, is to multiply the vector by a $d^2 \times d^2$ process matrix \mathcal{G}_s . Similarly, a conditional photon emission from the qudit is a gate operation between the qudit and the photonic qubit and is represented by a $d^2 \times 2^2 \times d^2 \times 2^2$ process tensor \mathcal{E}_s . Note that the initial state of the photonic qubit is chosen to be the vacuum state $|0\rangle\langle 0|$ without loss of generality. A chain of N photonic qubits is generated by alternating between the qudit gates \mathcal{G}_s and photon emissions \mathcal{E}_s , which may differ each time as a part of the experimental



FIG. 1. Efficient tomography of sequentially-emitted entangled photonic qubits. (a) Sequential emission of entangled photonic qubits by a *d*-level system (qudit). (b) Mixed-state quantum-circuit representation, which can be interpreted as a tensor network corresponding to the density matrix of the emitted photonic qubits. (c) Matrix product operator (MPO) obtained by contracting the tensors in groups. This is an efficient parameterization of the many-body density matrix of the generated photonic qubits because the number of parameters only increases proportionally with the number of photonic qubits, N. (d) Efficient choice of measurement bases which makes the number of measurement settings independent of N. Here, we measure the complete set of local correlations of up to five consecutive photonic qubits, which is sufficient for reconstructing the density matrix of a linear cluster state.

protocol or because of its imperfect execution. Finally, an entangled state of the N photonic qubits is obtained by ignoring the qudit state at the end of the protocol, which is equivalent to taking the partial trace over the qudit.

This quantum circuit can be interpreted as a tensornetwork diagram corresponding to the density matrix of the emitted photonic qubits. In a tensor network diagram, a node with n edges represents a tensor with nindices, an edge connecting two nodes represents a tensor contraction, and a dangling edge represents an index of the resulting tensor. Then, the tensors can be contracted in groups as shown by the dashed orange boxes in Fig. 1(b) to obtain a tensor network shown in Fig. 1(c), which corresponds to Eq. (2) and represents an MPO. The dimension of the tensor contractions represented by the horizontal edges corresponds to the bond dimension of the MPO. Therefore, the N-qubit density matrix of the generated photonic qubits can be efficiently parameterized using an MPO with a bond dimension of at most $D = d^2$, whose number of parameters only grows linearly with N. Notably, this representation is efficient even if additional energy levels of the photon emitter are unintentionally involved, under the reasonable assumption that the number of the participating energy levels does not increase exponentially with N. Thus, the MPO representation allows one to perform the quantum state tomography of a sequentially generated entanglement without estimating each of the exponentially many parameters of the density matrix.

B. Efficient choice of measurement settings

Because the MPO representation reduces the number of parameters describing the density matrix, one may expect that the parameters can be estimated from a small set of correlation measurements. However, choosing an appropriate subset from the exponentially large set of possible *N*-qubit correlation measurements is a nontrivial problem.

Our strategy for choosing an efficient set of correlation measurements is based on Ref. 34, which showed that an N-qubit state represented by an MPO can be reconstructed from its local reductions if the "reconstructibility condition" described below is satisfied. A local reduction of a chain of qubits is defined as the state obtained by selecting L consecutive qubits and ignoring the others. Because the local reduction is an L-qubit state, it is determined by the complete set of L-qubit correlation measurements. Taking L = 5 as an example, the local correlations can be denoted as

$$C_{s}^{(a,b,c,d,e)} \coloneqq \langle \hat{P}_{s}^{(a)} \hat{P}_{s+1}^{(b)} \hat{P}_{s+2}^{(c)} \hat{P}_{s+3}^{(d)} \hat{P}_{s+4}^{(e)} \rangle, \qquad (3)$$

where $a, b, c, d, e \in \{0, 1, 2, 3\}$ and $s = 1, \ldots, N - 4$. The MPO representation of the *N*-qubit state can be reconstructed from the set of local correlations by following the procedure introduced in Ref. 34. Appendix G gives an explicit formula for the reconstructed MPO in terms of $C_s^{(a,b,c,d,e)}$. The reconstructibility condition is fulfilled by the vast majority of MPOs whose bond dimension D satisfies

$$D \le 4^{\lfloor (L-1)/2 \rfloor},\tag{4}$$

where $\lfloor \cdot \rfloor$ denotes the floor function (see Appendix G for the full statement of the reconstructibility condition). The exceptional cases form a zero-volume subset within the space of all MPOs with a bond dimension of D. In these cases, the MPO is unreconstructible because one or more of the linear systems of equations which appear in the reconstruction procedure has no solution.

One might expect that a linear cluster state, which is an MPO with a bond dimension of D = 4, can be reconstructed from the complete set of three-qubit local correlations because D = 4 and L = 3 satisfy Eq. (4). However, as we show in Appendix G, a linear cluster state is an exceptional case in the sense that its reconstruction requires L = 5. Although decoherence and imperfections in the experiment will likely bring the state out of the set of exceptional cases, the reconstruction procedure is sensitive to statistical noise in the data if the state being measured is close to an unreconstructible state. Therefore, for evaluating the performance of a high-fidelity source of linear cluster states, the generated state should be reconstructed from the five-qubit local correlation measurements.

The complete set of five-qubit local correlations can be efficiently measured by choosing the measurement basis for each qubit as shown in Fig. 1(d), where every fifth qubit is measured in the same basis. A local correlation $C_s^{(a,b,c,d,e)}$ can be obtained from such a measurement setting by ignoring the measurement outcomes of all but five consecutive qubits. Thus, the number of measurement settings required to reconstruct the density matrix of a sequentially generated N-qubit entanglement has been reduced to a constant which is independent of N.

III. EXPERIMENT

We demonstrate the efficient tomography method on linear cluster states of itinerant microwave photons generated using a superconducting qubit. In this section, we describe how we generate a microwave photonic cluster state and measure the correlations among the photonic qubits.

A. Generating a microwave photonic cluster state

To generate a linear cluster state, we use a protocol based on the proposal in Ref. 12, which uses an electron confined in a semiconductor quantum dot to generate a linear cluster state of optical photons. This protocol inspired the experimental demonstrations using a dark exciton [16], an InGaAs quantum dot [17], a Rubidium atom [18], and superconducting qubits [19, 22]. Our protocol is based on a microwave-activated photon-qudit interaction and is different from the previous works in the microwave domain in the sense that it does not use any frequency-tunable qubit or tunable coupler. This protocol is promising for increasing the fidelity and scale of the cluster states because tuning mechanisms tend to increase the decoherence rates and wiring complexity of the photon source.

Figure 2(a) shows a photograph of the photon source, which consists of a fixed-frequency superconducting transmon qubit [40] and a coaxial transmission line resonator [41]. The resonator couples to a coaxial cable through an intrinsic Purcell filter to enable a fast photon generation while minimizing the energy relaxation of the superconducting qubit [42]. The circuit model of the photon source and a schematic of the measurement chain are shown in Fig. 2(b) and are described in more



FIG. 2. Generation and measurement of a microwave photonic linear cluster state. (a) Photograph of the disassembled (front) and assembled (back) microwave photon sources, which consist of a superconducting transmon qubit and a microwave resonator on a silicon substrate inside an aluminum cylindrical cavity. The threaded connector with a long center pin is used to couple a coaxial cable to the resonator. (b) Circuit model of the photon source and a schematic of the measurement chain, which includes a Josephson parametric amplifier (JPA) for phase-sensitive quantum-limited amplification. (c) Energy-level diagram of the photon source. The numbered arrows correspond to the steps comprising the conditional photon emission operation. (d) Measured mode function u(t) of the photonic qubit. (e) Probability density $p(q_1, q_2)$ of measuring the quadrature values q_1 and q_2 for the first and second photonic qubits, respectively, of the generated five-qubit cluster state. The solid and dashed lines are the contour lines for the measured data and an ideal cluster state under the effect of the same measurement inefficiency, respectively. (f) Pulse sequence for generating an N-qubit linear cluster state. (g) Measured photon flux of the cluster states. The traces are offset vertically by units of 20 μs^{-1} for clarity.

detail in Appendix A. Figure 2(c) shows the energy-level diagram, where $|g\rangle$, $|e\rangle$, and $|f\rangle$ are the ground, firstexcited, and second-excited states of the transmon and $|0\rangle$ and $|1\rangle$ are Fock states of the resonator. A photonic qubit is generated using the microwave-induced coupling between the $|f0\rangle$ and $|g1\rangle$ states [43, 44], which has been used to generate a shaped photon [43] and a time-bin photonic qubit [45, 46]. The $|f0\rangle \rightarrow |g1\rangle$ transition converts the $|f\rangle$ population of the transmon to a singlephoton excitation of the resonator, which is then emitted as an itinerant microwave photon into the coaxial cable which couples to the resonator. Figure 2(d) shows the mode function u(t) of the emitted photon, which is obtained by generating a photonic qubit in the superposition state $(|0\rangle + |1\rangle)/\sqrt{2}$ and measuring its averaged waveform. The spontaneous emission from the resonator occurs simultaneously with the $|f0\rangle \rightarrow |g1\rangle$ transition because the resonator has a large external linewidth of 18.2 MHz relative to the microwave-activated $|f0\rangle$ - $|q1\rangle$ coupling strength. This allows for the possibility to shape the photonic qubit into a time-symmetric envelope suitable for quantum communication by optimizing the shape of the $|f_0\rangle \rightarrow |q_1\rangle$ drive pulse [45, 47].

Figure 2(f) shows the pulse sequence for generating an N-qubit linear cluster state (see Appendix D for more details). The transmon is initialized to the ground state using a quantum nondemolition readout and post-selection. Then, we repeat the 200-ns cycle consisting of a 20-ns $\pi/2$ rotation in the qubit subspace $\{|g0\rangle, |e0\rangle\}$ and a photon emission conditioned on the qubit being in $|e0\rangle$. The conditional photon emission is composed of two 20-ns π pulses which induce $|e0\rangle \rightarrow |f0\rangle$ and $|g0\rangle \rightarrow |e0\rangle$ transitions in this order, followed by a $|f0\rangle \rightarrow |g1\rangle$ drive, which is a chirped raised-cosine pulse [46] with a duration of 100 ns. After repeating the 200-ns cycle N-1 times, another $\pi/2$ rotation is performed and the transmon is disentangled from the generated photons by completely emitting its excitation as a photon. We used this pulse sequence to generate N-qubit cluster states for N = 5, 10, 15, 20, 25,30, and 35. Figure 2(g) shows the measured photon flux of the cluster states.

B. Measuring the microwave photonic qubits

Each photonic qubit generated by this protocol is defined in the $\{|0\rangle, |1\rangle\}$ subspace of a microwave pulse mode. Such a qubit can be measured in the Pauli \hat{Z} basis using a microwave photon detector [48–51]. Pauli \hat{X} and \hat{Y} measurements can be realized by absorbing the photon into a superconducting qubit, which requires temporally modulating the coupling strength to match the mode function of the photon [45, 47]. Here, we take an experimentally simpler approach of measuring the quadrature observables $\hat{q}_s := (\hat{a}_s^{\dagger} + \hat{a}_s)/\sqrt{2}$ and $\hat{p}_s := i(\hat{a}_s^{\dagger} - \hat{a}_s)/\sqrt{2}$, where \hat{a}_s is the annihilation operator of the pulse mode for the *s*th photonic qubit. The data analysis methods in this work are directly applicable to experiments in the optical domain because the same quantities can be measured using optical homodyne detection [52].

We measure the quadrature observables of the microwave photonic qubits using a flux-driven Josephson parametric amplifier (JPA) [49]. By driving the JPA with a 140-ns pulse at twice the signal frequency, the signal can be phase-sensitively amplified. For each qubit, either the \hat{q}_s or \hat{p}_s quadrature is amplified by switching the phase of the pump pulse between 0 and π . The quadrature values are obtained by calculating the overlap integral between the amplified waveform and the mode function u(t) of the photonic qubit. Figure 2(e) shows the two-dimensional histogram of the quadrature values measured for the first and second photonic qubits of the five-qubit cluster state. The visible correlation between \hat{q}_1 and \hat{q}_2^2 corresponds to the Pauli-basis correlation $\langle \hat{X}_1 \hat{Z}_2 \rangle = 1$, which is characteristic of a cluster state. Whereas this histogram is not corrected for the measurement inefficiency, we correct the data used in the following analysis using the estimated measurement efficiency of 0.391 ± 0.004 (see Appendix E for details). We also numerically correct for the phase offsets between the generated photonic qubits and the measured quadratures by maximizing the expectation values of the stabilizer operators of the cluster state (see Appendix F for details).

To measure a five-qubit correlation, we choose for each photonic qubit either \hat{q}_s or \hat{p}_s as the measurement basis, perform 10^7 measurements with a repetition period of 10 μ s, and calculate the set of moments

$$\langle \hat{Q}_{s}^{(a)} \hat{Q}_{s+1}^{(b)} \hat{Q}_{s+2}^{(c)} \hat{Q}_{s+3}^{(d)} \hat{Q}_{s+4}^{(e)} \rangle, \tag{5}$$

where $a, b, c, d, e \in \{0, ..., 5\}$ and

$$\hat{Q}_s^{(0)} \coloneqq \hat{q}_s^0, \qquad \qquad \hat{Q}_s^{(1)} \coloneqq \hat{p}_s^0, \qquad (6a)$$

$$\hat{Q}_{s}^{(2)} := \hat{q}_{s}^{1}, \qquad \qquad \hat{Q}_{s}^{(3)} := \hat{p}_{s}^{1}, \qquad (6b)$$

$$\hat{Q}_{s}^{(4)} \coloneqq \hat{q}_{s}^{2}, \qquad \qquad \hat{Q}_{s}^{(5)} \coloneqq \hat{p}_{s}^{2}.$$
 (6c)

These multivariate moments are then converted to the Pauli-basis correlations $C_s^{(a,b,c,d,e)}$ using the formula derived in Appendix E, which is a multi-qubit generalization of the equalities

$$\langle \hat{X}_s \rangle = \sqrt{2} \langle \hat{q}_s \rangle,$$
 (7a)

$$\langle \hat{Y}_s \rangle = \sqrt{2} \langle \hat{p}_s \rangle,$$
 (7b)

$$\langle \hat{Z}_s \rangle = 2 - \langle \hat{q}_s^2 \rangle - \langle \hat{p}_s^2 \rangle$$
 (7c)

for a pulse mode containing up to one photon. Only $2^5 = 32$ measurement settings, i.e., the combination of the JPA phase for each photonic qubit, are required to measure the complete set of five-qubit local correlations for the entire photon chain.

IV. DATA ANALYSIS

To reconstruct the MPO representation of the density matrix of the generated photonic qubits, one needs to



FIG. 3. Estimating the required bond dimension of the MPO representation using the measured local correlations. (a) Schematic of the procedure. (b), (c) Five largest singular values $\sigma_1, \ldots, \sigma_5$ of the four-qubit local correlation matrices B_s ($s = 1, \ldots, N-3$) measured for the N-qubit linear cluster states with N = 10 and 35, respectively. Error bars represent the standard errors of the singular values estimated by propagating the statistical errors of the correlation data. Because only four singular values of any B_s are significantly larger than zero, the bond dimension of these cluster states can be estimated as D = 4.

find the MPO which fits the set of measured local correlations. We begin this section by showing how the required bond dimension of the MPO can be determined from the measured local correlations. We then describe the least-squares method which we use to fit the MPO to the data and propagate the statistical uncertainties in the data to the parameters of the MPO.

A. Estimating the required bond dimension

The state of a photon chain generated by our photon source has a bond dimension of at most $4^2 = 16$ because only four energy levels participate in the photon generation even if there are leakage errors into the fourth energy level of the transmon. However, to reduce the computational cost of the MPO reconstruction, it is desirable to know in advance if the measured state has a more efficient MPO representation with a smaller bond dimension. In fact, the state generated by our experimental protocol can be expected to have a bond dimension of $2^2 = 4$ if there is no leaked population outside the qubit subspace $\{|g0\rangle, |e0\rangle\}$ after each conditional photon emission.

Here, we estimate the bond dimension required to express the measured state by calculating the ranks of 16×16 matrices B_s constructed from the four-qubit local correlations,

$$(B_s)_{4a+b,4c+d} \coloneqq \langle \hat{P}_s^{(a)} \hat{P}_{s+1}^{(b)} \hat{P}_{s+2}^{(c)} \hat{P}_{s+3}^{(d)} \rangle, \tag{8}$$

as shown in Fig. 3(a). As we show in Appendix H, the required bond dimension between the (s+1)th and (s+2)th photonic qubits is given by Rank $[B_s]$. This means that the measured N-qubit state has an MPO representation with a bond dimension of D if Rank $[B_s] \leq D$ for every $s = 1, \ldots, N - 3$. Note that B_s should be constructed from the local correlations of a larger number of consecutive qubits if the measured state can have a bond dimension larger than 16. In general, the complete set of (2l)-qubit local correlation measurements allows one to perform this analysis for a state with a bond dimension of up to 4^l .

Since the measured four-qubit correlations B_s contain statistical noise, we estimate $\operatorname{Rank}[B_s]$ by counting the number of singular values of B_s which are significantly larger than their statistical uncertainties. The statistical uncertainties are estimated by propagating the uncertainties of the quadrature measurements to the correlation matrix B_s then to the singular values (see Appendix H for details). Figures 3(b) and (c) show the five largest singular values $\sigma_1, \ldots, \sigma_5$ of the four-qubit correlation matrices B_s measured for an N-qubit linear cluster state with N = 10 and 35, respectively. Because only four singular values of any B_s are significantly larger than zero, the bond dimension required to express these cluster states can be estimated as D = 4, up to the statistical uncertainties of the quadrature measurements.

B. Least-squares fitting by an MPO

If the exact values of the five-qubit correlations were known, one would be able to reconstruct the MPO representations of the cluster states from the correlation matrices using the explicit formula given in Appendix G. However, this procedure is sensitive to any noise in the correlation measurements because it involves computing the Moore–Penrose pseudoinverses of ill-conditioned matrices [34]. In this work, we instead perform a least-squares fitting of the MPO to the measured correlations. The fit parameters are the elements of the matrices $A_s^{(i_s)}$ comprising the MPO, and the fit residuals to be minimized are the differences between the measured correlations $C_s^{(a,b,c,d,e)}$ and the corresponding correlations calculated from the MPO as

$$A_1^{(0)} \cdots A_{s-1}^{(0)} A_s^{(a)} A_{s+1}^{(b)} A_{s+2}^{(c)} A_{s+3}^{(d)} A_{s+4}^{(e)} A_{s+5}^{(0)} \cdots A_N^{(0)}.$$
 (9)

To impose the unit-trace constraint of a density operator and to reduce the number of fit parameters by approximately half, the MPO is restricted to the "standard form" introduced in Appendix I. We use the analytic formula for the partial derivative of Eq. (9) with respect to each fit parameter to implement the Gauss–Newton algorithm, which can efficiently solve a nonlinear leastsquares problem. The partial derivatives also allow us to propagate the statistical uncertainties of the measured correlations $C_s^{(a,b,c,d,e)}$ to the uncertainties of the reconstructed MPO. To provide a good initial guess to the fitting algorithm, we follow the procedures in Appendices G and H to reconstruct an approximate MPO by compressing the bond dimension using truncated singular value decompositions.

In this work, the measured Pauli-basis correlations $C_s^{(a,b,c,d,e)}$ contain statistical uncertainties of various magnitudes because they are calculated using Eqs. (7a)–(7c) from the quadrature moments. In particular, Pauli-basis correlations which measure many of the qubits in the \hat{Z}_s basis have large uncertainties because they are calculated from high-order quadrature moments. To avoid overfitting to the large statistical errors in such correlation measurements, we perform a weighted leastsquares fitting, where each residual is weighted by the reciprocal of the standard error of the fit target (see Appendix J for the fit result for the 10-qubit cluster state).

C. Results of MPO reconstruction

Figures 4(a) and (b) show the reconstructed density matrix of the N-qubit cluster state for N = 10 and 35. Since the density matrices are very large $(2^N \times 2^N)$, only the corners of the matrices are shown. The complex arguments of the matrix elements show the characteristic pattern for a cluster state (see Appendix F for the density matrix of an ideal cluster state). The far-off-diagonal elements have small absolute values and noisy complex arguments because they are most strongly affected by any dephasing errors. The elements in the upper-left corner have larger absolute values than the lower-right corner because of the photon loss error.

Figure 5(a) shows the quantum state fidelities of the N-qubit cluster states to the ideal cluster states. For comparison, we also plot the fidelities calculated using numerical models which apply the photon loss and dephasing errors to each qubit in the ideal cluster state. The error probabilities used in the numerical models are obtained from the measurements of the mean photon numbers and the stabilizer operators (see Appendix F for details). For N > 10, the fidelities of the cluster states are significantly smaller than that of the numerical model with 9.8% photon loss and 4.6% phase flip errors, which are the average error probabilities obtained for N = 5. This suggests that the coherence properties of the photon to source used in this work degrade when a large number of photonic qubits are generated in succession, possibly

due to heating or quasiparticle generation by the strong pulses driving the $|f0\rangle \rightarrow |g1\rangle$ transition. By allowing the error probabilities in the numerical model to differ for each qubit and for each N, the fidelities of the cluster states can be more closely explained by the photon loss and dephasing error models. However, the fidelities of the 30- and 35-qubit cluster states still deviate significantly from the numerical model, which suggests that there are error processes which cannot be modeled by a combination of photon loss and dephasing.

Figure 5(b) shows the relative uncertainty of the fidelity calculated by propagating the uncertainties of the quadrature measurements. For the fixed measurement repetition of 10^7 per measurement setting, the relative uncertainties increase only linearly with the length of the cluster state. This demonstrates that the tomography method is efficient in terms of the statistical uncertainty because the number of measurement repetitions required to achieve a given error tolerance can be expected to only increase quadratically with the number of qubits.

Note that the maximum length of the cluster states in this work is not limited by the computational cost of the tomography or the scaling of the statistical uncertainty but by the memory size of the arbitrary waveform generators which generated the pulse sequence.

D. Lower bound of fidelity based on stabilizer measurements

It is possible to use the set of stabilizer measurements, which are local correlation measurements of up to three qubits, to efficiently obtain a lower bound of the fidelity of the state being measured to an ideal linear cluster state [28]. This method is more general in the sense that it does not assume that the state can be efficiently represented by an MPO. The lower bound for the fidelity \mathcal{F} is given by

$$\mathcal{F} \ge \prod_{s=1,3,\dots} \frac{1 + \langle \hat{S}_s \rangle}{2} + \prod_{s=2,4,\dots} \frac{1 + \langle \hat{S}_s \rangle}{2} - 1, \quad (10)$$

where

$$\hat{Y}_1 \coloneqq \hat{X}_1 \hat{Z}_2,$$
 (11a)

$$\hat{S}_s \coloneqq \hat{Z}_{s-1} \hat{X}_s \hat{Z}_{s+1}$$
 $(s = 2, \dots, N-1),$ (11b)

$$\hat{S}_N \coloneqq \hat{Z}_{N-1} \hat{X}_N \tag{11c}$$

are the stabilizer operators of the N-qubit linear cluster state. This lower bound was used in Refs. 17 and 18 to efficiently evaluate the fidelities of their photonic cluster states. However, a lower bound of 0.40 is obtained for the five-qubit cluster state generated in this work, which significantly underestimates the actual fidelity of $\mathcal{F} = 0.616 \pm 0.006$ obtained from the result of the full tomography detailed in Appendix F. For the larger cluster states, the right-hand side of Eq. (10) becomes negative and does not give a meaningful lower bound. Therefore,



FIG. 4. Corners of the reconstructed density matrices of the (a) 10-qubit and (b) 35-qubit cluster states. Absolute values are plotted in the diagonal and the lower-left triangle, and the complex arguments in the upper-right triangle. See Appendix J for the full density matrix of the 10-qubit cluster state.



FIG. 5. Quantum state fidelities of the generated N-qubit cluster states to the ideal cluster states. (a) Fidelity of the cluster state \mathcal{F} (blue circle) and the fidelities calculated using numerical models with only photon loss and dephasing errors, where the error probabilities are individually fit to each qubit for each N (orange square) or are extrapolated from the average values for N = 5 (green triangle). (b) Relative uncertainty of \mathcal{F} calculated by propagating the uncertainties of the quadrature measurements.

the lower bound based on the stabilizer measurements is not effective for evaluating the fidelities of these cluster states. It remains to be seen if the efficient lower bound recently proposed in Ref. 53, which uses additional measurement settings, provides a tighter lower bound of the fidelity.

V. LOCALIZABLE ENTANGLEMENT

Because the many-body density matrices of the cluster states have been reconstructed, it is possible to evaluate any entanglement criteria. Here, we calculate the localizable entanglement, which can measure how far the entanglement persists in a chain of entangled qubits [24, 25]. It is defined as the maximum entanglement that can result between two specified qubits after performing local projective measurements on the others. The definition can vary depending on what metric is used to evaluate the resulting two-qubit entanglement. The persistence of localizable entanglement is an important figure of merit for universal measurement-based quantum computation using a cluster state [26].

A. Localizable entanglement of the reconstructed cluster states

Let us first calculate the localizable entanglement defined in terms of the negativity \mathcal{N}_{le} , which is a measure of entanglement easily computable for a two-qubit state [54]. It takes the maximum $\mathcal{N}_{le} = 0.5$ if a Bell state can result between the two specified qubits and the minimum $\mathcal{N}_{le} = 0$ if only separable states can result. The procedures for efficiently calculating the localizable entanglement and its uncertainty using the MPO formalism are described in Appendix K. Figure 6(a) shows the localizable entanglement calculated for each pair of photonic qubits in the 10-qubit cluster state. The localizable entanglement decays with the distance between the two qubits but persists for up to seven consecutive qubits. For example, the localizable entanglement between the fourth and tenth qubits is 0.008 ± 0.003 , which is significantly larger than zero. Remarkably, even though the local correlations of only up to five consecutive qubits have been measured, the tomography method can verify the persistence of entanglement for a longer chain of qubits.

Calculating the localizable entanglement of an N-qubit state is computationally costly for a large N because it in-



FIG. 6. Localizable entanglement in the generated cluster states. (a) Localizable entanglement in negativity between each pair of qubits in the 10-qubit cluster state. The number in parentheses is the statistical uncertainty in the last digit. (b) Localizable entanglement in negativity between the first and (1 + k)th qubits in the cluster states (symbols with a solid line). For comparison, the localizable entanglement for the numerical model of a 35-qubit cluster state using the average photon loss and dephasing error probabilities obtained for the five-qubit cluster state is also shown (dashed line). (c) Localizable entanglement measured in concurrence between the first and (1 + k)th qubits in the cluster states (symbols with a solid line) and its lower bound based on the stabilizer measurements (symbols with a dashed line).

volves a sum of 2^{N-2} terms corresponding to the possible outcomes of the local projective measurements. Therefore, for N > 15, we estimate the localizable entanglement by randomly selecting 2^{13} terms and multiplying their sum by 2^{N-15} . Figure 6(b) shows the localizable entanglement between the first and (1 + k)th qubits in the *N*-qubit cluster state with N = 5, 10, 15, and 35. We observe a decrease in the localizable entanglement for the larger cluster states. For comparison, Fig. 6(b) also shows the localizable entanglement for the numerical model of a 35-qubit cluster state using the average photon loss and dephasing error probabilities obtained for the five-qubit cluster state. The numerical model shows that, assuming uniform photon loss and dephasing error probabilities, the localizable entanglement between a pair of qubits separated by a fixed distance does not decrease with the total length of the cluster state. The observed decrease of the localizable entanglement for larger cluster states further supports the suspicion that the coherence properties of the photon source degrade when generating a longer chain of photons.

B. Lower bound based on stabilizer measurements

Reference 29 proposed a lower bound for the localizable entanglement of a linear cluster state which can be efficiently obtained using the stabilizer measurements. It uses the localizable entanglement defined in terms of the concurrence C_{le} , which is a measure of two-qubit entanglement taking the maximum of $C_{le} = 1$ for a Bell state and the minimum of $C_{le} = 0$ for a separable state [55, 56]. The lower bound for the localizable entanglement between the sth and (s + k)th qubits is given by

$$\mathcal{C}_{\rm le} \ge 1 - (k+1)(1 - \min\langle \hat{S}_r \rangle), \tag{12}$$

where \hat{S}_r are the stabilizer operators of the linear cluster state given in Eqs. (11a)–(11c). This lower bound does not assume that the state has an efficient MPO representation.

Figure 6(c) shows the localizable entanglement C_{le} between the first and (1 + k)th qubits calculated from the reconstructed MPOs and its lower bound based on the stabilizer measurements. The lower bound significantly underestimates the actual localizable entanglement, suggesting that it is not effective for evaluating these cluster states.

VI. DISCUSSIONS

We have proposed an efficient tomography method for a sequentially generated entangled state and experimentally demonstrated it on microwave photonic cluster states. This method is directly applicable to any physical realization of qubits which can be measured in the quadrature or Pauli basis, including optical photonic qubits in the Fock, polarization, or dual-rail encoding [57]. It can be straightforwardly generalized to sequentially generated qudits by using the generalized Gell–Mann basis instead of the Pauli basis. It can also be generalized to continuous-variable systems by imposing a photon number cutoff or by choosing a finite set of basis states. It will also be interesting to develop an analogous method for an entangled state generated using squeezers and passive linear optics by representing it as a Gaussian projected entangled-pair state (GPEPS) [58, 59]. A GPEPS can efficiently parameterize a pure multimode Gaussian state analogously to a projected entangled-pair state (PEPS) [60, 61], which is a generalization of an MPS to an arbitrary graph. This will potentially enable

an efficient tomography of the large continuous-variable cluster states which have been generated in the optical domain [15, 20, 21].

We make the assumption that the many-body density matrix of the qubit chain can be efficiently represented by an MPO, which we have justified by interpreting the sequential photon emission process as a tensor network. This is a robust assumption for a time-domainmultiplexed photon source because creating an additional edge in the tensor network requires an unrealistic interaction between photonic qubits which are well-separated in time. We have also demonstrated a way to experimentally verify this assumption by calculating the ranks of matrices constructed from local correlation measurements. The ranks give the required bond dimension of the MPO representation, whose square root corresponds to the number of energy levels in the photon source which participated in the generation of entangled photons. It is remarkable that such information can be obtained without directly measuring the state of the photon source.

We also make the assumption that the MPO representing the qubit chain can be reconstructed from the correlation measurements of L = 5 consecutive qubits. This is a more subtle assumption, as we have seen by showing that, unlike the vast majority of other MPOs with a bond dimension of four, the ideal linear cluster state cannot be reconstructed with L = 3 but can be with L = 5. Another subtlety is that GHZ-like entanglement spanning across more than L qubits cannot be reconstructed from local correlation measurements alone because ignoring any of the qubits destroys the entanglement. This may have affected the results presented in this work because an N-qubit GHZ state can be generated by omitting the $\pi_{ge}/2$ pulses from the pulse sequence [19], which implies that coherent errors in the $\pi_{ge}/2$ pulses can introduce GHZ-like entanglement into the photon chain. With only local correlation measurements, GHZ-like entanglement appears as increased dephasing errors, which means that the fidelities and localizable entanglements we have obtained are conservative values. For applications where such a long-range entanglement is detrimental, global correlations should also be measured to detect the GHZ-like entanglement [30].

We have shown that the tomography method scales well also in terms of the statistical uncertainties of the obtained quantities, which we have calculated by propagating the uncertainties of the local correlation measurements. The uncertainty propagation was made possible by using a least-squares method to fit the MPO to the local correlation data. However, the least-squares method used in this work does not ensure that the bestfit MPO represents a positive semidefinite matrix, which is required for it to represent a valid density matrix. In fact, the problem of deciding whether an MPO represents a positive semidefinite matrix has been shown to be NPhard [62]. We argue that not enforcing the positivity is appropriate for this work because doing so has been shown to lead to an overestimation of entanglement [63]. Nevertheless, it may be possible to impose the positivity by using the locally-purified-density-operator (LPDO) representation, which is positive by construction [64]. In this case, the conditions on the bond dimension need to be further studied because an efficient MPO representation does not guarantee the existence of an efficient LPDO representation [65].

Another interesting avenue for future work is to generalize the tomography method to entangled states with more complex graph structures. To efficiently parameterize such states, tensor-network states with various structures, including trees, lattices, and their continuum limits, have been actively studied [66]. In particular, the two-dimensional cluster states which have been generated in the optical and microwave domains can be efficiently represented by a projected entangled-pair operator (PEPO) [67]. A PEPO can be seen as a generalization of an MPO to an arbitrary graph or a generalization of a PEPS to a mixed state. Note that the fact that a two-dimensional cluster state can be efficiently parameterized does not imply that measurement-based quantum computation is classically simulatable because it is still exponentially costly to obtain the result of the computation by contracting the two-dimensional tensor network. Developing an efficient reconstruction algorithm for twodimensional entangled states requires further studies because our present work makes use of the fact that a onedimensional tensor network can be efficiently contracted.

ACKNOWLEDGMENTS

This work was supported in part by the University of Tokyo Program of Excellence in Photon Science (XPS), the Japan Society for the Promotion of Science (JSPS) Fellowship (Grant No. JP22J13650), the Japan Science and Technology Agency (JST) Exploratory Research for Advanced Technology (ERATO) project (Grant No. JPMJER1601), the Ministry of Education, Culture, Sports, Science and Technology (MEXT) Quantum Leap Flagship Program (Q-LEAP) (Grant No. JPMXS0118068682), the JSPS Grant-in-Aid for Scientific Research (KAKENHI) (Grant Nos. JP22H04937, 23H03818, and 22K18682), the JST Center of Innovation for Sustainable Quantum AI (Grant No. JPMJPF2221). T. O. acknowledges the support from the Endowed Project for Quantum Software Research and Education, the University of Tokyo.

APPENDIX A: SAMPLE AND SETUP

The experimental setup used in this work is nominally identical to the one used in Ref. 42 except that the JPA is replaced by a similar one with a larger bandwidth and the 8–12 GHz bandpass filter between the photon source and the JPA is replaced by a 9–11 GHz bandpass filter. The sample for the photon source is also nominally identical

TABLE I. Measured sample parameters.

g angle - e angle transition frequency	$\omega_{ge}/2\pi$	$8.412~\mathrm{GHz}$
$ e\rangle - f\rangle$ transition frequency	$\omega_{ef}/2\pi$	$8.031~\mathrm{GHz}$
g angle - e angle energy relaxation time	T_1	$14.3 \pm 0.9 \ \mu s$
$ g\rangle – e\rangle$ Ramsey dephasing time	T_2^*	$6.9{\pm}0.7~\mu\mathrm{s}$
$ g\rangle – e\rangle$ Hahn-echo dephasing time	$T_2^{\rm echo}$	$9.9{\pm}1.4~\mu{\rm s}$
$ e\rangle – f\rangle$ energy relaxation time	T_{1f}	$15.1{\pm}1.5~\mu{\rm s}$
$ e\rangle – f\rangle$ Ramsey dephasing time	T_{2ef}^*	$5.9{\pm}0.6~\mu{\rm s}$
Thermal excitation ratio	P_e/P_g	0.14
Resonator frequency (dressed)	$\omega_c/2\pi$	$10.6575~\mathrm{GHz}$
Resonator external linewidth	$\kappa_{\rm ex}/2\pi$	$18.2 \mathrm{~MHz}$
Resonator internal linewidth	$\kappa_{\rm in}/2\pi$	$0.2 \mathrm{~MHz}$
Qubit–resonator dispersive shift	$2\chi/2\pi$	-7.4 MHz
Qubit–resonator coupling strength	$g/2\pi$	$239~\mathrm{MHz}$

except that the resonator is shorter and the gap between the resonator and the coupling pin is larger. Table I shows the measured sample parameters.

APPENDIX B: MATRIX-PRODUCT-OPERATOR FORMALISM

Here, we introduce the formalism of matrix product operators (MPO), which can efficiently represent a certain class of many-body entangled states [31]. The notation used in this work is inspired by Refs. 34 and 68.

1. Matrix product state

The MPO formalism is a generalization of the matrixproduct-state (MPS) formalism, which we introduce here.

A pure N-qubit state can be represented by a $2 \times \cdots \times 2$ complex tensor ψ_{i_1,\ldots,i_N} as

$$|\psi\rangle = \sum_{i_1,\dots,i_N \in \{0,1\}} \psi_{i_1,\dots,i_N} |i_1,\dots,i_N\rangle.$$
 (B1)

An MPS representation of this state is obtained by decomposing the tensor ψ_{i_1,\ldots,i_N} into a contraction of N tensors: a $2 \times D$ tensor A_1 , $D \times 2 \times D$ tensors A_2, \cdots, A_{N-1} , and a $D \times 2$ tensor A_N . The contraction can be expressed as matrix multiplications by slicing each tensor along the 2-dimensional axis:

$$\psi_{i_1,\dots,i_N} = A_1^{(i_1)} A_2^{(i_2)} \cdots A_{N-1}^{(i_{N-1})} A_N^{(i_N)}.$$
(B2)

Here, $A_1^{(i_1)}$ is a *D*-dimensional row vector, $A_2^{(i_2)}, \ldots, A_{N-1}^{(i_{N-1})}$ are $D \times D$ matrices, and $A_N^{(i_N)}$ is a *D*-dimensional column vector. The dimension *D* of the axes being contracted is called the bond dimension of the MPS. The 2-dimensional axis of the tensor A_s corresponds to the basis states $|0\rangle$ and $|1\rangle$ of the sth qubit. For notational convenience, let us define the ket-valued matrices

$$\mathsf{A}_s \coloneqq \sum_{i_s \in \{0,1\}} A_s^{(i_s)} |i_s\rangle,\tag{B3}$$

which can be used to express the N-qubit ket as

2. Matrix product operator

Whereas an MPS can only represent a pure state, an MPO can also represent a mixed state. If a pure state $|\psi\rangle$ can be represented by an MPS with a bond dimension of D, the corresponding density operator $|\psi\rangle\langle\psi|$ can be represented by an MPO with a bond dimension of D^2 . The definition of an MPO in the Pauli basis has been presented in Eq. (2).

For notational convenience, let us define the operatorvalued matrices

$$\hat{\mathsf{A}}_s \coloneqq \sum_{i_s \in \{0,1,2,3\}} A_s^{(i_s)} \hat{P}_s^{(i_s)}, \tag{B5}$$

which can be used to express the N-qubit density operator as

$$\hat{\rho} = \frac{1}{2^N} \sum_{i_1, \dots, i_N \in \{0, 1, 2, 3\}} A_1^{(i_1)} \cdots A_N^{(i_N)} \hat{P}_1^{(i_1)} \cdots \hat{P}_N^{(i_N)}$$
(B6a)

$$=\frac{1}{2^N}\hat{\mathsf{A}}_1\cdots\hat{\mathsf{A}}_N. \tag{B6b}$$

3. Correlation measurement

Given an MPO representation $A_s^{(i_s)}$ of an *N*-qubit state, the expectation value of a multi-qubit correlation measurement in the Pauli basis can be calculated as

$$\langle \hat{P}_1^{(i_1)} \cdots \hat{P}_N^{(i_N)} \rangle = \operatorname{Tr}[\hat{P}_1^{(i_1)} \cdots \hat{P}_N^{(i_N)} \hat{\rho}] \tag{B7a}$$

$$=A_1^{(i_1)}\cdots A_N^{(i_N)},$$
 (B7b)

where we have used

$$\operatorname{Tr}[\hat{P}^{(a)}\hat{P}^{(b)}] = 2\delta_{ab} \tag{B8}$$

for $a, b \in \{0, 1, 2, 3\}$.



FIG. 7. Calculating the quantum state fidelity \mathcal{F} of an *N*qubit state in an MPO representation $\hat{\mathsf{A}}_s$ to a pure target state in an MPO representation $\hat{\mathsf{T}}_s$. (a) Tensor network which evaluates to $2^N \cdot \mathcal{F}$. (b) Tensor network which evaluates to the partial derivative of $2^N \cdot \mathcal{F}$ by a parameter of the MPO.

4. Quantum state fidelity

The quantum state fidelity of a state $\hat{\rho}$ to a pure target state $|\psi\rangle$ can be calculated as

$$\mathcal{F} = \langle \psi | \hat{\rho} | \psi \rangle = \text{Tr}[|\psi \rangle \langle \psi | \hat{\rho}]. \tag{B9}$$

Given an MPO representation of the target state

$$|\psi\rangle\!\langle\psi| = \frac{1}{2^N} \sum_{i_1,\dots,i_N \in \{0,1,2,3\}} T_1^{(i_1)} \cdots T_N^{(i_N)} \hat{P}_1^{(i_1)} \cdots \hat{P}_N^{(i_N)},$$
(B10)

the quantum state fidelity can be calculated as

$$\mathcal{F} = \frac{1}{2^N} \sum_{i_1, \dots, i_N \in \{0, 1, 2, 3\}} T_1^{(i_1)} \cdots T_N^{(i_N)} A_1^{(i_1)} \cdots A_N^{(i_N)}.$$
(B11)

Figure 7(a) shows the tensor-network representation of this formula. It can be evaluated efficiently by contracting each vertical pair of tensors first.

To propagate the uncertainties in the parameters of the MPO to the uncertainty of the calculated quantum state fidelity \mathcal{F} , one needs to evaluate the partial derivatives of \mathcal{F} by $(A_s^{(i_s)})_{x,y}$, which denotes the (x, y) matrix element of $A_s^{(i_s)}$. This can be diagrammatically calculated from the tensor-network representation of \mathcal{F} as shown in Fig. 7(b).

5. Local error

An error process on a qubit can be represented by a 4×4 real matrix \mathcal{E} , which transforms a density operator

$$\hat{\rho} = \frac{1}{2}(\rho_0 \hat{I} + \rho_1 \hat{X} + \rho_2 \hat{Y} + \rho_3 \hat{Z})$$
(B12)

as

$$\begin{bmatrix} \rho_0'\\ \rho_1'\\ \rho_2'\\ \rho_3' \end{bmatrix} = \mathcal{E} \begin{bmatrix} \rho_0\\ \rho_1\\ \rho_2\\ \rho_3 \end{bmatrix}.$$
(B13)



FIG. 8. Transformation of an MPO by local errors \mathcal{E}_s .

The matrix \mathcal{E} is called the process matrix of the error. The unit-trace constraint $\text{Tr}[\hat{\rho}] = \rho_0 = 1$ requires that the first row of \mathcal{E} be [1, 0, 0, 0]. For the numerical models in this work, we use a combination of the amplitude damping error

$$\mathcal{E}_{\rm ad} \coloneqq \begin{bmatrix} 1 & 0 & 0 & 0 \\ 0 & \sqrt{1 - \varepsilon_{\rm ad}} & 0 & 0 \\ 0 & 0 & \sqrt{1 - \varepsilon_{\rm ad}} & 0 \\ \varepsilon_{\rm ad} & 0 & 0 & 1 - \varepsilon_{\rm ad} \end{bmatrix}, \quad (B14)$$

where ε_{ad} is the probability that the qubit excitation is lost, and the pure dephasing error

$$\mathcal{E}_{\rm pd} \coloneqq \begin{bmatrix} 1 & 0 & 0 & 0 \\ 0 & 1 - \varepsilon_{\rm pd} & 0 & 0 \\ 0 & 0 & 1 - \varepsilon_{\rm pd} & 0 \\ 0 & 0 & 0 & 1 \end{bmatrix}, \qquad (B15)$$

which is equivalent to the phase flip error with probability $\varepsilon_{\rm pd}/2$. If each qubit in an MPO experiences a single-qubit error \mathcal{E}_s , the MPO transforms as

$$A_s^{\prime(i_s)} = \sum_{j_s \in \{0,1,2,3\}} (\mathcal{E}_s)_{i_s,j_s} A_s^{(j_s)}.$$
 (B16)

Figure 8 shows the tensor-network representation of this transformation.

APPENDIX C: MPO REPRESENTATION OF AN IDEAL LINEAR CLUSTER STATE

Here, we derive an MPO representation of the ideal linear cluster state, which is needed to calculate the quantum state fidelities of the photonic cluster states generated in this work.

1. MPS representation

We start by deriving an MPS representation of the ideal linear cluster state. A linear cluster state belongs to a more general class of entangled states called graph states [69]. Given a graph consisting of nodes and edges, the corresponding graph state is defined as the state generated by placing a qubit in the $|+\rangle := (|0\rangle + |1\rangle)/\sqrt{2}$ state at each node and applying a controlled-Z (CZ) gate



FIG. 9. Linear cluster state. (a) Quantum-circuit representation, which can also be interpreted as a tensor network. (b) Tensor network after applying the transformation rule shown in Fig. 10(a). (c) Tensor network after applying the transformation rule shown in Fig. 10(b). An MPS representation A_s is obtained by contracting the Hadamard matrices H with the COPY tensors.



FIG. 10. Transformation rules used in Figs. 9(a)-(c). (a) A controlled-Z gate equals a Hadamard matrix and two COPY tensors. (b) A $|+\rangle$ state and a COPY tensor equals an identity matrix.

wherever there is an edge between two nodes. Note that a CZ gate is commutative and associative and therefore the order in which they are applied does not matter. The linear cluster state is the graph state defined on a linear graph and can therefore be generated using the quantum circuit in Fig. 9(a).

To find an MPS representation of the state generated by this circuit, we interpret the quantum circuit as a tensor network. We then apply the transformation rules shown in Figs. 10(a) and (b) to simplify the tensor network as shown in Figs. 9(b) and (c), respectively (see Ref. 38 for other transformation rules). Here, we have used the Hadamard matrix

$$-H = H := \frac{1}{\sqrt{2}} \begin{bmatrix} 1 & 1\\ 1 & -1 \end{bmatrix}$$
(C1)

and a $2\times2\times2$ tensor called the COPY tensor, which is defined in the ket-valued matrix notation as

Note that the COPY tensor is three-fold symmetric, which can be seen by writing down its components as

$$\langle i | (\mathsf{COPY})_{j,k} = \begin{cases} 1 & (i=j=k) \\ 0 & (\text{otherwise}). \end{cases}$$
(C3)

FIG. 11. MPO representation of a linear cluster state.

An MPS representation of the state generated by the quantum circuit is obtained by contracting the Hadamard matrix and the COPY tensor as shown in Fig. 9(c):

$$\mathsf{A}_1 = \frac{1}{\sqrt{2}}[|0\rangle, |1\rangle],\tag{C4a}$$

$$\mathsf{A}_{s} = H \cdot \mathsf{COPY} = \frac{1}{\sqrt{2}} \begin{bmatrix} |0\rangle & |1\rangle \\ |0\rangle & -|1\rangle \end{bmatrix} \quad (s = 2, \dots, N-1),$$
(C4b)

$$\mathbf{A}_{N} = H \begin{bmatrix} |0\rangle \\ |1\rangle \end{bmatrix} = \begin{bmatrix} |+\rangle \\ |-\rangle \end{bmatrix}. \tag{C4c}$$

This shows that the ideal linear cluster state is an MPS with a bond dimension of D = 2.

2. MPO representation

Based on the MPS representation in Fig. 9(c), an MPO representation of the linear cluster state can be constructed as shown in Fig. 11. Using the Pauli-basis representations of the Hadamard matrix, the COPY tensor, and matrix transposition

$$\mathbb{H} := - \underbrace{H}_{H}_{H}_{-} = \begin{bmatrix} 1 & 0 & 0 & 0 \\ 0 & 0 & 0 & 1 \\ 0 & 0 & -1 & 0 \\ 0 & 1 & 0 & 0 \end{bmatrix},$$
(C5a)

$$\widehat{\mathbb{COPY}} := \overrightarrow{\uparrow} = \begin{bmatrix} \hat{I} & 0 & 0 & \hat{Z} \\ 0 & \hat{X} & -\hat{Y} & 0 \\ 0 & \hat{Y} & \hat{X} & 0 \\ \hat{Z} & 0 & 0 & \hat{I} \end{bmatrix}, \quad (C5b)$$

$$\mathbb{T} := \mathbf{\sum} = \begin{bmatrix} 1 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 \\ 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & 1 \end{bmatrix}, \quad (C5c)$$



FIG. 12. Conditional photon emission from a transmon qubit. A photon is emitted only if the transmon starts in $|e\rangle$. (a) Pulse sequence. (b) Equivalent quantum circuit.

an MPO representation of the linear cluster state in the Pauli basis is obtained as

$$\hat{\mathsf{A}}_1 = [\hat{I}_1, \hat{X}_1, \hat{Y}_1, \hat{Z}_1] \mathbb{T} = [\hat{I}_1, \hat{X}_1, -\hat{Y}_1, \hat{Z}_1], \qquad (\text{C6a})$$

$$\hat{\mathsf{A}}_{s} = \mathbb{H} \cdot \widehat{\mathbb{COPY}} = \begin{bmatrix} I_{s} & 0 & 0 & Z_{s} \\ \hat{Z}_{s} & 0 & 0 & \hat{I}_{s} \\ 0 & -\hat{Y}_{s} & -\hat{X}_{s} & 0 \\ 0 & \hat{X}_{s} & -\hat{Y}_{s} & 0 \end{bmatrix} \\ (s = 2, \dots, N-1), \quad (C6b)$$

$$\hat{\mathsf{A}}_{N} = \mathbb{H} \begin{bmatrix} \hat{I}_{N} \\ \hat{X}_{N} \\ \hat{Y}_{N} \\ \hat{Z}_{N} \end{bmatrix} = \begin{bmatrix} \hat{I}_{N} \\ \hat{Z}_{N} \\ -\hat{Y}_{N} \\ \hat{X}_{N} \end{bmatrix}.$$
(C6c)

This shows that the MPO representation of an ideal cluster state has a bond dimension of D = 4.

APPENDIX D: PROTOCOL FOR GENERATING A LINEAR CLUSTER STATE

Here, we show diagrammatically that the protocol implemented by the pulse sequence in Fig. 2(e) generates a linear cluster state.

1. Conditional photon emission

The central operation of the protocol is the conditional photon emission, where the transmon qubit either emits or does not emit a photon depending on the initial qubit state. Figure 12(a) shows the pulse sequence for this operation, where a photon is emitted only if the transmon starts in $|e\rangle$. If the transmon starts in a superposition of $|g\rangle$ and $|e\rangle$, this operation generates a transmon–photon entanglement as

$$x|g\rangle + y|e\rangle \to x|e\rangle \otimes |0\rangle_p + y|g\rangle \otimes |1\rangle_p, \tag{D1}$$

where $|0\rangle_p$ and $|1\rangle_p$ denote the Fock states of the emitted photonic qubit. Assuming that $|f\rangle$ is unpopulated at the beginning of the pulse sequence and that there is no incoming signal in the transmission line coupled to the resonator, this operation is equivalent to the quantum circuit in Fig. 12(b). Note that one input of the quantum circuit is fixed to $|0\rangle$, which means that this operation is a one-input two-output isometry.



FIG. 13. Transferring the state of the transmon to a photonic qubit and resetting the transmon to $|g\rangle$. (a) Pulse sequence. (b) Equivalent quantum circuit.



FIG. 14. Protocol for generating a photonic linear cluster state implemented by the pulse sequence in Fig. 2(e). (a) Quantum-circuit representation, which can also be interpreted as a tensor network. (b) Tensor network after applying the transformation rules shown in Figs. 15(a)-(d), which matches the tensor-network representation of a linear cluster state shown in Fig. 9(c).

2. Disentangling the transmon from the photons

At the end of the protocol, the transmon needs to be disentangled from the emitted photon chain. This can be achieved using the pulse sequence in Fig. 13(a). This pulse sequence transfers the state of the transmon to a photonic qubit and resets the transmon to $|g\rangle$ as

$$x|g\rangle + y|e\rangle \rightarrow |g\rangle \otimes (x|0\rangle_p + y|1\rangle_p).$$
 (D2)

Figure 13(b) shows an equivalent quantum circuit for this operation.

3. Generating a linear cluster state

Figure 14(a) shows a quantum-circuit representation of the cluster-state generation protocol implemented by the pulse sequence in Fig. 2(e). Here,

$$R_y(\pi/2) = \frac{1}{\sqrt{2}} \begin{bmatrix} 1 & -1\\ 1 & 1 \end{bmatrix}$$
(D3)

FIG. 15. Transformation rules used in Fig. 14(b). (a) A $|0\rangle$ state and a $\pi/2$ rotation equals a $|+\rangle$ state. (b) An X gate and a $\pi/2$ rotation equals a Hadamard gate. (c) A $|0\rangle$ state and an XOR tensor equals an identity matrix. (d) A SWAP gate equals crossed lines.



FIG. 16. Measuring the mode function of the photonic qubit. (a) Pulse sequence used to measure the averaged waveform of a photonic qubit in the $|+\rangle := (|0\rangle + |1\rangle)/\sqrt{2}$ state. (b) Demodulated complex waveforms measured without (blue) and with (orange) the amplification by the JPA.

is the quantum gate implemented by the $\pi/2$ pulse. By applying the transformation rules shown in Figs. 15(a)–(d), one can obtain the tensor-network representation of a linear cluster state shown in Fig. 9(c).

APPENDIX E: PAULI TOMOGRAPHY USING QUADRATURE MEASUREMENTS

Here, we describe how the quadrature-basis correlations shown in Eq. (5) are measured and converted to the Pauli-basis correlations shown in Eq. (3).

1. Mode function of the photonic qubit

First, the mode function of the photonic qubit needs to be measured because we obtain the quadrature values by amplifying the quadrature using a JPA and calculating the overlap integral between the amplified waveform and the mode function. We use the pulse sequence shown in Fig. 16(a) to generate a photonic qubit in the superposition state $|+\rangle := (|0\rangle + |1\rangle)/\sqrt{2}$ and measure its averaged waveform. To obtain a complex-valued waveform, we perform another measurement with the phase of the $\pi_{ge}/2$ pulse shifted by $\pi/2$. This generates a photonic qubit in $|+i\rangle := (|0\rangle + i|1\rangle)/\sqrt{2}$, whose averaged waveform is phase-shifted by $\pi/2$. We also measure the waveforms of photonic qubits in $|-\rangle := (|0\rangle - |1\rangle)/\sqrt{2}$ and $|-i\rangle := (|0\rangle - i|1\rangle)/\sqrt{2}$ and subtract them from those of $|+\rangle$ and $|+i\rangle$, respectively, to remove any offset and background signal in the waveforms.

Figure 16(b) shows the demodulated complex waveform obtained with and without the amplification by the JPA. To phase-insensitively amplify the signal using the phase-sensitive mode of the JPA, we add the results of two sets of measurements with the phase of the JPA pump set to 0 and π . This results in a phaseinsensitive amplitude gain of $\sqrt{S} + 1/\sqrt{S}$, where S is the squeezing factor of the JPA. A squeezing factor of $10 \log_{10} S = 15.7 \text{ dB}$ is obtained from the measured waveforms. The amplification by the JPA delays but does not significantly deform the waveform, which suggests that the gain bandwidth of the JPA is sufficient for the photonic qubit. The waveform measured with the amplification by the JPA is used as the mode function when calculating the quadrature values in the tomography experiments.

2. Pauli tomography using quadrature measurements

To derive the conversion formula between the quadrature measurements and the Pauli measurements, let us project the quadrature operators onto the $\{|0\rangle, |1\rangle\}$ subspace as

$$\hat{\Pi}\hat{q}_s\hat{\Pi} = \frac{1}{\sqrt{2}}\hat{X}_s, \qquad (E1a)$$

$$\hat{\Pi}\hat{p}_s\hat{\Pi} = \frac{1}{\sqrt{2}}\hat{Y}_s,\qquad(\text{E1b})$$

$$\hat{\Pi}\frac{\hat{q}_{s}^{2}+\hat{p}_{s}^{2}}{2}\hat{\Pi}=\hat{I}_{s}-\frac{1}{2}\hat{Z}_{s},$$
(E1c)

where $\hat{\Pi} := |0\rangle\langle 0| + |1\rangle\langle 1|$ is the projection operator. By taking the expectation values of these equations, the conversion formula shown in Eqs. (7a)–(7c) is obtained. The expectation values of the Pauli observables can therefore be estimated as

$$\overline{X_s} = \sqrt{2} \, \overline{q_s},\tag{E2a}$$

$$\overline{Y}_{e} = \sqrt{2}\,\overline{p_{e}}.\tag{E2b}$$

$$\overline{Z_e} = 2 - \overline{a^2} - \overline{p^2}.$$
 (E2c)

where $\overline{q_s}$, $\overline{p_s}$, $\overline{q_s^2}$, and $\overline{p_s^2}$ are the sample moments obtained by repeating the generation and quadrature measurement of the photonic qubit. $\overline{q_s}$ and $\overline{q_s^2}$ are calculated

from the set of measurements where the phase of the JPA pump is 0, whereas $\overline{p_s}$ and $\overline{p_s^2}$ are calculated from a separate set of measurements where the phase of the JPA pump is π . Statistical uncertainties in the estimates of the Pauli observables can be calculated from the variance estimates of the sample moments as

$$\operatorname{SE}\left[\overline{X_s}\right] = \sqrt{\operatorname{Var}\left[\overline{X_s}\right]} = \sqrt{2\operatorname{Var}\left[\overline{q_s}\right]},$$
 (E3a)

$$\operatorname{SE}[\overline{Y_s}] = \sqrt{\operatorname{Var}[\overline{Y_s}]} = \sqrt{2\operatorname{Var}[\overline{p_s}]}, \quad (E3b)$$

$$\operatorname{SE}\left[\overline{Z_s}\right] = \sqrt{\operatorname{Var}\left[\overline{Z_s}\right]} = \sqrt{\operatorname{Var}\left[\overline{q_s^2}\right] + \operatorname{Var}\left[\overline{p_s^2}\right]}, \quad (E3c)$$

where SE denotes the standard error.

3. Correcting for the measurement inefficiency

The previous subsection assumed that ideal quadrature measurements can be performed on a photonic qubit. However, the photonic qubit propagates through lossy cables and noisy amplifiers before its waveform is measured. These effects can be collectively described using the measurement efficiency η , which is equivalent to the amplitude damping error \mathcal{E}_{ad} introduced in Appendix B 5 with a photon loss probability of $\varepsilon_{ad} = 1 - \eta$. Therefore, one can correct for the measurement inefficiency as

$$\begin{bmatrix} 1\\ \overline{X_s}\\ \overline{Y_s}\\ \overline{Z_s} \end{bmatrix} = \mathcal{E}_{\mathrm{ad}}^{-1} \begin{bmatrix} 1\\ \overline{X'_s}\\ \overline{Y'_s}\\ \overline{Z'_s} \end{bmatrix} = \begin{bmatrix} 1\\ \eta^{-1/2}\overline{X'_s}\\ \eta^{-1/2}\overline{Y'_s}\\ 1 - \eta^{-1}(1 - \overline{Z'_s}) \end{bmatrix}, \quad (E4)$$

where $\overline{X'_s}$, $\overline{Y'_s}$, and $\overline{Z'_s}$ denote the measurement results affected by the measurement inefficiency. Note that this correction unevenly amplifies the uncertainties in the estimates of the Pauli observables as

$$\operatorname{SE}\left[\overline{X_s}\right] = \eta^{-1/2} \operatorname{SE}\left[\overline{X'_s}\right],$$
 (E5a)

$$\operatorname{SE}[\overline{Y_s}] = \eta^{-1/2} \operatorname{SE}[\overline{Y'_s}],$$
 (E5b)

$$\operatorname{SE}[\overline{Z_s}] = \eta^{-1} \operatorname{SE}[\overline{Z'_s}].$$
 (E5c)

The measurement efficiency η of the amplification chain is determined by measuring a pulse mode in a coherent state with a known amplitude. The coherent pulse is generated using the DAC and mixer which are also used to generate a readout pulse. To accurately determine the measurement efficiency, the shape of the coherent pulse needs to match the mode shape of the photonic qubit. However, the pulse generated by the DAC is reflected and distorted by the resonator in the photon source before reaching the amplification chain. To compensate for this, the output waveform of the DAC is numerically pre-distorted using the inverse of the reflection coefficient $S_{11}(\omega)$ of the resonator. Figure 17(a) shows that the waveform of the coherent pulse after the reflection matches the mode shape of the photonic qubit.



FIG. 17. Determining the measurement efficiency of the amplification chain using a coherent pulse. (a) Demodulated waveforms of a photonic qubit (orange), a coherent pulse generated by the DAC (green), and the coherent pulse measured using the same amplification chain as the photonic qubit (blue). The output waveform of the DAC is numerically pre-distorted such that the waveform of the coherent pulse matches the mode shape of the photonic qubit after it is reflected and distorted by the resonator in the photon source. (b) Actual and measured mean photon numbers of the coherent pulse (blue circles) and the linear fit (black line), whose slope gives the measurement efficiency.

The \hat{q} and \hat{p} quadratures of the coherent pulse are measured by setting the phase of the JPA pump to 0 and π , respectively. After normalizing the quadrature values by equating their variances to 0.5, the mean photon number of the coherent pulse is calculated as

$$\bar{n}_{\rm coh} = \frac{1}{2}(\bar{q}^2 + \bar{p}^2).$$
 (E6)

The measurement efficiency η is obtained as the ratio between $\bar{n}_{\rm coh}$ and the actual mean photon number of the coherent pulse, which is calculated using the attenuation of the input line estimated by the post-selected resonator spectroscopy described in Ref. 42. The amplitude of the coherent pulse is varied to confirm that the pulse is not saturating the JPA. Figure 17(b) shows the result and the linear fit, which gives a measurement efficiency of $\eta = 0.391 \pm 0.004$.

4. Pauli tomography of multiple photonic qubits

Here, we introduce the multi-qubit generalization of the conversion formula between the quadrature and Pauli measurements. To derive the formula, let us split Eqs. (E1a)–(E1c) into two steps. The first step converts the quadrature moments to the "Z-shifted Pauli basis" as

$$\begin{bmatrix} \hat{I}_{s} \\ \hat{X}_{s} \\ \hat{Y}_{s} \\ 2\hat{I}_{s} - \hat{Z}_{s} \end{bmatrix} = G \begin{bmatrix} \hat{\Pi}\hat{q}_{s}^{0}\hat{\Pi} \\ \hat{\Pi}\hat{p}_{s}^{0}\hat{\Pi} \\ \hat{\Pi}\hat{q}_{s}^{1}\hat{\Pi} \\ \hat{\Pi}\hat{p}_{s}^{1}\hat{\Pi} \\ \hat{\Pi}\hat{q}_{s}^{2}\hat{\Pi} \\ \hat{\Pi}\hat{p}_{s}^{2}\hat{\Pi} \end{bmatrix},$$
(E7)

where

$$G \coloneqq \begin{bmatrix} \frac{1}{2} & \frac{1}{2} & 0 & 0 & 0 & 0\\ 0 & 0 & \sqrt{2} & 0 & 0 & 0\\ 0 & 0 & 0 & \sqrt{2} & 0 & 0\\ 0 & 0 & 0 & 0 & 1 & 1 \end{bmatrix}$$
(E8)

is the conversion matrix. Using the notation defined in Eqs. (6a)-(6c) for the quadrature moments and the Z-shifted Pauli basis defined as

$$\hat{R}_s^{(0)} \coloneqq \hat{I}_s, \quad \hat{R}_s^{(1)} \coloneqq \hat{X}_s, \quad \hat{R}_s^{(2)} \coloneqq \hat{Y}_s, \quad \hat{R}_s^{(3)} \coloneqq 2\hat{I}_s - \hat{Z}_s,$$
(E9)

the conversion can be expressed as

$$\hat{R}_{s}^{(j_{s})} = \sum_{k_{s} \in \{0, \dots, 5\}} G_{j_{s}, k_{s}} \hat{\Pi} \hat{Q}_{s}^{(k_{s})} \hat{\Pi}.$$
(E10)

The second step converts the Z-shifted Pauli basis to the Pauli basis as

$$\hat{P}_{s}^{(i_{s})} = \sum_{j_{s} \in \{0,1,2,3\}} F_{i_{s},j_{s}} \hat{R}_{s}^{(j_{s})}$$
(E11)

using the conversion matrix

$$F := \begin{bmatrix} 1 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 \\ 0 & 0 & 1 & 0 \\ 2 & 0 & 0 & -1 \end{bmatrix}.$$
 (E12)

Using the conversion matrices F and G, the multivariate quadrature moments can be transformed to the Zshifted-Pauli-basis correlations as

$$\langle \hat{R}_{1}^{(j_{1})} \cdots \hat{R}_{N}^{(j_{N})} \rangle$$

$$= \sum_{k_{1},\dots,k_{N} \in \{0,\dots,5\}} G_{j_{1},k_{1}} \cdots G_{j_{N},k_{N}} \langle \hat{Q}_{1}^{(k_{1})} \cdots \hat{Q}_{N}^{(k_{N})} \rangle,$$
(E13a)

then to the Pauli-basis correlations as

$$\langle \hat{P}_{1}^{(i_{1})} \cdots \hat{P}_{N}^{(i_{N})} \rangle$$

$$= \sum_{j_{1},\dots,j_{N} \in \{0,1,2,3\}} F_{i_{1},j_{1}} \cdots F_{i_{N},j_{N}} \langle \hat{R}_{1}^{(j_{1})} \cdots \hat{R}_{N}^{(j_{N})} \rangle.$$
(E14a)

We have introduced the Z-shifted-Pauli-basis representation because it can be obtained by scaling the multivariate quadrature moments. This means that the statistical uncertainties of the measured quadrature moments can be similarly scaled to obtain the uncertainties of the Z-shifted-Pauli-basis correlations. In contrast, the conversion to the Pauli basis requires adding the zeroth and second quadrature moments, which generates correlations among the uncertainties of different Pauli observables. By processing the data in the Z-shifted-Paulibasis, we avoid the increased computational cost of propagating correlated uncertainties.



FIG. 18. Effects of the photon loss and dephasing errors on the generated five-qubit cluster state. (a) Mean excitation of each photonic qubit (orange bar), which is smaller than the ideal value of 0.5 because of the photon loss error, and the best fit by a numerical model with uniform error probabilities across all qubits (blue frame). (b) Expectation values of the stabilizer operators (orange bar), which are smaller than the ideal value of 1 because of the photon loss and dephasing errors, and the best fit by the numerical model (blue frame).

Note also that the $\hat{Q}_s^{(i_s)}$ basis distinguishes between \hat{q}_s^0 and \hat{p}_s^0 even though both of these equal the identity operator. This is because, for example, $\overline{q_1^0 q_2^1}$ and $\overline{p_1^0 q_2^1}$ are estimated from independent experiments with different measurement settings. The first row of the matrix G takes care of averaging the results of these experiments to obtain the best estimate for $\langle \hat{q}_2 \rangle$. For the same reason, \hat{q}_s^2 and \hat{p}_s^2 are distinguished in the $\hat{Q}_s^{(i_s)}$ basis even though they are equal if the pulse mode only contains up to one photon.

APPENDIX F: FULL TOMOGRAPHY OF A FIVE-QUBIT CLUSTER STATE

Here, we describe the measurements of the five-qubit linear cluster state, which can be reconstructed directly from the five-qubit correlation measurements.

We compare the reconstructed density matrix with a numerical model with uniform photon loss and dephasing probabilities across all qubits. The photon loss error of the cluster state can be evaluated by measuring the mean excitation $(1-\langle Z_s \rangle)/2$ of each photonic qubit, which is affected by the photon loss but not by the dephasing error. Figure 18(a) shows the measured mean excitations and the fit, which gives an average photon loss probability of 9.8%. The dephasing error can be evaluated by measuring the expectation values of the stabilizer operators of the cluster state, which are affected by both the photon loss and dephasing errors. For this, we first need to align the phase origins of the photonic qubits with the phase origins of the quadrature measurements. This is done by numerically rotating the sth photonic qubit by an angle of $-\arctan(\langle \hat{Z}_{s-1}\hat{Y}_s\hat{Z}_{s+1}\rangle/\langle \hat{Z}_{s-1}\hat{X}_s\hat{Z}_{s+1}\rangle)$, which maxi-



FIG. 19. Density matrices of (a) an ideal five-qubit cluster state, (b) a numerical model with uniform photon loss and dephasing errors across all qubits, and (c) the generated cluster state. Absolute values are plotted in the diagonal and the lower-left triangle, and the complex arguments in the upper-right triangle.

mizes the stabilizer $\langle \hat{Z}_{s-1} \hat{X}_s \hat{Z}_{s+1} \rangle$. This correction has been applied to all data presented in this work. Then, we obtain the stabilizers shown in Fig. 18(b), which give an average dephasing error equivalent to a phase flip probability of 4.6%. Note that the photon loss error has a weaker effect on the first and last stabilizers because they contain fewer \hat{Z} operators than the other stabilizers.

Figures 19(a)–(c) show the density matrices of an ideal five-qubit cluster state, the numerical model with uniform error probabilities, and the generated cluster state, respectively. Whereas the complex arguments of the three density matrices match closely, the absolute values of the matrix elements of the experimentally generated cluster state deviate significantly from the ideal value of $2^{-5} = 0.03125$ because they are affected by the photon loss and dephasing errors. The fidelity of the cluster state to the numerical model is $\mathcal{F} = 0.970$, which suggests that the numerical model captures the dominant error processes. The fidelity of the cluster state to the ideal state is $\mathcal{F} = 0.616 \pm 0.006$, which is significantly larger than the threshold of 0.5 for genuine multipartite entanglement.

APPENDIX G: MPO RECONSTRUCTION BY INVERSION

Here, we present a simplified reformulation of the MPO reconstruction procedure introduced in Ref. 34. This reformulation provides an explicit formula for the reconstructed MPO in terms of the measured local correlations, which is used in Sec. IV B to construct an initial guess for the least-squares fitting. It is also used to show that five-qubit local correlations are required to reconstruct a linear cluster state, despite the fact that three-qubit local correlations are sufficient for reconstructing the vast majority of MPOs with the same bond dimension.

1. Using up to three-qubit local correlations

Using the measured two- and three-qubit local correlations, let us define 4×4 matrices B_s and $C_s^{(i)}$ by their elements as

$$(B_s)_{a,b} \coloneqq \langle \hat{P}_s^{(a)} \hat{P}_{s+1}^{(b)} \rangle \tag{G1a}$$

$$(C_s^{(i)})_{a,b} \coloneqq \langle \hat{P}_s^{(a)} \hat{P}_{s+1}^{(i)} \hat{P}_{s+2}^{(b)} \rangle.$$
 (G1b)

Let us also define the operator-valued-matrix representation of $C_s^{(i)}$ as

$$\hat{\mathsf{C}}_{s} \coloneqq \sum_{i \in \{0,1,2,3\}} C_{s}^{(i)} \hat{P}_{s+1}^{(i)}.$$
 (G2)

Using these matrices, an MPO representation \hat{A}_s of the measured state can be reconstructed as

$$\hat{\mathsf{A}}_1 = [\hat{I}_1, \hat{X}_1, \hat{Y}_1, \hat{Z}_1],$$
 (G3a)

$$\hat{\mathsf{A}}_2 = \hat{\mathsf{C}}_1,\tag{G3b}$$

$$B_{s-1}\hat{A}_s = \hat{C}_{s-1}$$
 (s = 3,..., N - 1), (G3c)

$$\hat{\mathsf{A}}_N = [\hat{I}_N, \hat{X}_N, \hat{Y}_N, \hat{Z}_N]^\top, \tag{G3d}$$

provided that the reconstructibility condition stated below is satisfied. The reconstructibility condition guarantees that the third equation can be solved for \hat{A}_s .

The reconstructibility condition is expressed using an MPO representation of the true state,

$$\hat{\rho} \coloneqq \frac{1}{2^N} \sum_{i_1, \dots, i_N \in \{0, 1, 2, 3\}} T_1^{(i_1)} \cdots T_N^{(i_N)} \hat{P}_1^{(i_1)} \cdots \hat{P}_N^{(i_N)}$$
(G4a)

$$=\frac{1}{2^N}\hat{\mathsf{T}}_1\cdots\hat{\mathsf{T}}_N,\tag{G4b}$$

which always exists for a sufficiently large bond dimension D. Here, one needs to choose a representation with



FIG. 20. MPO reconstructed using up to three-qubit local correlations.

the minimal bond dimension because the reconstructibility condition is stricter for a larger bond dimension. Using the matrices $T_s^{(i_s)}$ of the MPO representation, let us define $4 \times D$ matrices L_s by their rows as

$$(L_s)_{i_s,:} \coloneqq T_1^{(0)} \cdots T_{s-1}^{(0)} T_s^{(i_s)}$$
 (G5)

and $D \times 4$ matrices R_s by their columns as

$$(R_s)_{:,i_s} \coloneqq T_s^{(i_s)} T_{s+1}^{(0)} \cdots T_N^{(0)}.$$
 (G6)

Here, $(\cdot)_{i_s,:}$ denotes the i_s th row vector and $(\cdot)_{:,i_s}$ denotes the i_s th column vector. Then, the reconstructibility condition is given by

$$\operatorname{Rank}[L_s] = D \quad (s = 2, \dots, N - 2),$$
 (G7a)

$$\operatorname{Rank}[R_s] = D \quad (s = 3, \dots, N - 1).$$
 (G7b)

It immediately follows that $D \leq 4$, i.e., an MPO with a bond dimension D > 4 cannot be reconstructed using the correlation measurements of only up to three consecutive qubits. If the reconstructibility condition is satisfied, Eq. (G3c) can be solved as

$$\hat{\mathsf{A}}_s = B_{s-1}^+ \hat{\mathsf{C}}_{s-1},\tag{G8}$$

where ⁺ denotes the Moore–Penrose pseudoinverse.

Figure 20 shows the tensor-network representation of the reconstructed MPO given by Eqs. (G3a)–(G3d). To verify this solution, let us express the measured two- and three-qubit local correlations of the true state as

$$B_s = L_s R_{s+1}, \tag{G9a}$$

$$\hat{\mathsf{C}}_s = L_s \hat{\mathsf{T}}_{s+1} R_{s+2}.$$
 (G9b)

Because the reconstructibility condition means that L_s and R_s have full rank, their Moore–Penrose pseudoinverses satisfy

$$L_s^+ L_s = R_s R_s^+ = I_D, (G10)$$

where I_D denotes the *D*-dimensional identity matrix, and therefore

$$B_s^+ = (L_s R_{s+1})^+ = R_{s+1}^+ L_s^+.$$
 (G11)

Then, one can show that Eq. (G8) is a solution of Eq. (G3c) as

$$B_{s-1}\hat{\mathsf{A}}_s = B_{s-1}(B_{s-1}^+\hat{\mathsf{C}}_{s-1})$$
(G12a)

$$= (L_{s-1}R_s)(R_s^+L_{s-1}^+)(L_{s-1}\hat{\mathsf{T}}_sR_{s+1}) \quad (G12b)$$

$$= L_{s-1}\mathsf{T}_s R_{s+1} \tag{G12c}$$

$$= \hat{\mathsf{C}}_{s-1}.$$
 (G12d)

Similarly, one can show that the reconstructed state \hat{A}_s is equivalent to the true state \hat{T}_s as

$$\hat{\mathsf{A}}_1 \hat{\mathsf{A}}_2 \hat{\mathsf{A}}_3 \cdots \hat{\mathsf{A}}_{N-1} \hat{\mathsf{A}}_N \tag{G13a}$$

$$= \hat{\mathsf{A}}_{1}\hat{\mathsf{C}}_{1}(B_{2}^{+}\hat{\mathsf{C}}_{2})\cdots(B_{N-2}^{+}\hat{\mathsf{C}}_{N-2})\hat{\mathsf{A}}_{N}$$
(G13b)

$$= \mathsf{A}_{1}(L_{1}\mathsf{T}_{2}R_{3})(R_{3}^{+}L_{2}^{+})(L_{2}\mathsf{T}_{3}R_{4})\cdots$$

$$(R^{+} L^{+})(L_{2}\circ\hat{\mathsf{T}}_{3}L_{2}\circ R_{2})\hat{\mathsf{A}}_{3}U = (C13c)$$

$$(n_{N-1}L_{N-2})(L_{N-2}+n_{N-1}n_{N})(n_{N})$$

$$\{\mathsf{I}_1 \mathsf{I}_2 \mathsf{I}_3 \cdots \mathsf{I}_{N-1} \mathsf{I}_N. \tag{G13d}$$

Since a randomly chosen matrix almost always has full rank, an MPO with a bond dimension $D \leq 4$ almost always satisfies the reconstructibility condition. Therefore, one might expect that a linear cluster state, which has a bond dimension of D = 4, can be reconstructed from three-qubit local correlations. However, it turns out that linear cluster states do not satisfy the reconstructibility condition. This can be seen by showing that Eq. (G3c) has no solution as follows. Because the stabilizer operators of a linear cluster state are given by Eqs. (11a)–(11c), the only non-zero two- and three-qubit local correlations of a linear cluster state are

$$\langle \hat{X}_1 \hat{Z}_2 \rangle = \langle \hat{Z}_{N-1} \hat{X}_N \rangle = 1, \qquad (G14a)$$

$$\dot{Y}_1 \dot{Y}_2 \dot{Z}_3 \rangle = \langle \ddot{Z}_{N-2} \dot{Y}_{N-1} \dot{Y}_N \rangle = 1,$$
(G14b)

$$\langle \hat{Z}_{s-1}\hat{X}_s\hat{Z}_{s+1}\rangle = 1$$
 (G14c)

Therefore, the two- and three-qubit local correlation matrices are given by

for s = 2, ..., N-3. Since the last column of \hat{C}_s is outside the image space of B_s , Eq. (G3c) has no solution.

2. Using up to four-qubit local correlations

Using the measured three- and four-qubit local correlations, let us define 4×4 matrices $B_1^{(i)}$ and 16×4 matrices B_s and $C_s^{(i)}$ as

$$(B_1^{(i)})_{a,b} \coloneqq \langle \hat{P}_1^{(a)} \hat{P}_2^{(i)} \hat{P}_3^{(b)} \rangle \tag{G16a}$$

$$(B_s)_{4a+b,c} \coloneqq \langle \hat{P}_s^{(a)} \hat{P}_{s+1}^{(b)} \hat{P}_{s+2}^{(c)} \rangle,$$
 (G16b)

$$(C_s^{(i)})_{4a+b,c} \coloneqq \langle \hat{P}_s^{(a)} \hat{P}_{s+1}^{(b)} \hat{P}_{s+2}^{(i)} \hat{P}_{s+3}^{(c)} \rangle.$$
(G16c)

Let us also define the operator-valued-matrix representations of $B_1^{(i)}$ and $C_s^{(i)}$ as

$$\hat{\mathsf{B}}_1 \coloneqq \sum_{i \in \{0,1,2,3\}} B_1^{(i)} \hat{P}_2^{(i)}, \tag{G17a}$$

$$\hat{\mathsf{C}}_s \coloneqq \sum_{i \in \{0,1,2,3\}} C_s^{(i)} \hat{P}_{s+2}^{(i)}.$$
 (G17b)

Using these matrices, an MPO representation \hat{A}_s of the measured state can be reconstructed as

$$\hat{\mathsf{A}}_1 = [\hat{I}_1, \hat{X}_1, \hat{Y}_1, \hat{Z}_1],$$
 (G18a)

$$\hat{\mathsf{A}}_2 = \hat{\mathsf{B}}_1, \tag{G18b}$$

$$B_{s-2}\hat{A}_s = \hat{C}_{s-2}$$
 (s = 3,..., N - 1), (G18c)

$$\hat{\mathsf{A}}_N = [\hat{I}_N, \hat{X}_N, \hat{Y}_N, \hat{Z}_N]^\top, \qquad (\text{G18d})$$

provided that the reconstructibility condition stated below is satisfied. Defining $16 \times D$ matrices L_s and $D \times 4$ matrices R_s as

$$(L_s)_{4a+b,:} \coloneqq T_1^{(0)} \cdots T_{s-1}^{(0)} T_s^{(a)} T_{s+1}^{(b)},$$
 (G19a)

$$(R_s)_{:,i_s} \coloneqq T_s^{(i_s)} T_{s+1}^{(0)} \cdots T_N^{(0)},$$
 (G19b)

the reconstructibility condition is given by

$$\operatorname{Rank}[L_s] = D \quad (s = 1, \dots, N - 3),$$
 (G20a)

$$\operatorname{Rank}[R_s] = D \quad (s = 3, \dots, N - 1).$$
 (G20b)

It immediately follows that $D \leq 4$, i.e., an MPO with a bond dimension D > 4 cannot be reconstructed using the correlation measurements of only up to four consecutive qubits. Similarly to the previous subsection, one can see that a linear cluster state does not satisfy the reconstructibility condition by showing that Eq. (G18c) has no solution.

3. Using up to five-qubit local correlations

Using the measured four- and five-qubit local correlations, let us define 4×16 matrices $B_1^{(i)}$, 16×16 matrices B_s and $C_s^{(i)}$, and 16×4 matrices $B_{N-3}^{(i)}$ as

$$(B_1^{(i)})_{a,4c+d} \coloneqq \langle \hat{P}_1^{(a)} \hat{P}_2^{(i)} \hat{P}_3^{(c)} \hat{P}_4^{(d)} \rangle, \tag{G21a}$$

$$(B_s)_{4a+b,4c+d} \coloneqq \langle \hat{P}_s^{(a)} \hat{P}_{s+1}^{(b)} \hat{P}_{s+2}^{(c)} \hat{P}_{s+3}^{(d)} \rangle, \qquad (G21b)$$

$$C_{s}^{(i)})_{4a+b,4c+d} \coloneqq \langle \hat{P}_{s}^{(a)} \hat{P}_{s+1}^{(b)} \hat{P}_{s+2}^{(i)} \hat{P}_{s+3}^{(c)} \hat{P}_{s+4}^{(d)} \rangle, \quad (G21c)$$

(

$$(B_{N-3}^{(i)})_{4a+b,c} \coloneqq \langle \hat{P}_{N-3}^{(a)} \hat{P}_{N-2}^{(b)} \hat{P}_{N-1}^{(i)} \hat{P}_{N}^{(c)} \rangle.$$
 (G21d)

Let us also define the operator-valued-matrix representations of $B_1^{(i)}$, $C_s^{(i)}$, and $B_{N-3}^{(i)}$ as

$$\hat{\mathsf{B}}_1 \coloneqq \sum_{i \in \{0,1,2,3\}} B_1^{(i)} \hat{P}_2^{(i)}, \tag{G22a}$$

$$\hat{\mathsf{C}}_s \coloneqq \sum_{i \in \{0,1,2,3\}} C_s^{(i)} \hat{P}_{s+2}^{(i)}, \qquad (\text{G22b})$$

$$\hat{\mathsf{B}}_{N-3} \coloneqq \sum_{i \in \{0,1,2,3\}} B_{N-3}^{(i)} \hat{P}_{N-1}^{(i)}. \tag{G22c}$$

Using these matrices, an MPO representation A_s of the measured state can be reconstructed as

$$\hat{\mathsf{A}}_1 = [\hat{I}_1, \hat{X}_1, \hat{Y}_1, \hat{Z}_1],$$
 (G23a)

$$\hat{\mathsf{A}}_2 = \hat{\mathsf{B}}_1,\tag{G23b}$$

$$B_{s-2}\hat{A}_s = \hat{C}_{s-2}$$
 (s = 3,..., N - 2), (G23c)

$$B_{N-3}\hat{\mathsf{A}}_{N-1} = \hat{\mathsf{B}}_{N-3},\tag{G23d}$$

$$\hat{\mathsf{A}}_N = [\hat{I}_N, \hat{X}_N, \hat{Y}_N, \hat{Z}_N]^\top, \qquad (G23e)$$

provided that the reconstructibility condition stated below is satisfied. Defining $16 \times D$ matrices L_s and $D \times 16$ matrices R_s as

$$(L_s)_{4a+b,:} \coloneqq T_1^{(0)} \cdots T_{s-1}^{(0)} T_s^{(a)} T_{s+1}^{(b)},$$
 (G24a)

$$(R_s)_{:,4c+d} \coloneqq T_s^{(c)} T_{s+1}^{(d)} T_{s+2}^{(0)} \cdots T_N^{(0)}, \qquad (G24b)$$

the reconstructibility condition is given by

$$\operatorname{Rank}[L_s] = D \quad (s = 1, \dots, N - 3),$$
 (G25a)

Rank
$$[R_s] = D$$
 (s = 3,..., N - 1). (G25b)

It immediately follows that $D \leq 16$, i.e., an MPO with a bond dimension D > 16 cannot be reconstructed using the correlation measurements of only up to five consecutive qubits. This time, a linear cluster state does satisfy the reconstructibility condition, as can be directly verified by substituting the MPO representation of a linear cluster state given in Appendix C into the definitions of L_s and R_s and seeing that they all have full rank.

APPENDIX H: COMPRESSING THE BOND DIMENSION

The procedure described in Appendix G 3 constructs an MPO with a bond dimension of 16 even if the true state has a smaller bond dimension. Here, we show that one can use the compact singular value decompositions of the four-qubit local correlation matrices to compress the bond dimension of the MPO. We use this fact in Sec. IV A to estimate the bond dimension of the measured state and in Sec. IV B to construct an initial guess for the leastsquares fitting of an MPO.

1. Compression procedure

Figure 21 shows the tensor-network representation of the procedure for compressing the bond dimension between the (s + 1)th and (s + 2)th qubits to $D_s :=$ Rank $[B_s]$. The compact singular value decomposition of the 16 × 16 matrix B_s is defined as

$$B_s = U\Sigma V^{\dagger},\tag{H1}$$

where U and V are $16 \times D_s$ semi-unitary matrices and Σ is a $D_s \times D_s$ diagonal matrix with the positive singular

FIG. 21. Compressing the bond dimension between the (s + 1)th and (s + 2)th qubits of an MPO constructed following Appendix G 3.

values of B_s on the diagonal. Using these matrices, the Moore–Penrose pseudoinverse of B_s can be expressed as

$$B_s^+ = V \Sigma^{-1} U^\dagger. \tag{H2}$$

Then, the bond dimension between the (s + 1)th and (s+2)th qubits can be compressed to D_s by transforming the MPO as

$$\mathsf{A}_{s+1}' = \mathsf{A}_{s+1}V,\tag{H3a}$$

$$\hat{\mathsf{A}}_{s+2}' = \Sigma^{-1} U^{\dagger} \hat{\mathsf{C}}_s. \tag{H3b}$$

Alternatively, one can obtain an MPO with a smaller bond dimension $D'_s < \text{Rank}[B_s]$ by using a truncated singular value decomposition

$$B_s \approx U \Sigma V^{\dagger},$$
 (H4)

where U and V are $16 \times D'_s$ semi-unitary matrices and Σ is a $D'_s \times D'_s$ diagonal matrix with the D'_s largest singular values on the diagonal. This gives us an approximation of the original MPO with the bond dimension between the (s + 1)th and (s + 2)th qubit reduced to D'_s .

2. Estimating the bond dimension

It follows from the above procedure that the bond dimension between the (s+1)th and (s+2)th qubits can be experimentally determined by measuring the four-qubit correlation matrix B_s and counting the number of positive singular values. However, because the measured four-qubit correlation matrix contains statistical noise, its singular values need to be significantly larger than their statistical uncertainties to qualify as being positive. The statistical uncertainty of a measured four-qubit correlation matrix \overline{B} can be propagated to the singular values by calculating the partial derivative of a singular value σ_n by the (i, j) matrix element as

$$\frac{\partial \sigma_n}{\partial \overline{B}_{i,j}} = U_{i,n} V_{j,n}^*,\tag{H5}$$

where U and V are the 16×16 unitary matrices of the singular value decomposition $\overline{B} = U\Sigma V^{\dagger}$.

APPENDIX I: STANDARD FORM OF AN MPO

When performing the least-squares fitting of an MPO, one needs to impose the constraint that the density operator represented by the MPO has unit trace. This can be achieved by restricting the MPO to the standard form introduced in this Appendix.

1. The standard form

The standard form is given by

$$A_1^{(0)} = [1, *, \dots, *],$$
(I1a)
$$\begin{bmatrix} 1 & * & \cdots & * \end{bmatrix}$$

$$A_{s}^{(0)} = \begin{vmatrix} * & \cdots & * \\ & \ddots & \vdots \\ 0 & & * \end{vmatrix} \quad (s = 2, \dots, N - 2), \quad \text{(I1b)}$$

$$A_{N-1}^{(0)} = \begin{bmatrix} 1 & * & * \\ * & * & * \\ * & * \\ 0 & & \end{bmatrix},$$
 (I1c)

$$\hat{\mathsf{A}}_N = [\hat{I}_N, \hat{X}_N, \hat{Y}_N, \hat{Z}_N]^\top.$$
(I1d)

As we show later in this Appendix, any state which can be represented by an MPO with a bond dimension $D \ge 4$ has an equivalent representation in this form. This form has fewer parameters than the original form and always satisfies the unit-trace constraint. Furthermore, it has the useful property of

$$A_s^{(0)} \cdots A_N^{(0)} = [1, 0, \dots, 0]^\top,$$
 (I2)

which enables one to efficiently calculate a local correlation as

$$C_s^{(abcde)} = (A_1^{(0)} \cdots A_{s-1}^{(0)} A_s^{(a)} A_{s+1}^{(b)} A_{s+2}^{(c)} A_{s+3}^{(d)} A_{s+4}^{(e)})_0.$$
(I3)

2. Transformation into the standard form

Given an invertible $D\times D$ matrix U, the transformation

$$\hat{\mathsf{A}}'_s = \hat{\mathsf{A}}_s U,\tag{I4a}$$

$$\hat{\mathsf{A}}_{s+1}' = U^{-1}\hat{\mathsf{A}}_s,\tag{I4b}$$

does not change the density operator represented by the MPO. This is called a gauge transformation of the MPO. Here, we use a series of gauge transformations to show that an MPO with a bond dimension $D \ge 4$ can be transformed into the standard form.

We first apply the transformation

$$(\hat{\mathsf{A}}'_{N-1})_{:,b} = \hat{\mathsf{A}}_{N-1} A_N^{(b)},$$
 (I5a)
$$\hat{\mathsf{A}}'_N = [\hat{I}_N, \hat{X}_N, \hat{Y}_N, \hat{Z}_N]^\top.$$
 (I5b)

Next, the rectangular QR decomposition is performed on the transformed matrix $A_{N-1}^{(0)}$ as

$$A_{N-1}^{(0)} = Q \begin{bmatrix} R \\ O \end{bmatrix},\tag{I6}$$

where Q is a $D \times D$ orthogonal matrix, R is a 4×4 upper triangular matrix, and O is a $(D - 4) \times 4$ zero matrix. This decomposition is used to transform the MPO as

$$\hat{\mathsf{A}}'_{N-2} = \hat{\mathsf{A}}_{N-2}Q,\tag{I7a}$$

$$\hat{\mathsf{A}}'_{N-1} = Q^{\top} \hat{\mathsf{A}}_{N-1}, \qquad (\text{I7b})$$

which gives us

$$A_{N-1}^{(0)} = \begin{bmatrix} R\\ O \end{bmatrix}.$$
 (I8)

Then, we repeat for s = N - 2, ..., 2 the square QR decomposition

$$A_s^{(0)} = QR,\tag{I9}$$

and the transformation

$$\hat{\mathsf{A}}_{s-1}' = \hat{\mathsf{A}}_{s-1}Q,\tag{I10a}$$

$$\hat{\mathsf{A}}'_s = Q^\top \hat{\mathsf{A}}_s. \tag{I10b}$$

This transforms $A_{N-2}^{(0)}, \ldots, A_2^{(0)}$ into upper triangular matrices. Finally, we use the unit-trace constraint,

$$1 = \text{Tr}[\hat{\rho}] = A_1^{(0)} \cdots A_N^{(0)}$$
(I11a)

$$= (A_1^{(0)})_0 (A_2^{(0)})_{0,0} \cdots (A_{N-1}^{(0)})_{0,0}, \qquad (I11b)$$

to guarantee $(A_1^{(0)})_0, (A_2^{(0)})_{0,0}, \dots, (A_{N-1}^{(0)})_{0,0} \neq 0$, which enables us to rescale $\hat{A}_1, \dots, \hat{A}_{N-1}$ as

$$\hat{\mathsf{A}}'_1 = \hat{\mathsf{A}}_1 / (A_1^{(0)})_0, \tag{I12a}$$

$$\hat{\mathsf{A}}'_{s} = \hat{\mathsf{A}}_{s} / (A_{s}^{(0)})_{0,0} \quad (s = 2, \dots, N-1).$$
 (I12b)

This gives us

$$(A_1^{(0)})_0 = (A_2^{(0)})_{0,0} = \dots = (A_{N-1}^{(0)})_{0,0} = 1$$
 (I13)

and completes the transformation into the standard form.

APPENDIX J: ADDITIONAL FIGURES FOR THE 10-QUBIT CLUSTER STATE

Figures 22(a)–(d) show the measured five-qubit correlations for the 10-qubit cluster state and their fits by an MPO with a bond dimension of D = 4. They confirm that the least-squares fitting has successfully converged.

Figure 23 shows the full density matrix of the reconstructed 10-qubit cluster state, which was partially shown in Fig. 4(a).



FIG. 22. Measured (orange bars) and fitted (black diamonds) local correlations for the 10-qubit cluster state. The correction for the measurement inefficiency have been applied to the plotted values. The error bars are calculated from the statistical uncertainties of the measured quadrature moments. (a) 43 correlations which equal one for an ideal cluster state. (b) Subset of the 111 correlations which equal zero for an ideal cluster state and consist of only \hat{I} and \hat{Z} operators. (c) Subset of the 94 correlations which equal zero for an ideal cluster state but becomes nonzero with photon loss and dephasing errors. (d) Subset of the remaining 4615 correlations which equal zero for an ideal cluster state affected by photon loss and dephasing errors.

APPENDIX K: LOCALIZABLE ENTANGLEMENT OF AN MPO

In this work, the metric of localizable entanglement is used to evaluate how far the entanglement persists in the generated linear cluster states. The localizable en-

23



FIG. 23. Full density matrix of the reconstructed 10-qubit cluster state. Absolute values are plotted in the diagonal and the lower-left triangle, and the complex arguments in the upper-right triangle.

tanglement is defined for each pair of qubits in a chain of qubits as the maximum entanglement that can be "localized" between the two qubits by performing local projective measurements on the other qubits [24, 25]. Here, we explain how the localizable entanglement and its uncertainty can be calculated in the MPO representation.

1. Local projective measurement

A projective measurement of a qubit is defined by a pair of orthogonal projection operators $\hat{\Pi}^{\pm 1}$, where ± 1 are the outcomes of the measurement. If this measurement is performed on the *s*th qubit in an *N*-qubit state $\hat{\rho}$, the probability of obtaining each outcome is

$$P(\pm 1) = \text{Tr}[\hat{\Pi}_s^{\pm 1}\hat{\rho}],\tag{K1}$$



FIG. 24. Tensor-network representation of the unnormalized post-measurement state $\hat{\rho}^{\{m_s\}}$, where $\{m_s\}$ denotes the set of measurement outcomes $m_s \in \{+1, -1\}$ obtained by performing a local projective measurement $\hat{\Pi}_s^{\pm 1}$ on every qubit of an MPO except the *r*th and *r'*th qubits.

and the corresponding post-measurement state of the unmeasured qubits is

$$\hat{\rho}^{\pm 1} = \frac{\operatorname{Tr}_s[\Pi_s^{\pm 1}\hat{\rho}]}{P(\pm 1)},\tag{K2}$$

where $\operatorname{Tr}_{s}[\cdot]$ denotes the partial trace over the *s*th qubit. Alternatively, the unnormalized post-measurement state

$$\hat{\rho}^{\prime\pm1} \coloneqq \operatorname{Tr}_s[\hat{\Pi}_s^{\pm1}\hat{\rho}],\tag{K3}$$

can be used to express the outcome probability as

$$P(\pm 1) = \operatorname{Tr}[\hat{\rho}^{\prime \pm 1}] \tag{K4}$$

and the normalized post-measurement state as

$$\hat{\rho}^{\pm 1} = \frac{\hat{\rho}^{\prime \pm 1}}{\text{Tr}[\hat{\rho}^{\prime \pm 1}]}.$$
(K5)

Now suppose that a local projective measurement $\hat{\Pi}_s^{\pm 1}$ is performed on every qubit of an MPO \hat{A}_s except the *r*th and *r*'th qubits. The unnormalized post-measurement state $\hat{\rho}'^{\{m_s\}}$, where $\{m_s\}$ denotes the set of measurement outcomes $m_s \in \{\pm 1, -1\}$, can be calculated by evaluating the tensor network shown in Fig. 24. Similarly to Fig. 7(b), the partial derivative by a parameter of the MPO $(A_s^{(i_s)})_{x,y}$ can be calculated by removing the tensor \hat{A}_s from the diagram. Using the unnormalized postmeasurement state $\hat{\rho}'^{\{m_s\}}$, the outcome probability can be expressed as

$$P(\{m_s\}) = \operatorname{Tr}\left[\hat{\rho}^{\prime\{m_s\}}\right] \tag{K6}$$

and the normalized post-measurement state as

$$\hat{\rho}^{\{m_s\}} = \frac{\hat{\rho}'^{\{m_s\}}}{\text{Tr}\left[\hat{\rho}'^{\{m_s\}}\right]}.$$
(K7)

2. Negativity

The entanglement between the two unmeasured qubits can be quantified using the negativity \mathcal{N} . The negativity of a two-qubit state $\hat{\rho}$ is given by

$$\mathcal{N}(\hat{\rho}) \coloneqq \frac{\|\rho^{\Gamma}\|_1 - 1}{2},\tag{K8}$$

where ρ^{Γ} denotes the partial transpose of $\hat{\rho}$ in the $\{|00\rangle, |01\rangle, |10\rangle, |11\rangle\}$ basis,

$$(\rho^{\Gamma})_{2i+j,2k+l} \coloneqq \langle il|\hat{\rho}|kj\rangle, \tag{K9}$$

and $\|\cdot\|_1$ denotes the trace norm defined as the sum of the singular values.

To propagate the uncertainties in $\hat{\rho}$ to the uncertainty of the calculated negativity, one needs to take the partial derivatives of $\|\rho^{\Gamma}\|_1$ by the matrix elements of ρ^{Γ} . These can be calculated as

$$\frac{\partial \|\rho^{\Gamma}\|_{1}}{\partial (\rho^{\Gamma})_{i,j}} = (UV^{\dagger})_{i,j}, \qquad (K10)$$

where U and V are the unitary matrices of the singular value decomposition $\rho^{\Gamma} = U\Sigma V^{\dagger}$.

3. Localizable entanglement

Using the negativity as the measure of two-qubit entanglement, we calculate the localizable entanglement as the expectation value of the negativity over all possible measurement outcomes,

$$\mathcal{N}_{\rm le}(\hat{\rho}) \coloneqq \sum_{\{m_s\}} P(\{m_s\}) \,\mathcal{N}(\hat{\rho}^{\{m_s\}}),\tag{K11}$$

given a measurement basis $\hat{\Pi}_s^{\pm 1}$ for every qubit except the two unmeasured ones at s = r and r'. Note that the original definition of the localizable entanglement is the maximum of $\mathcal{N}_{\text{le}}(\hat{\rho})$ over all possible measurement bases $\{\hat{\Pi}_s^{\pm 1}\}_{s \neq r, r'}$, which is computationally costly to determine [24]. Because we do not perform the maximization, the definition used in this work is only a lower bound of the original definition. Nevertheless, the optimal set of measurement bases for the ideal linear cluster state can be used to obtain a nearly maximal $\mathcal{N}_{\text{le}}(\hat{\rho})$ for a state which is close to an ideal cluster state. To calculate the localizable entanglement of the generated cluster states, we use the \hat{X}_s measurement basis for all qubits between the two unmeasured qubits and the \hat{Z}_s basis for all the other qubits.

To calculate the uncertainty of the localizable entanglement, Eq. (K11) can be rewritten using the unnormalized post-measurement states $\hat{\rho}'^{\{m_s\}}$ as

$$\mathcal{N}_{\rm le}(\hat{\rho}) = \sum_{\{m_s\}} \mathcal{N}(\hat{\rho}^{\prime \{m_s\}}). \tag{K12}$$

Then, Eq. (K10) and the partial derivatives of Fig. 24 can be used to propagate the uncertainties in the parameters of the MPO to the uncertainty of the localizable entanglement. The localizable entanglement in terms of the concurrence can similarly be calculated using the unnormalized post-measurements states as

$$\mathcal{C}_{\rm le}(\hat{\rho}) = \sum_{\{m_s\}} \mathcal{C}(\hat{\rho}^{\prime\{m_s\}}),\tag{K13}$$

where $C(\hat{\rho})$ denotes the concurrence of a two-qubit state $\hat{\rho}$.

- H. J. Briegel and R. Raussendorf, Persistent entanglement in arrays of interacting particles, Physical Review Letters 86, 910 (2001).
- [2] R. Raussendorf and H. J. Briegel, A one-way quantum computer, Physical Review Letters 86, 5188 (2001).
- [3] H. J. Briegel, D. E. Browne, W. Dür, R. Raussendorf, and M. Van den Nest, Measurement-based quantum computation, Nature Physics 5, 19 (2009).
- [4] X.-C. Yao, T.-X. Wang, H.-Z. Chen, W.-B. Gao, A. G. Fowler, R. Raussendorf, Z.-B. Chen, N.-L. Liu, C.-Y. Lu, Y.-J. Deng, Y.-A. Chen, and J.-W. Pan, Experimental demonstration of topological error correction, Nature 482, 489 (2012).
- [5] D. Schlingemann and R. F. Werner, Quantum errorcorrecting codes associated with graphs, Physical Review A 65, 012308 (2001).
- [6] B. A. Bell, D. A. Herrera-Martí, M. S. Tame, D. Markham, W. J. Wadsworth, and J. G. Rarity, Experimental demonstration of a graph state quantum errorcorrection code, Nature Communications 5, 3658 (2014).
- [7] K. Azuma, K. Tamaki, and H.-K. Lo, All-photonic quantum repeaters, Nature Communications 6, 6787 (2015).
- [8] D. Markham and B. C. Sanders, Graph states for quantum secret sharing, Physical Review A 78, 042309 (2008).
- [9] B. A. Bell, D. Markham, D. A. Herrera-Martí, A. Marin, W. J. Wadsworth, J. G. Rarity, and M. S. Tame, Experimental demonstration of graph-state quantum secret sharing, Nature Communications 5, 5480 (2014).
- [10] N. Friis, D. Orsucci, M. Skotiniotis, P. Sekatski, V. Dunjko, H. J. Briegel, and W. Dür, Flexible resources for quantum metrology, New Journal of Physics **19**, 063044 (2017).
- [11] N. Shettell and D. Markham, Graph states as a resource for quantum metrology, Physical Review Letters 124, 110502 (2020).
- [12] N. H. Lindner and T. Rudolph, Proposal for pulsed ondemand sources of photonic cluster state strings, Physical Review Letters 103, 113602 (2009).
- [13] N. C. Menicucci, Temporal-mode continuous-variable cluster states using linear optics, Physical Review A 83, 062314 (2011).
- [14] R. N. Alexander, S. Yokoyama, A. Furusawa, and N. C. Menicucci, Universal quantum computation with temporal-mode bilayer square lattices, Physical Review A 97, 032302 (2018).
- [15] S. Yokoyama, R. Ukai, S. C. Armstrong, C. Sornphiphatphong, T. Kaji, S. Suzuki, J. Yoshikawa, H. Yonezawa, N. C. Menicucci, and A. Furusawa, Ultra-large-scale continuous-variable cluster states multiplexed in the time domain, Nature Photonics 7, 982 (2013).
- [16] I. Schwartz, D. Cogan, E. R. Schmidgall, Y. Don, L. Gantz, O. Kenneth, N. H. Lindner, and D. Gershoni,

Deterministic generation of a cluster state of entangled photons, Science **354**, 434 (2016).

- [17] D. Istrati, Y. Pilnyak, J. C. Loredo, C. Antón, N. Somaschi, P. Hilaire, H. Ollivier, M. Esmann, L. Cohen, L. Vidro, C. Millet, A. Lemaître, I. Sagnes, A. Harouri, L. Lanco, P. Senellart, and H. S. Eisenberg, Sequential generation of linear cluster states from a single photon emitter, Nature Communications 11, 5501 (2020).
- [18] P. Thomas, L. Ruscio, O. Morin, and G. Rempe, Efficient generation of entangled multiphoton graph states from a single atom, Nature 608, 677 (2022).
- [19] J.-C. Besse, K. Reuer, M. C. Collodo, A. Wulff, L. Wernli, A. Copetudo, D. Malz, P. Magnard, A. Akin, M. Gabureac, G. J. Norris, J. I. Cirac, A. Wallraff, and C. Eichler, Realizing a deterministic source of multipartiteentangled photonic qubits, Nature Communications 11, 4877 (2020).
- [20] W. Asavanant, Y. Shiozawa, S. Yokoyama, B. Charoensombutamon, H. Emura, R. N. Alexander, S. Takeda, J. Yoshikawa, N. C. Menicucci, H. Yonezawa, and A. Furusawa, Generation of time-domain-multiplexed twodimensional cluster state, Science **366**, 373 (2019).
- [21] M. V. Larsen, X. Guo, C. R. Breum, J. S. Neergaard-Nielsen, and U. L. Andersen, Deterministic generation of a two-dimensional cluster state, Science **366**, 369 (2019).
- [22] V. S. Ferreira, G. Kim, A. Butler, H. Pichler, and O. Painter, Deterministic generation of multidimensional photonic cluster states with a single quantum emitter, Nature Physics 20, 865 (2024).
- [23] J. O'Sullivan, K. Reuer, A. Grigorev, X. Dai, A. Hernández-Antón, M. H. Muñoz-Arias, C. Hellings, A. Flasby, D. C. Zanuz, J.-C. Besse, A. Blais, D. Malz, C. Eichler, and A. Wallraff, Deterministic generation of a 20-qubit two-dimensional photonic cluster state (2024), arXiv:2409.06623 [quant-ph].
- [24] F. Verstraete, M. Popp, and J. I. Cirac, Entanglement versus correlations in spin systems, Physical Review Letters 92, 027901 (2004).
- [25] M. Popp, F. Verstraete, M. A. Martín-Delgado, and J. I. Cirac, Localizable entanglement, Physical Review A 71, 042306 (2005).
- [26] M. Van den Nest, A. Miyake, W. Dür, and H. J. Briegel, Universal resources for measurement-based quantum computation, Physical Review Letters 97, 150504 (2006).
- [27] P. van Loock and A. Furusawa, Detecting genuine multipartite continuous-variable entanglement, Physical Review A 67, 052315 (2003).
- [28] G. Tóth and O. Gühne, Detecting genuine multipartite entanglement with two local measurements, Physical Review Letters 94, 060501 (2005).
- [29] T. Nutz, A. Milne, P. Shadbolt, and T. Rudolph, Proposal for demonstration of long-range cluster state entan-

glement in the presence of photon loss, APL Photonics 2, 066103 (2017).

- [30] T. Baumgratz, A. Nüßeler, M. Cramer, and M. B. Plenio, A scalable maximum likelihood method for quantum state tomography, New Journal of Physics 15, 125004 (2013).
- [31] J. I. Cirac, D. Pérez-García, N. Schuch, and F. Verstraete, Matrix product states and projected entangled pair states: Concepts, symmetries, theorems, Reviews of Modern Physics 93, 045003 (2021).
- [32] P. Zanardi, Entanglement of quantum evolutions, Physical Review A 63, 040304 (2001).
- [33] T. Prosen and I. Pižorn, Operator space entanglement entropy in a transverse Ising chain, Physical Review A 76, 032316 (2007).
- [34] T. Baumgratz, D. Gross, M. Cramer, and M. B. Plenio, Scalable reconstruction of density matrices, Physical Review Letters 111, 020401 (2013).
- [35] B. P. Lanyon, C. Maier, M. Holzäpfel, T. Baumgratz, C. Hempel, P. Jurcevic, I. Dhand, A. S. Buyskikh, A. J. Daley, M. Cramer, M. B. Plenio, R. Blatt, and C. F. Roos, Efficient tomography of a quantum many-body system, Nature Physics 13, 1158 (2017).
- [36] C. Schön, E. Solano, F. Verstraete, J. I. Cirac, and M. M. Wolf, Sequential generation of entangled multiqubit states, Physical Review Letters 95, 110503 (2005).
- [37] D. Aharonov, A. Kitaev, and N. Nisan, Quantum circuits with mixed states, in *Proceedings of the Thirtieth Annual* ACM Symposium on Theory of Computing - STOC '98 (ACM Press, Dallas, Texas, United States, 1998) pp. 20– 30.
- [38] J. Biamonte, Lectures on quantum tensor networks (2020), arXiv:1912.10049 [quant-ph].
- [39] G. Kimura, The Bloch vector for N-level systems, Physics Letters A 314, 339 (2003).
- [40] J. Koch, T. M. Yu, J. Gambetta, A. A. Houck, D. I. Schuster, J. Majer, A. Blais, M. H. Devoret, S. M. Girvin, and R. J. Schoelkopf, Charge-insensitive qubit design derived from the Cooper pair box, Physical Review A 76, 042319 (2007).
- [41] C. Axline, M. Reagor, R. Heeres, P. Reinhold, C. Wang, K. Shain, W. Pfaff, Y. Chu, L. Frunzio, and R. J. Schoelkopf, An architecture for integrating planar and 3D cQED devices, Applied Physics Letters **109**, 042601 (2016).
- [42] Y. Sunada, S. Kono, J. Ilves, S. Tamate, T. Sugiyama, Y. Tabuchi, and Y. Nakamura, Fast readout and reset of a superconducting qubit coupled to a resonator with an intrinsic Purcell filter, Physical Review Applied 17, 044016 (2022).
- [43] M. Pechal, L. Huthmacher, C. Eichler, S. Zeytinoğlu, A. A. Abdumalikov, S. Berger, A. Wallraff, and S. Filipp, Microwave-controlled generation of shaped single photons in circuit quantum electrodynamics, Physical Review X 4, 041010 (2014).
- [44] S. Zeytinoğlu, M. Pechal, S. Berger, A. A. Abdumalikov, A. Wallraff, and S. Filipp, Microwave-induced amplitudeand phase-tunable qubit-resonator coupling in circuit quantum electrodynamics, Physical Review A 91, 043846 (2015).
- [45] P. Kurpiers, M. Pechal, B. Royer, P. Magnard, T. Walter, J. Heinsoo, Y. Salathé, A. Akin, S. Storz, J.-C. Besse, S. Gasparinetti, A. Blais, and A. Wallraff, Quantum communication with time-bin encoded microwave photons,

Physical Review Applied 12, 044067 (2019).

- [46] J. Ilves, S. Kono, Y. Sunada, S. Yamazaki, M. Kim, K. Koshino, and Y. Nakamura, On-demand generation and characterization of a microwave time-bin qubit, npj Quantum Information 6, 34 (2020).
- [47] P. Kurpiers, P. Magnard, T. Walter, B. Royer, M. Pechal, J. Heinsoo, Y. Salathé, A. Akin, S. Storz, J.-C. Besse, S. Gasparinetti, A. Blais, and A. Wallraff, Deterministic quantum state transfer and remote entanglement using microwave photons, Nature 558, 264 (2018).
- [48] K. Inomata, Z. Lin, K. Koshino, W. D. Oliver, J.-S. Tsai, T. Yamamoto, and Y. Nakamura, Single microwavephoton detector using an artificial Λ-type three-level system, Nature Communications 7, 12303 (2016).
- [49] S. Kono, K. Koshino, Y. Tabuchi, A. Noguchi, and Y. Nakamura, Quantum non-demolition detection of an itinerant microwave photon, Nature Physics 14, 546 (2018).
- [50] J.-C. Besse, S. Gasparinetti, M. C. Collodo, T. Walter, P. Kurpiers, M. Pechal, C. Eichler, and A. Wallraff, Single-shot quantum nondemolition detection of individual itinerant microwave photons, Physical Review X 8, 021003 (2018).
- [51] L. Balembois, J. Travesedo, L. Pallegoix, A. May, E. Billaud, M. Villiers, D. Estève, D. Vion, P. Bertet, and E. Flurin, Cyclically operated microwave single-photon counter with sensitivity of 10⁻²² W/√Hz, Physical Review Applied **21**, 014043 (2024).
- [52] A. I. Lvovsky and M. G. Raymer, Continuous-variable optical quantum-state tomography, Reviews of Modern Physics 81, 299 (2009).
- [53] K. Tiurev and A. S. Sørensen, Fidelity measurement of a multiqubit cluster state with minimal effort, Physical Review Research 4, 033162 (2022).
- [54] G. Vidal and R. F. Werner, Computable measure of entanglement, Physical Review A 65, 032314 (2002).
- [55] S. A. Hill and W. K. Wootters, Entanglement of a pair of quantum bits, Physical Review Letters 78, 5022 (1997).
- [56] W. K. Wootters, Entanglement of formation of an arbitrary state of two qubits, Physical Review Letters 80, 2245 (1998).
- [57] P. Kok, W. J. Munro, K. Nemoto, T. C. Ralph, J. P. Dowling, and G. J. Milburn, Linear optical quantum computing with photonic qubits, Reviews of Modern Physics **79**, 135 (2007).
- [58] M. Ohliger, K. Kieling, and J. Eisert, Limitations of quantum computing with Gaussian cluster states, Physical Review A 82, 042336 (2010).
- [59] N. C. Menicucci, S. T. Flammia, and P. van Loock, Graphical calculus for Gaussian pure states, Physical Review A 83, 042335 (2011).
- [60] F. Verstraete and J. I. Cirac, Renormalization algorithms for quantum-many body systems in two and higher dimensions (2004), arXiv:cond-mat/0407066.
- [61] F. Verstraete and J. I. Cirac, Valence-bond states for quantum computation, Physical Review A 70, 060302 (2004).
- [62] M. Kliesch, D. Gross, and J. Eisert, Matrix-product operators and states: NP-hardness and undecidability, Physical Review Letters 113, 160503 (2014).
- [63] C. Schwemmer, L. Knips, D. Richart, H. Weinfurter, T. Moroder, M. Kleinmann, and O. Gühne, Systematic errors in current quantum state tomography tools, Physical Review Letters **114**, 080403 (2015).

- [64] F. Verstraete, J. J. García-Ripoll, and J. I. Cirac, Matrix product density operators: Simulation of finitetemperature and dissipative systems, Physical Review Letters 93, 207204 (2004).
- [65] G. D. las Cuevas, N. Schuch, D. Pérez-García, and J. I. Cirac, Purifications of multipartite states: Limitations and constructive methods, New Journal of Physics 15, 123021 (2013).
- [66] R. Orús, Tensor networks for complex quantum systems, Nature Reviews Physics 1, 538 (2019).
- [67] G. M. Crosswhite and D. Bacon, Finite automata for caching in matrix product algorithms, Physical Review A 78, 012356 (2008).
- [68] T. Baumgratz, Efficient System Identification and Characterization for Quantum Many-Body Systems, Ph.D. thesis, Universität Ulm (2014).
- [69] M. Hein, J. Eisert, and H. J. Briegel, Multiparty entanglement in graph states, Physical Review A 69, 062311 (2004).