

## Compact. Versatile. Ready to go!

The AVer M11-8M is the sleek and affordable document camera designed to meet the needs of changing learning environments. With HDMI and plug and play USB power and connectivity, the M11-8M is ready to share in the classroom or through many popular video conferencing platforms for distance learning.



#### **Distance Learning Ready**

The M11-8M is UVC/UAC compliant with plug and play USB connectivity and features a built-in mic. It supports integration with all popular video conferencing applications such as Zoom, Google Hangouts and Microsoft Teams so you're ready to tackle distance learning.

### **Smart Connectivity & Power**

Powered by USB, with an additional HDMI connection it's quick and easy to power on, connect to PC or your external display! The M11-8M can connect to PCs, Chromebooks and Macs to suit your mixed computing needs.





### Software is as simple as one touch

With our updated AVerTouch software for Windows and Mac, it's never been quicker and easier to go from set-up to show time. Build and edit new creative content with powerful multitasking and editing tools and save to the Cloud with a simple click. The M11-8M also works with our trusted Sphere Lite software on Chrome.



#### Strong clarity and versatility

The 8MP camera outputs video with 1080p at 60 fps to give you all you need to share content in the classroom or online. The built-in annotation capability with a mouse via HDMI opens creativity and important information highlights in your lessons!



# **Specifications**

| Image               |   |                                  |             |  |                                       |  |  |  |
|---------------------|---|----------------------------------|-------------|--|---------------------------------------|--|--|--|
| Sensor              | 1/3.06" CMOS sensor   | Pixel count                      | 8MP         | Frame rate                               | Max.60fps (display)                   |  |  |  |
| Output resolution   | 3168x2376@8 fps(USB), 1920x1080@60fps(HDMI,USB), 1280x720(USB,HDMI), 1024x768(USB), 800x600(USB), 640x480(USB), 720x480(HDMI) |                                  |             | Image rotation (FW)                      | 0/180                                 |  |  |  |
| Image mirror/freeze | On/Off (default: off)   | Image white balance/<br>exposure | Auto/manual | Image brightness/<br>contrast/saturation | Manual                                |  |  |  |
| Preview mode        | Normal/motion/high quality  | Playback                         | Yes         | PIP/PBP                                  | Yes                                   |  |  |  |
| Optics/Mechanism    |   |                                  |             |  |                                       |  |  |  |
| Lens rotation (MD)  | Right:90°, left:90°,<br>up:90°, down:45°  | Lens F-number                    | 2.0         | Shooting area                            | A3, 16.53" x 12.4"<br>(420mm x 315mm) |  |  |  |
| Zoom                | 20X digital zoom  | Pan                              | Yes         | Focus                                    | Auto                                  |  |  |  |

| Input/Output Connections     |  |                          |   |   |   |  |  |  |
|------------------------------|--|--------------------------|---|---|---|--|--|--|
| HDMI out                     | 1 (support display),<br>1080p  | USB-A port               | USB disk (FAT32, 32GB)                        | USB-mini port   | 1 (mini USB, data change<br>to PC, 480Mbps) |  |  |  |
| Built in mic                 | Yes  | SD card slot             | 1 (micro SD card, FAT32, 32GB)                | Image rotation (FW)   | 0/180                                       |  |  |  |
| Function                     |  |                          |   |   |   |  |  |  |
| OSD                          | Yes  |                          |   |   |   |  |  |  |
| Debugging mode               | Enable/disable<br>debugging mode to<br>capture log file for<br>troubleshoot (default<br>: off)   | FW update                | Can update fw by SW                           | Microscope adapter  | N/A   |  |  |  |
| Compatibility                |  |                          |   |   |   |  |  |  |
| USB UVC/UAC compliant        | Yes  | Support SW               | AVerTouch: Windows/MAC<br>Sphere Lite: Chrome |   |   |  |  |  |
| Operating systems (computer) | Windows 7, 10; Mac OS 10.13 or above; Chrome OS 75 or  |                          | or above                                      | Operating systems (tablet)  | iOS 11 or above/Android<br>5.0 or above     |  |  |  |
| Indication                   |  |                          |   |   |   |  |  |  |
| Power indication             | 1  |                          |   |   |   |  |  |  |
| Accessories                  |  |                          |   |   |   |  |  |  |
| Cable                        | USB cable (1.5M)   | QR code sheet            | Yes   |   |   |  |  |  |
| Internal Storage             |  |                          |   |   |   |  |  |  |
| Storage for temporary data   |  | 120 pictures             |   |   |   |  |  |  |
| External Storage             |  |                          |   |   |   |  |  |  |
| USB flash drive              | Support FAT32, 32GB  | SD card                  | Up to 32GB                                    |   |   |  |  |  |
| Lighting                     |  |                          |   |   |   |  |  |  |
| Light source                 | Embedded LED lamp 0.5W   |                          |   |   |   |  |  |  |
| Others                       |  |                          |   |   |   |  |  |  |
| Net dimension                | Operation (A3 shooting area), 14.19" x 4.59" x 11.94" (360.4mm x 116.7mm x 303.4mm) (H*W*D) Folded: 11.66" x 4.59" x 5.63" (296.1mm x 116.7mm x 143.1mm) (H*W*D) |                          |   |   |   |  |  |  |
| Net weight                   | 1.83lbs + 0.66/-0.66lbs<br>(0.83kg + 0.3/-0.3kg)   | Dimension (with package) | 14.25" x 5.98" x 5.67"<br>(L*W*H)             | Gross weight (with package)   | 2.86lbs (1.3kg)                             |  |  |  |
| Power Source                 | mini-USB in, 5V/0.9A   | Power consumption        | Lamp on: 4W max<br>Lamp off: 3.5W max         | Warranty card   | 3 years                                     |  |  |  |
| Quick guide                  | English, Chinese_TC, Japanese, German, French,<br>Italian, Spanish (Via QR code)   |                          | Language                                      | English, Chinese_TC, Chinese_SC, Japanese, German,<br>Italian, French, Spanish, Finnish, Polish, Russian,<br>Idonesia |   |  |  |  |

Note: Specifications subject to change without notice

