

A man in a grey suit and blue shirt is standing in the foreground, facing a large audience seated in a lecture hall. He has his hands outstretched as if presenting. The audience is diverse and appears to be listening attentively. The room has wood-paneled walls and a camera is visible in the upper left.


#CONNECTBETTER

Table of Contents

<p>About AVer</p> <p>03</p>	<p>Why AVer</p> <p>04</p>	<p>Auto Tracking Cameras</p> <p>06</p>	<p>PTZ Cameras</p> <p>14</p>
<p>Camera Controller</p> <p>22</p>	<p>Tracking Box</p> <p>24</p>	<p>Software</p> <p>26</p>	<p>Specifications</p> <p>32</p>

About AVer

AVer is an award-winning provider of video and collaboration solutions that improve productivity and enrich lives. Our Pro AV product portfolio includes cutting-edge auto tracking cameras and PTZ cameras to serve any presentation, training or lecture environments. We strive to provide industry leading product quality, service and support that exceeds our customer's expectations. We are also deeply committed to our community, the environment and employ stringent green processes in all we do. Learn more at pro.averusa.com.





Why AVer

From the moment you meet AVer we want to make sure that your experience with us is easy, enjoyable and satisfying. From our sales, operations, accounting to our warehousing and technical support teams, we strive to go above and beyond what's expected every step of the way. With our free US based, live phone email and chat technical support, free product training and unrivaled warranties, AVer serves as your partner rather than simply your vendor.

AVerCare Warranty Protection

AVerCare delivers industry-leading 5 or 3 year* warranty with Advanced Replacement and 24-hour turnaround time in the first year. We strive to provide industry leading product quality, service and support so you're always up and running!



* 5-year protection is included only on "V2" Pro AV cameras and the MT300N as of August 16, 2023. Optional 2-year extended warranty is available for purchase on 3-year warranty covered products only.

TAA and NDAA Compliant

AVer Pro AV cameras and accessories that are TAA and NDAA Compliant include the models MD330 Series, TR211, TR315(N), TR35(N), TR323NV2, TR313V2, PTZ211, PTZ231, PTZ310UNV2, PTZ310UV2, PTZ330UNV2, PTZ330UV2, and MT300N. TAA refers to the Trade Agreements Act (19 U.S.C. & 2501-2581), which is intended to foster fair and open international trade. AVer PTZ and TR cameras are designed for use as part of video systems which comply with NDAA 2019, Section 889. We can provide full Certificate of Origin information for any of our products.



Pro Evaluation Program

Buying a professional video system is no small task. Let us make evaluating our Auto Tracking and PTZ cameras a little easier. Our no risk 30 day Pro Evaluation Program allows you to try out any of our Pro AV cameras before you buy. If you wish to purchase we will work with a partner to fulfill your order. If not, we provide return shipping at no cost.



AUTO TRACKING CAMERAS

AVer Professional Auto Tracking Cameras support IP streaming and deliver professional video broadcasts without the need for a videographer to track your target!



TR211

12X HD PTZ Streaming Camera

Windows, Mac OS

- 3 Auto Tracking Modes
- 12X Optical Zoom
- 3G-SDI/HDMI/IP/USB Output
- Full HD 1080p60
- PoE+ Supported
- WDR

Tracking Modes 3	Optical Zoom 12X+ OPTICAL	Outputs HDMI 3G-SDI IP USB
Resolution Full HD 1080p60	Supports PoE+	WDR



*With PTZ Link/MT300N and select Shure, Sennheiser, Yamaha, Nureva, ClearOne, Audio-Technica and Biamp microphones



AVer SKU: PATR211V3


TR315/TR315N

12X 4K AI Auto Tracking Camera

Windows, Mac OS

- 3 Auto Tracking Modes
- Voice Tracking
- 12X Optical Zoom
- 4K Ultra HD
- 3G-SDI/HDMI/IP/USB Output
- 8 MP Picture
- TR315N model features NDI®|HX3

Tracking Modes 3	Optical Zoom 12X+ OPTICAL	Outputs HDMI 3G-SDI IP USB
Resolution Ultra HD 4K	Supports PoE+	WDR



*With PTZ Link/MT300N and select Shure, Sennheiser, Yamaha, Nureva, ClearOne, Audio-Technica and Biamp microphones



AVer SKU: PATR315V3 | PTR315NV3 (TR315N)

TR335/TR335N

30X 4K AI Auto Tracking Camera

Windows, Mac OS

3 Auto Tracking Modes

Vocie Tracking

30X Optical Zoom

4K Ultra HD

3G-SDI/HDMI/IP/USB Output

8 MP Picture

TR335N model features NDI®|HX3

Tracking Modes 	Optical Zoom 	Outputs
Resolution 	Supports PoE+ 	WDR

*With PTZ Link/MT300N and select Shure, Sennheiser, Yamaha, Nureva, ClearOne, Audio-Technica and Biamp microphones



Aver SKU: PATR335V3 | PTR335NV3 (TR335N)

TR313V2

12X 4K AI Auto Tracking Camera

Windows, Mac OS

3 Auto Tracking Modes

Vocie Tracking* and Gesture Control

12X Optical Zoom

4K Ultra HD

3G-SDI/HDMI/IP/USB Output

Supports PoE+

Tracking Modes 	Optical Zoom 	Outputs
Resolution 	Supports PoE+ 	WDR

*With PTZ Link/MT300N and select Shure, Sennheiser, Yamaha, Nureva, ClearOne, Audio-Technica and Biamp microphones



Aver SKU: PATR313V2

TR323NV2

21X 4K NDI AI
Auto Tracking Camera

Windows, Mac OS

3 Auto Tracking Modes

Voice Tracking* and Gesture Control

21X Optical Zoom

4K Ultra HD

3G-SDI/HDMI/IP/USB Output

Supports NDI/HX2 and SRT Protocol

Tracking Modes



Optical Zoom



Outputs



Resolution



Supports PoE+



WDR



NDI|HX



*With PTZ Link/MT300N and select Shure, Sennheiser, Yamaha, Nureva, ClearOne, Audio-Technica and Biamp microphones



AVer SKU: PATR323NV2

PTZ CAMERAS







AVer Professional PTZ Cameras support IP streaming and empower users to easily create excellent quality video from setup to showtime.

PTZ330UNV2

30X 4K AI NDI PTZ Camera

Windows, Mac OS

- Advanced Preset Tracking
- Voice Tracking*
- 30X Optical Zoom
- 4Kp60
- HDMI/IP/NDI HX2/USB/3G-SDI Output
- Supports PoE+

 PTZ	 Optical Zoom 30X+ OPTICAL	 Outputs 5 Output
 Resolution Ultra HD 4K	 IP Streaming	 Supports PoE+

*With PTZ Link/MT300N and select Shure, Sennheiser, Yamaha, Nureva, ClearOne, Audio-Technica and Biamp microphones









PTZ330UV2

30X 4K AI PTZ Camera

Windows, Mac OS

- Advanced Preset Tracking
- Voice Tracking*
- 30X Optical Zoom
- 4Kp60
- HDMI/IP/USB/3G-SDI Output
- Supports PoE+

 PTZ	 Optical Zoom 30X+ OPTICAL	 Outputs 5 Output
 Resolution Ultra HD 4K	 IP Streaming	 Supports PoE+

*With PTZ Link/MT300N and select Shure, Sennheiser, Yamaha, Nureva, ClearOne, Audio-Technica and Biamp microphones









PTZ310UNV2

12X 4K AI NDI PTZ Camera

Windows, Mac OS

- Advanced Preset Tracking
- Voice Tracking*
- 12X Optical Zoom
- 4Kp60
- HDMI/IP/NDI HX2/USB/3G-SDI Output
- Supports PoE+

PTZ 	Optical Zoom 	Outputs 
Resolution 	IP Streaming 	Supports PoE+ 

*With PTZ Link/MT300N and select Shure, Sennheiser, Yamaha, Nureva, ClearOne, Audio-Technica and Biamp microphones









AVer SKU: PT310UNV2

PTZ310UV2

12X 4K AI PTZ Camera

Windows, Mac OS

- Advanced Preset Tracking
- Voice Tracking*
- 12X Optical Zoom
- 4Kp60
- HDMI/IP/USB/3G-SDI Output
- Supports PoE+

PTZ 	Optical Zoom 	Outputs 
Resolution 	IP Streaming 	Supports PoE+ 

		
---	---	---

*With PTZ Link/MT300N and select Shure, Sennheiser, Yamaha, Nureva, ClearOne, Audio-Technica and Biamp microphones



AVer SKU: PTZ310UV2

PTZ231

30X HD AI PTZ Camera

Windows, Mac OS

Advanced Preset Tracking

Voice Tracking*

30X Optical Zoom

Full HD 1080p60

HDMI/IP/USB/3G-SDI Output

Supports PoE+

AI Functions



Optical Zoom

12X+
OPTICAL

Multi-Stream

4
Output

Resolution

Full HD
1080p60

Megapixels

2 MP

Supports PoE+



*With PTZ Link/MT300N and select Shure, Sennheiser, Yamaha, Nureva, ClearOne, Audio-Technica and Biamp microphones



AVer SKU: PTPTZ231W

PTZ211

12X HD AI PTZ Camera

Windows, Mac OS

Advanced Preset Tracking

Voice Tracking*

12X Optical Zoom

Full HD 1080p60

HDMI/IP/USB/3G-SDI Output

Supports PoE+

AI Functions



Optical Zoom

12X+
OPTICAL

Multi-Stream

4
Output

Resolution

Full HD
1080p60

Megapixels

2 MP

Supports PoE+



* With PTZ Link/MT300N and select Shure, Sennheiser, Yamaha, Nureva, ClearOne, Audio-Technica and Biamp microphones



AVer SKU: PTPTZ211W



AVer SKU: PTCAMCTRL



CL01

PTZ Professional Camera Controller

- Pan/Tilt/Zoom Speed Control
- Operate 255 PTZ Cameras
- 3 Infinite Rotation Knobs
- Supports RS-422/RS-485/RS-232/IP Control
- Built-in VISCA, SONY VISCA, Pelco P/D, UDP Protocols
- 1 Year Warranty

Speed Control 	Quick Access 	Rotation Knobs
Control Interfaces RS-232 RS-422 RS-485 IP	VISCA Pelco-D/P VISCA Pelco-D Pelco-P	Warranty

MT300N

NDI® Matrix Tracking Box

Integrated Voice Tracking

Multi-Camera Switching

2 HDMI & 2 USB Type B

Supports NDI | HX2 Protocol

Built-in PTZ Link Premium

Supports PoE+

Voice Tracking Camera Switching 2HDMI & 2USB-B



Support NDI | HX2



Built-in



Supports PoE+



Aver SKU: PATMT300N



PTZ Management

Easy to Use and Efficient Central Management Tool

Windows 10, Windows 11

Control up to 256 Cameras

User-Friendly Interface

Remote Camera Management

Easily Update Devices

Works with All AVer PTZ and TR Cameras



CaptureShare

Easily Record Video, Livestream, and Capture Still Images


Windows & MAC

- Annotate, Record Video, Live Stream, and Capture Images
- Manage Camera Controls via USB
- Works with AVer PTZ and Select TR Cameras
- Works with Select AVer Document Cameras



Premium Version Available!

AVer SKU: PTLINKPRE




PTZ Control Panel

Use iPad or iPhone to Control AVer PTZ Cameras Through the Network

iOS® v9 or above, iPadOS® v11 or above

- Control Common PTZ and Focus Functions Over Network
- Enable and Disable Tracking
- Instantly Find and Connect to AVer TR and PTZ Cameras
- Save and Call Up to 256 Preset Points
- Capture Camera Images and Save to The Album



PTZ Link


Easily Add Voice Tracking Functionality

Premium Version Available!


Windows & MAC

Voice Tracking to Preset
IP Based Control
Multi-Camera Switching (Premium on Windows)
USB Auto Switching
Windows and Mac laptops and desktops

Combine AVer Pro AV cameras, PTZ Link software and select audio systems from these leading brands for voice tracking!



Compatible With



Specifications

Auto Tracking Cameras PTZ Cameras

TR313V2: *4K can only support 30/29.97/27

		TR211	TR315/TR315N	TR335/TR335N	TR313V2
Part Number		PATR211V3	PATR315V3/PTR315NV3	PATR335V3/PTR335NV3	PATR313V2
PTZ Camera	Effective Picture Elements	2 Megapixels	8 Megapixels	8 Megapixels	8 Megapixels
	Output Resolution	Up to Full HD 1080P at 60fps	Resolution: 4K*/1080P/720P Frame Rate: 60/59.94/50/30/29.97/25	Resolution: 4K*/1080P/720P Frame Rate: 60/59.94/50/30/29.97/26	Resolution: 4K*/1080P/720P Frame Rate: 60/59.94/50/30/29.97/25
	Optical Zoom	12X	12X	30X	12X
	HFOV (Wide)~(Tele)	70° ~ 6°	70° ~ 6°	62.3° ~ 2.5°	70° ~ 6°
Panoramic Camera	Effective Picture Elements	—	—	—	—
	Output Resolution	—	—	—	—
	HFOV	—	—	—	—
Camera	Pan/Tilt Rotation	Pan: -170° (Left), +170° (Right); Tilt: -30° (Down), +90° (Up)	Pan: -170° (Left), +170° (Right); Tilt: -30° (Down), +90° (Up)	Pan: -170° (Left), +170° (Right); Tilt: -30° (Down), +90° (Up)	Pan: -170° (Left), +170° (Right); Tilt: -30° (Down), +90° (Up)
	Pan/Tilt Speed	0.1°~100° / sec	0.1° ~ 100°/Sec	0.1° ~ 100°/Sec	0.1° ~ 100°/Sec
	Preset Speed	200° / Sec	200° / Sec	200° / Sec	200° / Sec
	Output Interface	3G-SDI, HDMI, IP, USB	3G-SDI, HDMI, IP, USB	3G-SDI, HDMI, IP, USB	3G-SDI, HDMI, IP, USB
	USB Video Format	MJPEG	MJPEG	MJPEG	MJPEG, YUV
	UVC	UVC1.1	UVC1.1	UVC1.1	UVC1.1
	UAC	UAC1.0	UAC1.0	UAC1.0	UAC1.0
	Control Interface	RS232, RS-422, Ethernet	RS232, RS422, Ethernet	RS232, RS422, Ethernet	RS232, RS422, Ethernet
	Network Protocol	IPv6, IPv4, TCP, UDP, ARP, IMCP, IGMP, HTTP, DHCP, RTP/RTCP, RTSP, RTMP, VISCA over IP	IPv6, IPv4, TCP, UDP, ARP, IMCP, IGMP, HTTP, DHCP, RTP/RTCP, RTSP, RTMP, VISCA over IP	IPv6, IPv4, TCP, UDP, ARP, IMCP, IGMP, HTTP, DHCP, RTP/RTCP, RTSP, RTMP, VISCA over IP	IPv6, IPv4, TCP, UDP, ARP, IMCP, IGMP, HTTP, DHCP, RTP/RTCP, RTSP, RTMP, VISCA over IP
	Control Protocol	VISCA/PELCO-D (RS232/RS422/IP), CGI (IP)	VISCA/Pelco-D(RS232/RS422/IP), CGI(IP)	VISCA/Pelco-D(RS232/RS422/IP), CGI(IP)	VISCA/Pelco-D(RS232/RS422/IP), CGI(IP)
Auto Tracking Functions	Wide Area Tracking, Stage Tracking, Segment Tracking, Voice Tracking	Presenter, Zone, Hybrid, Gesture Control	Presenter, Zone, Hybrid, Gesture Control	People Tracking (half or full body), Zone Tracking, Hybrid Tracking, Voice Tracking, Gesture Control	
Package Contents	Remote Control, 12V Power Adapter, Power Cable, Din8 to DP9 Cable, RS232 In/Out Cable, Ceiling Mount(x2), Guide	Remote Control, 12V Power Adapter, Power Cable, Din8 to D-Sub9 Cable, RS232 In/Out Cable, Mount(x2), Guide	Remote Control, 12V Power Adapter, Power Cable, Din8 to D-Sub9 Cable, RS232 In/Out Cable, Mount(x2), Guide	IR Remote Control, 12V/5A Power Adapter, Power Cable, Din8 to D-Sub9 Cable, RS232 In/Out Cable, Quick Guide	
Software	CaptureShare, PTZ Management, PTZ Control Panel, PTZ Link	CaptureShare, PTZ Management, PTZ Control Panel, PTZ Link	CaptureShare, PTZ Management, PTZ Control Panel, PTZ Link	CaptureShare, PTZ Management, PTZ Control Panel, PTZ Link	
PoE+	PoE+(IEEE 802.3at)	PoE+(IEEE 802.3at)	PoE+(IEEE 802.3at)	PoE+(IEEE 802.3at)	
NDI Protocol	No	No Yes on TR315N	No Yes on TR335N	Upgradable	
SRT Protocol	No	No	No	Yes	

TR323NV2	PTZ310UNV2	PTZ310UV2
PTR323NV2	PT310UNV2	PTZ310UV2
8 Megapixels	8 Megapixels	8 Megapixels
Resolution: 4K*/1080P/720P Frame Rate: 60/59.94/50/30/29.97/26	Resolution: 4K*/1080P/720P Frame Rate: 60/59.94/50/30/29.97/25	Resolution: 4K*/1080P/720P Frame Rate: 60/59.94/50/30/29.97/25
21X	12X	12X
65.1° ~ 2.34°	72.1° ~ 6.3°	72.1° ~ 6.3°
—	—	—
—	—	—
—	—	—
Pan: -170° (Left), +170° (Right); Tilt: -30° (Down), +90° (Up)	Pan: -170° (Left), +170° (Right); Tilt: -30° (Down), +90° (Up)	Pan: -170° (Left), +170° (Right); Tilt: -30° (Down), +90° (Up)
0.1° ~ 100°/Sec	0.1° ~ 100°/Sec	0.1° ~ 100°/Sec
200° / Sec	200° / Sec	200° / Sec
3G-SDI, HDMI, IP, USB	3G-SDI, HDMI, IP, USB	3G-SDI, HDMI, IP, USB
MJPEG, YUV	MJPEG, YUY2	MJPEG, YUY2
UVC1.1	UVC1.1	UVC1.1
UAC1.0	UAC1.0	UAC1.0
RS232, RS422, Ethernet	RS232, RS422, PELCO-P, IP	RS232, RS422, PELCO-P, IP
IPv6, IPv4, TCP, UDP, ARP, IMCP, IGMP, HTTPS, HTTP, DHCP, RTP/RTCP, RTSP, RTMP, VISCA over IP	IPv4, TCP, UDP, ARP, ICMP, IGMP, HTTP, HTTPS, DHCP, RTP / RTCP, RTSP, RTMP, SRT, HLS, NDI, LLDP, VISCA over IP	IPv4, TCP, UDP, ARP, ICMP, IGMP, HTTP, HTTPS, DHCP, RTP / RTCP, RTSP, RTMP, SRT, HLS, NDI, LLDP, VISCA over IP
VISCA/Pelco-D(RS232/RS422/IP), CGI(IP)	VISCA/Pelco-D(RS232/RS422/IP), CGI(IP)	VISCA/Pelco-D(RS232/RS422/IP), CGI(IP)
People Tracking (half or full body), Zone Tracking, Hybrid Tracking, Voice Tracking, Gesture Control	SmartFrame, SmartShoot(Zone Tracking), Voice Tracking	SmartFrame, SmartShoot(Zone Tracking), Voice Tracking
IR Remote Control, 12V/5A Power Adapter, Power Cable, Din8 to D-Sub9 Cable, RS232 In/Out Cable, Quick Guide	Drilling Paper, Ceiling Mount Bracket, Quick Start Guide, Cable Fixing Plate, M2x4 mm Screws, Power Adapter & Power Cord, Screws, Remote Control, DIN 8 to D-Sub 9 Cable, RS-232 In/Out Y Cable, Cable Ties	Drilling Paper, Ceiling Mount Bracket, Quick Start Guide, Cable Fixing Plate, M2x4 mm Screws, Power Adapter & Power Cord, Screws, Remote Control, DIN 8 to D-Sub 9 Cable, RS-232 In/Out Y Cable, Cable Ties
CaptureShare, PTZ Management, PTZ Control Panel, PTZ Link	CaptureShare, PTZ Management, PTZ Control Panel, PTZ Link	CaptureShare, PTZ Management, PTZ Control Panel, PTZ Link
PoE+(IEEE 802.3at)	PoE+(IEEE 802.3at)	PoE+(IEEE 802.3at)
Yes	Yes	No
Yes	Yes	Yes

		PTZ330UNV2	PTZ330UV2
Part Number		PT330UNV2	PTZ330UV2
PTZ Camera	Effective Picture Elements	8 Megapixels	8 Megapixels
	Output Resolution	Resolution: 4K+/1080P/720P Frame Rate: 60/59.94/50/30/29.97/25	Resolution: 4K+/1080P/720P Frame Rate: 60/59.94/50/30/29.97/25
	Optical Zoom	30X	30X
	HFOV (Wide)~(Tele)	62.3° ~ 2.5°	62.3° ~ 2.5°
Panoramic Camera	Effective Picture Elements	—	—
	Output Resolution	—	—
	HFOV	—	—
Camera	Pan/Tilt Rotation	Pan: -170° (Left), +170° (Right); Tilt: -30° (Down), +90° (Up)	Pan: -170° (Left), +170° (Right); Tilt: -30° (Down), +90° (Up)
	Pan/Tilt Speed	0.1° ~ 100°/Sec	0.1° ~ 100°/Sec
	Preset Speed	200° / Sec	200° / Sec
	Output Interface	3G-SDI, HDMI, IP, USB	3G-SDI, HDMI, IP, USB
	USB Video Format	MJPEG, YUV2	MJPEG, YUY2
	UVC	UVC1.1	UVC1.1
	UAC	UAC1.0	UAC1.0
	Control Interface	RS232, RS422, PELCO-P, IP	RS232, RS422, PELCO-P, IP
	Network Protocol	IPv4, TCP, UDP, ARP, ICMP, IGMP, HTTP, HTTPS, DHCP, RTP / RTCP, RTSP, RTMP, SRT, HLS, NDI, LLDP, VISCA over IP	IPv4, TCP, UDP, ARP, ICMP, IGMP, HTTP, HTTPS, DHCP, RTP / RTCP, RTSP, RTMP, SRT, HLS, NDI, LLDP, VISCA over IP
	Control Protocol	VISCA/Pelco-D(RS232/RS422/IP), CGI(IP)	VISCA/Pelco-D(RS232/RS422/IP), CGI(IP)
Auto Tracking Functions	SmartFrame, SmartShoot(Zone Tracking), Voice Tracking	SmartFrame, SmartShoot(Zone Tracking), Voice Tracking	
Package Contents	Drilling Paper, Ceiling Mount Bracket, Quick Start Guide, Cable Fixing Plate, M2x4 mm Screws, Power Adapter & Power Cord, Screws, Remote Control, DIN 8 to D-Sub 9 Cable, RS-232 In/Out Y Cable, Cable Ties	Drilling Paper, Ceiling Mount Bracket, Quick Start Guide, Cable Fixing Plate, M2x4 mm Screws, Power Adapter & Power Cord, Screws, Remote Control, DIN 8 to D-Sub 9 Cable, RS-232 In/Out Y Cable, Cable Ties	
Software	CaptureShare, PTZ Management, PTZ Control Panel, PTZ Link	CaptureShare, PTZ Management, PTZ Control Panel, PTZ Link	
PoE+	PoE+(IEEE 802.3at)	PoE+(IEEE 802.3at)	
NDI Protocol	Yes	No	
SRT Protocol	Yes	Yes	

		PTZ231	PTZ211
PTPTZ231W			PTPTZ211W
2 Megapixels			2 Megapixels
Resolution: 1080P/720P Frame Rate: 60/59.94/50/30/29.97/25			Resolution: 1080P/720P Frame Rate: 60/59.94/50/30/29.97/25
30X			12X
62.3° ~ 2.5°			62.3° ~ 2.5°
—			—
—			—
—			—
Pan: -170° (Left), +170° (Right); Tilt: -30° (Down), +90° (Up)			Pan: -170° (Left), +170° (Right); Tilt: -30° (Down), +90° (Up)
0.1° ~ 100°/Sec			0.1° ~ 100°/Sec
200° / Sec			200° / Sec
3G-SDI, HDMI, IP, USB			3G-SDI, HDMI, IP, USB
MJPEG, YUY2			MJPEG, YUY2
UVC1.1			UVC1.1
UAC1.0			UAC1.0
RS232, RS422, PELCO-P, IP			RS232, RS422, PELCO-P, IP
IPv4, TCP, UDP, ARP, ICMP, IGMP, HTTP, HTTPS, DHCP, RTP / RTCP, RTSP, RTMP, SRT, HLS, NDI, LLDP, VISCA over IP			IPv4, TCP, UDP, ARP, ICMP, IGMP, HTTP, HTTPS, DHCP, RTP / RTCP, RTSP, RTMP, SRT, HLS, NDI, LLDP, VISCA over IP
VISCA/Pelco-D(RS232/RS422/IP), CGI(IP)			VISCA/Pelco-D(RS232/RS422/IP), CGI(IP)
SmartFrame, SmartShoot(Zone Tracking), Voice Tracking			SmartFrame, SmartShoot(Zone Tracking), Voice Tracking
Drilling Paper, Ceiling Mount Bracket, Quick Start Guide, Cable Fixing Plate, M2x4 mm Screws, Power Adapter & Power Cord, Screws, Remote Control, DIN 8 to D-Sub 9 Cable, RS-232 In/Out Y Cable, Cable Ties, HDMI Cable			Drilling Paper, Ceiling Mount Bracket, Quick Start Guide, Cable Fixing Plate, M2x4 mm Screws, Power Adapter & Power Cord, Screws, Remote Control, DIN 8 to D-Sub 9 Cable, RS-232 In/Out Y Cable, Cable Ties, HDMI Cable
CaptureShare, PTZ Management, PTZ Control Panel, PTZ Link			CaptureShare, PTZ Management, PTZ Control Panel, PTZ Link
PoE+(IEEE 802.3at)			PoE+(IEEE 802.3at)
No			No
Yes			Yes



To learn more, visit pro.averusa.com

AVer Information Inc. Americas averusa.com. 44061 Nobel Drive, Fremont, CA 94538 Toll Free 1.877.528.7824

©2024 by AVer Information Inc. All rights reserved. All products and features are subject to change. All brand names and logos are trademarks of their respective companies.



Youtube: /averusa
Facebook: AVerProAV
Twitter: @AVerProAV
Linkedin: AVerUSA