

## **XtAppAddInput, XtRemoveInput – register and remove an input source**

**XtInputId XtAppAddInput**(*app\_context*, *source*, *condition*, *proc*, *client\_data*)

```
XtAppContext app_context;  
int source;  
XtPointer condition;  
XtInputCallbackProc proc;  
XtPointer client_data;
```

**void XtRemoveInput**(*id*)

```
XtInputId id;
```

<i>app_context</i>	Specifies the application context that identifies the application.
<i>client_data</i>	Specifies the argument that is to be passed to the specified procedure when input is available.
<i>condition</i>	Specifies the mask that indicates a read, write, or exception condition or some operating system dependent condition.
<i>id</i>	Specifies the ID returned from the corresponding <b>XtAppAddInput</b> call.
<i>proc</i>	Specifies the procedure that is to be called when input is available.
<i>source</i>	Specifies the source file descriptor on a UNIX-based system or other operating system dependent device specification.

The **XtAppAddInput** function registers with the Intrinsic read routine a new source of events, which is usually file input but can also be file output. Note that file should be loosely interpreted to mean any sink or source of data. **XtAppAddInput** also specifies the conditions under which the source can generate events. When input is pending on this source, the callback procedure is called.

The legal values for the condition argument are operating-system dependent. On a UNIX-based system, the condition is some union of **XtInputReadMask**, **XtInputWriteMask**, and **XtInputExceptMask**. The **XtRemoveInput** function causes the Intrinsic read routine to stop watching for input from the input source.

## **XtAppAddTimeOut(3Xt), XtAppAddSignal(3Xt)**

*X Toolkit Intrinsic – C Language Interface*

*Xlib – C Language X Interface*

**In ANSI C it is necessary to cast the condition to an XtPointer, e.g.:**

```
XtAppAddInput(app_context,  
             source,  
             (XtPointer) XtInputReadMask | XtInputWriteMask,  
             proc,  
             client_data);
```