

Salesforce Accessibility Conformance Report International Edition

VPAT® (Voluntary Product Accessibility Template®) version 2.4

Name of Product/Version:	AppExchange / Spring '23
Report Date:	January 2023
Product Description:	AppExchange is the leading enterprise cloud marketplace. Drive results fast and extend your Customer 360 from anywhere — across every industry, department, and product — with proven apps and experts.
Contact information:	accessibility@salesforce.com
Notes:	The scope of this ACR includes the functionalities / components from AppExchange: • AppExchange Homepage • AppExchange Search Page • AppExchange ISV Listing Detail Page For more information, please visit Salesforce Product Accessibility Status at https://www.salesforce.com/company/legal/508_accessibility
Evaluation Methods Used:	Conformance to the listed accessibility standards has been evaluated using a combination of static analysis tools and manual testing with assistive technologies. Testing included a representative sample of different pages, states and content types. The following operating system, browsers, toolsets, and screen readers are used for evaluation: Windows 11, JAWS/Chrome, NVDA/Firefox, VoiceOver/Chrome (spot-checks), manual accessibility testing, and keyboard testing with visual focus.



Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standard/guidelines:

Standard/Guideline	Included in Report
Web Content Accessibility Guidelines 2.0	Level A - Yes
	Level AA - Yes
	Level AAA - No
Web Content Accessibility Guidelines 2.1	Level A - Yes
	Level AA - Yes
	Level AAA - No
Revised Section 508 standards published January 18, 2017 and corrected January 22, 2018	Yes
EN 301 549 Accessibility requirements for ICT products and services - V3.1.1 (2019-11) AND EN 301 549 Accessibility requirements for ICT products and services - V3.2.1 (2021-03)	Yes

Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports**: The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- Partially Supports: Some functionality of the product does not meet the criterion.
- **Does Not Support**: The majority of product functionality does not meet the criterion.
- Not Applicable: The criterion is not relevant to the product.
- **Not Evaluated**: The product has not been evaluated against the criterion. This can be used only in WCAG 2.0 Level AAA.

WCAG 2.x Report

Tables 1 and 2 also document conformance with:

- EN 301 549: Chapter 9 Web, Sections 10.1-10.4 of Chapter 10 Non-Web documents, and Sections 11.1-11.4 and 11.8.2 of Chapter 11 Non-Web Software (open and closed functionality), and Sections 12.1.2 and 12.2.4 of Chapter 12 Documentation
- Revised Section 508: Chapter 5 501.1 Scope, 504.2 Content Creation or Editing, and Chapter 6 602.3 Electronic Support Documentation.



Note: When reporting on conformance with the WCAG 2.x Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the <a href="https://www.wcag.uc.nc/w

Table 1: Success Criteria, Level A

Criteria	Conformance Level	Remarks and Explanations
1.1.1 Non-text Content (Level A) Also applies to: EN 301 549 Criteria 9.1.1.1 (Web) 10.1.1.1 (Non-web document) 11.1.1.1.1 (Open Functionality Software) 11.1.1.1.2 (Closed Functionality Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Does Not Support	Non-text content that is presented to the user mostly does not have a text alternative that serves the equivalent purpose. Examples include: • The text description of the homepage "Get success now" image does not include all the text used in the image. • Decorative images such as arrows next to link text are not hidden from assistive technology. • Text descriptions of company logos are just "logo", not conveying who the logo belongs to.
1.2.1 Audio-only and Video-only (Prerecorded) (Level A) Also applies to: EN 301 549 Criteria • 9.1.2.1 (Web) • 10.1.2.1 (Non-web document) • 11.1.2.1.1 (Open Functionality Software) • 11.1.2.1.2.1 and 11.1.2.1.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Not Applicable	The website does not include prerecorded audio-only or prerecorded video-only content.



Criteria	Conformance Level	Remarks and Explanations
1.2.2 Captions (Prerecorded) (Level A) Also applies to: EN 301 549 Criteria 9.1.2.2 (Web) 10.1.2.2 (Non-web document) 11.1.2.2 (Open Functionality Software) 11.1.2.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Not Applicable	The website does not include any prerecorded audio content within synchronized media.
1.2.3 Audio Description or Media Alternative (Prerecorded) (Level A) Also applies to: EN 301 549 Criteria 9.1.2.3 (Web) 10.1.2.3 (Non-web document) 11.1.2.3.1 (Open Functionality Software) 11.1.2.3.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Not Applicable	The website does not include any synchronized media that requires an accessible alternative.
1.3.1 Info and Relationships (Level A) Also applies to: EN 301 549 Criteria 9.1.3.1 (Web) 10.1.3.1 (Non-web document) 11.1.3.1.1 (Open Functionality Software) 11.1.3.1.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Does not support	Information, structure, and relationships conveyed through presentation cannot be programmatically determined and are not available in text. Examples include: • Text that is visually presented as headings, such as "Categories" in an ISV listing page, are not marked up as headings. • Fieldsets within the search results page filters have a visible label, but this label is not conveyed programmatically as the group label



Criteria	Conformance Level	Remarks and Explanations
1.3.2 Meaningful Sequence (Level A) Also applies to: EN 301 549 Criteria 9.1.3.2 (Web) 10.1.3.2 (Non-web document) 11.1.3.2.1 (Open Functionality Software) 11.1.3.2.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Supports	A correct reading sequence can be programmatically determined for all content.
1.3.3 Sensory Characteristics (Level A) Also applies to: EN 301 549 Criteria 9.1.3.3 (Web) 10.1.3.3 (Non-web document) 11.1.3.3 (Open Functionality Software) 11.1.3.3 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Supports	Instructions provided for understanding and operating content do not rely solely on sensory characteristics of components.
1.4.1 Use of Color (Level A) Also applies to: EN 301 549 Criteria 9.1.4.1 (Web) 10.1.4.1 (Non-web document) 11.1.4.1 (Open Functionality Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Supports	Color is not used as the only visual means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.



Criteria	Conformance Level	Remarks and Explanations
1.4.2 Audio Control (Level A) Also applies to: EN 301 549 Criteria 9.1.4.2 (Web) 10.1.4.2 (Non-web document) 11.1.4.2 (Open Functionality Software) 11.1.4.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Not Applicable	The website does not include audio that plays automatically for more than 3 seconds.
2.1.1 Keyboard (Level A) Also applies to: EN 301 549 Criteria 9.2.1.1 (Web) 10.2.1.1 (Non-web document) 11.2.1.1.1 (Open Functionality Software) 11.2.1.1.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Does not support	Functionality of the content is not operable through a keyboard interface. Examples include: Panels launched by main navigation items are not keyboard accessible. On small viewport sizes, the submenus launched by the main navigation items are not keyboard accessible. Links within each card on the homepage are not accessible by keyboard. Tooltips throughout are not accessible by keyboard.



Criteria	Conformance Level	Remarks and Explanations
2.1.2 No Keyboard Trap (Level A)	Supports	For all components that receive keyboard
Also applies to:		focus, focus can be moved away from
EN 301 549 Criteria		that component using the keyboard.
• 9.2.1.2 (Web)		that component using the keyboard.
 10.2.1.2 (Non-web document) 		
• 11.2.1.2 (Open Functionality Software)		
• 11.2.1.2 (Closed Software)		
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
 12.2.4 (Support Docs) 		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
602.3 (Support Docs)		
2.1.4 Character Key Shortcuts (Level A 2.1 only)	Not Applicable	The website does not use single character
Also applies to:		key keyboard shortcuts.
EN 301 549 Criteria		
• 9.2.1.4 (Web)		
• 10.2.1.4 (Non-web document)		
• 11.2.1.4.1 (Open Functionality		
Software)		
• 11.2.1.4.2 (Closed Software)		
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508 – Does not apply	Ct -	The control of the base of the Base of the base of
2.2.1 Timing Adjustable (Level A)	Supports	The website has time limits, but a
Also applies to:		mechanism is provided to extend the time
EN 301 549 Criteria • 9.2.2.1 (Web)		limit.
, ,		
10.2.2.1 (Non-web document)11.2.2.1 (Open Functionality Software)		
• 11.2.2.1 (Open Functionality Software)		
11.2.2.1 (Closed Software)11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.1.2 (Product Docs) • 12.2.4 (Support Docs)		
Revised Section 508		
501 (Web)(Software)		
• 504.2 (Authoring Tool)		
• 602.3 (Support Docs)		
• 002.3 (Support Docs)		



Criteria	Conformance Level	Remarks and Explanations
2.2.2 Pause, Stop, Hide (Level A) Also applies to: EN 301 549 Criteria 9.2.2.2 (Web) 10.2.2.2 (Non-web document) 11.2.2.2 (Open Functionality Software) 11.2.2.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Not Applicable	The website does not include any moving, blinking, scrolling or auto-updating information (that starts automatically and is presented in parallel with other content).
2.3.1 Three Flashes or Below Threshold (Level A) Also applies to: EN 301 549 Criteria • 9.2.3.1 (Web) • 10.2.3.1 (Non-web document) • 11.2.3.1 (Open Functionality Software) • 11.2.3.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Supports	The website does not include content that flashes more than three times in any one second period.



Criteria	Conformance Level	Remarks and Explanations
2.4.1 Bypass Blocks (Level A) Also applies to: EN 301 549 Criteria 9.2.4.1 (Web) 10.2.4.1 (Non-web document) – Does not apply 11.2.4.1 (Open Functionality Software) – Does not apply 11.2.4.1 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) – Does not apply to non-web software 504.2 (Authoring Tool) 602.3 (Support Docs) – Does not apply to non-web docs	1	A mechanism is not available to bypass blocks of content that are repeated on multiple pages. Examples include: • Each page contains two links that should allow a user to move straight to the navigation or main content, but these are not working.
2.4.2 Page Titled (Level A) Also applies to: EN 301 549 Criteria 9.2.4.2 (Web) 10.2.4.2 (Non-web document) 11.2.4.2 (Open Functionality Software) Does not apply 11.2.4.2 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)		All pages have titles that describe their topic or purpose.



Criteria	Conformance Level	Remarks and Explanations
2.4.3 Focus Order (Level A) Also applies to: EN 301 549 Criteria 9.2.4.3 (Web) 10.2.4.3 (Non-web document) 11.2.4.3 (Open Functionality Software) 11.2.4.3 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Does Not Support	Focusable components do not receive focus in an order that preserves meaning and operability. Examples include: • Within the ISV Listing pages the overview tab contains inpage links where the visual scroll is scripted, but focus does not move to the destination location. • On small viewport sizes, keyboard focus is not constrained to the modal dialog that contains the carousel in the overview tab of the ISV Listings page. • Moving between the radio buttons to change the sort order on the review tab panel, or moving between tabs, causes a loss of keyboard focus. • Activating the "Like" button on the "Review" tab panel causes focus to move to the body element of the page causing a screenreader to announce the page title again. • On small viewport sizes, when the "Close Filters" button is pressed in the "Review" tab panel or the search results page, keyboard focus is lost.



Criteria	Conformance Level	Remarks and Explanations
2.4.4 Link Purpose (In Context) (Level A) Also applies to: EN 301 549 Criteria 9.2.4.4 (Web) 10.2.4.4 (Non-web document) 11.2.4.4 (Open Functionality Software) 11.2.4.4 (Closed Software 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Partially Supports	The purpose of all links can be determined from the link text alone, or from the link text together with its programmatically determined link context, with some exceptions. These include: • The "Saved Listings" link in the header has an accessible name of "heart 0". • The "Top Categories" pills on the homepage have accessible names that contain a URL rather than the visible link text.
2.5.1 Pointer Gestures (Level A 2.1 only) Also applies to: EN 301 549 Criteria • 9.2.5.1 (Web) • 10.2.5.1 (Non-web document) • 11.2.5.1 (Open Functionality Software) • 11.2.5.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Not Applicable	The website does not require multipoint/path-based gestures.
2.5.2 Pointer Cancellation (Level A 2.1 only) Also applies to: EN 301 549 Criteria 9.2.5.2 (Web) 10.2.5.2 (Non-web document) 11.2.5.2 (Open Functionality Software) 11.2.5.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Supports	For all functionality that can be operated using a single pointer, all pointer event interaction can be cancelled as per the SC requirements.



Criteria	Conformance Level	Remarks and Explanations
2.5.3 Label in Name (Level A 2.1 only) Also applies to: EN 301 549 Criteria 9.2.5.3 (Web) 10.2.5.3 (Non-web document) 11.2.5.3.1 (Open Functionality Software) 11.2.5.3.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply	,	For all user interface components with labels that include text or images of text, the accessible name of the component contains the text that is presented visually, with some exceptions. These include: • "Top Categories" pills on the homepage have accessible names provided by aria-label attributes that do not contain the visible text label.
2.5.4 Motion Actuation (Level A 2.1 only) Also applies to: EN 301 549 Criteria • 9.2.5.4 (Web) • 10.2.5.4 (Non-web document) • 11.2.5.4 (Open Functionality Software) • 11.2.5.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Not Applicable	The website does not include functionality that can be operated by device motion or user motion.
3.1.1 Language of Page (Level A) Also applies to: EN 301 549 Criteria 9.3.1.1 (Web) 10.3.1.1 (Non-web document) 11.3.1.1.1 (Open Functionality Software) 11.3.1.1.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Supports	The default language of all pages can be programmatically determined.



Criteria	Conformance Level	Remarks and Explanations
3.2.1 On Focus (Level A) Also applies to: EN 301 549 Criteria 9.3.2.1 (Web) 10.3.2.1 (Non-web document) 11.3.2.1 (Open Functionality Software) 11.3.2.1 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Partially Supports	No user interface component initiates a change of context when it receives focus, with some exceptions. These include: • When moving between the "Overview", "Reviews" and "More details" tabs on a listings page, focus is moved directly to the newly displayed content. • When moving between the radio buttons that determine the content sort order on the "Review" tab panel and search results pages, the disclosure is automatically closed and the sort applied, also losing keyboard focus.
3.2.2 On Input (Level A) Also applies to: EN 301 549 Criteria 9.3.2.2 (Web) 10.3.2.2 (Non-web document) 11.3.2.2 (Open Functionality Software) 11.3.2.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Supports	Changing the setting of user interface components does not automatically cause a change of context.
3.3.1 Error Identification (Level A) Also applies to: EN 301 549 Criteria 9.3.3.1 (Web) 10.3.3.1 (Non-web document) 11.3.3.1.1 (Open Functionality Software) 11.3.3.1.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Supports	For all input errors that are automatically detected, the item that is in error is identified and the error is described to the user in text.



Criteria	Conformance Level	Remarks and Explanations
3.3.2 Labels or Instructions (Level A) Also applies to: EN 301 549 Criteria 9.3.3.2 (Web) 10.3.3.2 (Non-web document) 11.3.3.2 (Open Functionality Software) 11.3.3.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Supports	Labels or instructions are provided when content requires user input.
4.1.1 Parsing (Level A) Also applies to: EN 301 549 Criteria 9.4.1.1 (Web) 10.4.1.1 (Non-web document) 11.4.1.1.1 (Open Functionality Software) 11.4.1.1.2 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Supports	In all content implemented using markup languages, elements have complete start and end tags, elements are nested according to their specifications, elements do not contain duplicate attributes, and any IDs are unique, except where the specifications allow these features.



Criteria	Conformance Level	Remarks and Explanations
Also applies to: EN 301 549 Criteria 9.4.1.2 (Web) 10.4.1.2 (Non-web document) 11.4.1.2.1 (Open Functionality Software) 11.4.1.2.2 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Partially Supports	For all user interface components, the name and role can be programmatically determined; states, properties, and values that can be set by the user can be programmatically set; and notification of changes to these items is available to user agents, including assistive technologies, with some exceptions. These include:



Table 2: Success Criteria, Level AA

Criteria	Conformance Level	Remarks and Explanations
1.2.4 Captions (Live) (Level AA) Also applies to: EN 301 549 Criteria 9.1.2.4 (Web) 10.1.2.4 (Non-web document) 11.1.2.4 (Open Functionality Software) 11.1.2.4 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Not Applicable	The website does not include live audio content within synchronized media.
1.2.5 Audio Description (Prerecorded) (Level AA) Also applies to: EN 301 549 Criteria 9.1.2.5 (Web) 10.1.2.5 (Non-web document) 11.1.2.5 (Open Functionality Software) 11.1.2.5 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Not Applicable	The website does not include prerecorded video content in synchronized media.
1.3.4 Orientation (Level AA 2.1 only) Also applies to: EN 301 549 Criteria 9.1.3.4 (Web) 10.1.3.4 (Non-web document) 11.1.3.4 (Open Functionality Software) 11.1.3.4 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Supports	The website does not restrict the view and operation of content to a single display orientation.



Criteria	Conformance Level	Remarks and Explanations
1.3.5 Identify Input Purpose (Level AA 2.1 only) Also applies to: EN 301 549 Criteria 9.1.3.5 (Web) 10.1.3.5 (Non-web document) 11.1.3.5.1 (Open Functionality Software) 11.1.3.5.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Not Applicable	The areas of the website tested do not include input fields that collect information about the user.
1.4.3 Contrast (Minimum) (Level AA) Also applies to: EN 301 549 Criteria 9.1.4.3 (Web) 10.1.4.3 (Non-web document) 11.1.4.3 (Open Functionality Software) 11.1.4.3 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Supports	The visual presentation of all text and all images of text has a contrast ratio of at least 4.5:1, while large-scale text and images of large-scale text have a contrast ratio of at least 3:1.
1.4.4 Resize text (Level AA) Also applies to: EN 301 549 Criteria 9.1.4.4 (Web) 10.1.4.4 (Non-web document) 11.1.4.4.1 (Open Functionality Software) 11.1.4.4.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Supports	All text can be resized without assistive technology by zooming up to 200% with no loss of content or functionality.



Criteria	Conformance Level	Remarks and Explanations
1.4.5 Images of Text (Level AA) Also applies to: EN 301 549 Criteria 9.1.4.5 (Web) 10.1.4.5 (Non-web document) 11.1.4.5.1 (Open Functionality Software) 11.1.4.5.2 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Partially Supports	Text, rather than images of text, is used to convey information, with some exceptions. These include: • The homepage image used within the "Get success now with partner apps and experts on AppExchange" section. • Media example images used within the "Overview" tab panel carousel.
1.4.10 Reflow (Level AA 2.1 only) Also applies to: EN 301 549 Criteria 9.1.4.10 (Web) 10.1.4.10 (Non-web document) 11.1.4.10 (Open Functionality Software) 11.1.4.10 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Partially Supports	All content can be resized to a width of 320 CSS pixels/a height of 256 CSS pixels without loss of content or functionality, and without requiring scrolling in two dimensions with some exceptions. These include: • The "Saved Listings" link is removed from the header navigation. • The "Write a Review" form overflows the side of the viewport causing horizontal scrolling.
1.4.11 Non-text Contrast (Level AA 2.1 only) Also applies to: EN 301 549 Criteria 9.1.4.11 (Web) 10.1.4.11 (Non-web document) 11.1.4.11 (Open Functionality Software) 11.1.4.11 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Partially Supports	The visual presentation of all user interface components and other graphical objects has a contrast ratio of at least 3:1, with some exceptions. These include: On small viewport sizes the focus indicator on the menu link controls has a contrast ratio of 1.1:1.



Criteria	Conformance Level	Remarks and Explanations
1.4.12 Text Spacing (Level AA 2.1 only) Also applies to: EN 301 549 Criteria 9.1.4.12 (Web) 10.1.4.12 (Non-web document) 11.1.4.12 (Open Functionality Software) 11.1.4.12 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Supports	The website allows for the changing of all relevant text style properties without loss of content or functionality.
1.4.13 Content on Hover or Focus (Level AA 2.1 only) Also applies to: EN 301 549 Criteria 9.1.4.13 (Web) 10.1.4.13 (Non-web document) 11.1.4.13 (Open Functionality Software) 11.1.4.13 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Supports	All additional content displayed on hover or focus is dismissable, hoverable, and persistent.
	Supports	More than one way is available to locate web pages.



Criteria	Conformance Level	Remarks and Explanations
2.4.6 Headings and Labels (Level AA) Also applies to: EN 301 549 Criteria 9.2.4.6 (Web) 10.2.4.6 (Non-web document) 11.2.4.6 (Open Functionality Software) 11.2.4.6 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Supports	All headings and labels appropriately describe the topic or purpose of their related content.
2.4.7 Focus Visible (Level AA) Also applies to: EN 301 549 Criteria 9.2.4.7 (Web) 10.2.4.7 (Non-web document) 11.2.4.7 (Open Functionality Software) 11.2.4.7 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Does Not Support	Keyboard operable user interface components do not include an indication of keyboard focus. Examples include: • Bypass links on every page are not visible when they receive keyboard focus.
3.1.2 Language of Parts (Level AA) Also applies to: EN 301 549 Criteria 9.3.1.2 (Web) 10.3.1.2 (Non-web document) 11.3.1.2 (Open Functionality Software) Does not apply 11.3.1.2 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Supports	The human language of each passage or phrase in the content of all pages can be programmatically determined.



Criteria	Conformance Level	Remarks and Explanations
3.2.3 Consistent Navigation (Level AA) Also applies to: EN 301 549 Criteria 9.3.2.3 (Web) 10.3.2.3 (Non-web document) – Does not apply 11.3.2.3 (Open Functionality Software) – Does not apply 11.3.2.3 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) – Does not apply to non-web software 504.2 (Authoring Tool) 602.3 (Support Docs) – Does not apply to non-web docs	Supports	Navigational mechanisms that are repeated on multiple web pages within a set of web pages occur in the same relative order each time they are repeated.
3.2.4 Consistent Identification (Level AA) Also applies to: EN 301 549 Criteria • 9.3.2.4 (Web) • 10.3.2.4 (Non-web document) – Does not apply • 11.3.2.4 (Open Functionality Software) – Does not apply • 11.3.2.4 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs		All components that have the same functionality within a set of web pages are identified consistently.



Criteria	Conformance Level	Remarks and Explanations
3.3.3 Error Suggestion (Level AA) Also applies to: EN 301 549 Criteria 9.3.3.3 (Web) 10.3.3.3 (Non-web document) 11.3.3.3 (Open Functionality Software) 11.3.3.3 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Supports	For all automatically detected input errors where suggestions for correction are known, these suggestions are provided to the user.
3.3.4 Error Prevention (Legal, Financial, Data) (Level AA) Also applies to: EN 301 549 Criteria 9.3.3.4 (Web) 10.3.3.4 (Non-web document) 11.3.3.4 (Open Functionality Software) 11.3.3.4 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Supports	Pages that modify or delete user-controllable data in data storage systems are checked for input errors and subsequently correctable.
4.1.3 Status Messages (Level AA 2.1 only) Also applies to: EN 301 549 Criteria 9.4.1.3 (Web) 10.4.1.3 (Non-web document) 11.4.1.3 (Open Functionality Software) 11.4.1.3 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Partially Supports	In all content implemented using markup languages, status messages can be programmatically determined through role or properties such that they can be presented to the user by assistive technologies without receiving focus, with some exceptions. These include: • When the search results update in response to users selecting a filter, the change to the number of results is not announced explicitly to assistive technology users.



Table 3: Success Criteria, Level AAA

Notes: Salesforce AppExchange has not been evaluated for WCAG 2.1 Level AAA conformance.



Revised Section 508 Report

Notes: The mapping of WCAG 2.0 success criteria to the criteria in chapter is based on **Section 508: Mapping of WCAG 2.0 to Functional Performance Criteria**.

Chapter 3: Functional Performance Criteria (FPC)

Criteria	Conformance Level	Remarks and Explanations
302.1 Without Vision	Does Not Support	Refer to issues identified in the
		WCAG 2.0/2.1 section,
		specifically the following
		criteria:
		• 1.1.1 Non-text content
		• 1.3.1 Info and
		relationships
		• 2.1.1 Keyboard
		• 2.4.1 Bypass blocks
		• 2.4.3 Focus order
		• 2.4.4 Link purpose (in
		context)
		• 3.2.1 On focus
		• 4.1.2 Name, role, value
302.2 With Limited Vision	Does Not Support	Refer to issues identified in the
		WCAG 2.0/2.1 section,
		specifically the following
		criteria:
		1.1.1 Non-text content
		• 1.3.1 Info and
		relationships
		• 1.4.5 Images of text
		• 2.1.1 Keyboard
		• 2.4.1 Bypass blocks
		2.4.3 Focus order2.4.4 Link purpose (in
		context)
		• 2.4.7 Focus visible
		• 3.2.1 On focus
		• 4.1.2 Name, role, value



Criteria	Conformance Level	Remarks and Explanations
302.3 Without Perception of Color	Partially Supports	Refer to issues identified in the WCAG 2.0/2.1 section, specifically the following criteria: • 1.4.11 Non-text contrast
302.4 Without Hearing	Supports	
302.5 With Limited Hearing	Supports	
302.6 Without Speech	Supports	
302.7 With Limited Manipulation	Does Not Support	Refer to issues identified in the WCAG 2.0/2.1 section, specifically the following criteria: • 2.1.1 Keyboard
		 2.4.1 Bypass blocks 2.4.3 Focus order 2.4.4 Link purpose (in context) 2.4.7 Focus visible 3.2.1 On focus 4.1.2 Name, role, value
302.8 With Limited Reach and Strength	Supports	
302.9 With Limited Language, Cognitive, and Learning Abilities	Does Not Support	Refer to issues identified in the WCAG 2.0/2.1 section, specifically the following criteria: 1.1.1 Non-text content 1.3.1 Info and relationships 1.4.5 Images of text
		 2.1.1 Keyboard 2.4.1 Bypass blocks 2.4.3 Focus order 2.4.4 Link purpose (in context) 2.4.7 Focus visible 3.2.1 On focus 4.1.2 Name, role, value



Chapter 4: Hardware

Notes: This product is a web application and is not subject to the requirements of this section.

Chapter 5: Software

Notes: This product is a web application and is not subject to the requirements of this section.



Chapter 6: Support Documentation and Services

Criteria	Conformance Level	Remarks and Explanations
601.1 Scope	Heading cell – no response	Heading cell – no response
50 III 505p5	required	required
602 Support Documentation	Heading cell – no response	Heading cell – no response
	required	required
602.2 Accessibility and Compatibility Features	Supports	Salesforce provides
		electronic versions of all
		product support
		documentation related to this
		product. End-users with
		disabilities can request
		additional product support
		documentation by opening a
		new case at
COO 2 Flactuagia Cupport Decumentation	See MCAC 2 y section	http://help.salesforce.com See information in WCAG 2.x
602.3 Electronic Support Documentation	See WCAG 2.x section	see information in WCAG 2.x section
602.4 Alternate Formats for Non-Electronic	Cupporto	End-users with disabilities
	Supports	
Support Documentation		can request additional product support
		documentation by opening a
		new case at
		http://help.salesforce.com
603 Support Services	Heading cell – no response	Heading cell – no response
	required	required
603.2 Information on Accessibility and	Supports	Salesforce provides
Compatibility Features		electronic versions of all
		product support
		documentation related to this
		product's accessibility. End-
		users with disabilities can
		request additional product
		support documentation by
		opening a new case at
602.2 Assembled dation of Communication Needs	Cummonto	http://help.salesforce.com
603.3 Accommodation of Communication Needs	Supports	Support services related to
		this product can be found at the Salesforce.com help
		website. Currently, telephone
		communication provision
		does not support TTY or
		relay services. Users with
		disabilities can open support
		requests directly at
		http://help.salesforce.com



EN 301 549 Report

Notes:

Chapter 4: Functional Performance Statements (FPS)

Criteria	Conformance Level	Remarks and Explanations
4.2.1 Usage without vision	Does Not Support	Refer to issues identified in the WCAG 2.0/2.1 section,
		specifically the following
		criteria:
		circeria.
		 1.1.1 Non-text content 1.3.1 Info and relationships 2.1.1 Keyboard 2.4.1 Bypass blocks 2.4.3 Focus order 2.4.4 Link purpose (in context) 2.5.3 Label in name 3.2.1 On focus 4.1.2 Name, role, value
4.2.2 Usage with limited vision	Does Not Support	• 4.1.3 Status messages Refer to issues identified in the
4.2.2 Usage with littlited vision	Does Not Support	
		WCAG 2.0/2.1 section,
		specifically the following
		criteria:
		 1.1.1 Non-text content 1.3.1 Info and relationships 1.4.5 Images of text 1.4.10 Reflow 1.4.11 Non-text contrast 2.1.1 Keyboard 2.4.1 Bypass blocks 2.4.3 Focus order 2.4.4 Link purpose (in context) 2.4.7 Focus visible 2.5.3 Label in name



Criteria	Conformance Level	Remarks and Explanations
Ontona		• 3.2.1 On focus
		• 4.1.2 Name, role, value
		• 4.1.3 Status messages
4.2.3 Usage without perception of colour	Partially Supports	Refer to issues identified in the
		WCAG 2.0/2.1 section,
		specifically the following
		criteria:
		• 1.4.11 Non-text contrast
4.2.4 Usage without hearing	Supports	
4.2.5 Usage with limited hearing	Supports	
4.2.6 Usage with no or limited vocal capability	Supports	
4.2.7 Usage with limited manipulation or strength	Does Not Support	Refer to issues identified in the WCAG 2.0/2.1 section, specifically the following criteria: • 2.1.1 Keyboard • 2.4.1 Bypass blocks • 2.4.3 Focus order • 2.4.4 Link purpose (in context) • 2.4.7 Focus visible • 2.5.3 Label in name • 3.2.1 On focus • 4.1.2 Name, role, value
4.2.8 Usage with limited reach	Supports	4.1.2 Name, Tole, Value
4.2.9 Minimize photosensitive seizure triggers	Supports	
4.2.10 Usage with limited cognition, language or learning	Does Not Support	Refer to issues identified in the WCAG 2.0/2.1 section, specifically the following criteria: • 1.1.1 Non-text content • 1.3.1 Info and relationships • 1.4.5 Images of text • 2.1.1 Keyboard
		2.4.1 Bypass blocks2.4.3 Focus order



Criteria	Conformance Level	Remarks and Explanations
		 2.4.4 Link purpose (in context) 2.4.7 Focus visible 2.5.3 Label in name 3.2.1 On focus 4.1.2 Name, role, value 4.1.3 Status messages
4.2.11 Privacy	Supports	

Chapter 5: Generic Requirements

Notes: This product supports standard assistive technologies and is therefore not subject to the Closed Functionality criteria described in this Chapter.

Chapter 6: ICT with Two-Way Voice Communication

Notes: This product does not offer two-way voice communication and is therefore not subject to the requirements of this section

Chapter 7: ICT with Video Capabilities

Notes: This product does not offer video captioning and audio description and is therefore not subject to the requirements of this section.

Chapter 8: Hardware

Notes: Not Applicable

Chapter 9: Web (see WCAG 2.x section)

Notes: Not Applicable

Chapter 10: Non-Web Documents

Notes: Not Applicable

Chapter 11: Software

Notes: Not Applicable

Chapter 12: Documentation and Support Services

Criteria	Conformance Level	Remarks and Explanations
		Heading cell – no response required



Criteria	Conformance Level	Remarks and Explanations
12.1.1 Accessibility and compatibility features	Supports	See information in WCAG 2.x (602.2) section
12.1.2 Accessible documentation	See WCAG 2.x section	See information in WCAG 2.x section
12.2 Support Services	Heading cell – no response required	Heading cell – no response required
12.2.2 Information on accessibility and compatibility features	Supports	See information in WCAG 2.x (603.2) section
12.2.3 Effective communication	Not Applicable	
12.2.4 Accessible documentation	See WCAG 2.x section	See information in WCAG 2.x section

Chapter 13: <u>ICT Providing Relay or Emergency Service Access</u>

Notes: Not Applicable