

Dagger: Combining Benefits of Synchronous and Asynchronous Communication Styles *

Attila Gürsoy

Department of Computer Science
University of Illinois, Urbana IL
email: gursoy@cs.uiuc.edu

Laxmikant V. Kalé

Department of Computer Science
University of Illinois, Urbana IL
email: kale@cs.uiuc.edu

Abstract

Communication using blocking receives is the commonly used mechanism in parallel programming today. Message driven execution is an alternate mechanism which does not use receive style statements at all. The message driven execution style promotes the overlap of computation and communication. Programs written in this style exhibit increased latency tolerance: their performance does not degrade significantly with latency. It also induces compositionality: multiple independently developed modules can be combined correctly without loss of efficiency. However, as the flow of control is not explicit in such programs, they are often difficult to develop and debug. We present a coordination language called Dagger to alleviate this problem. The language has been implemented in the Charm parallel programming system, and runs programs portably on a variety of parallel machines.

1 Introduction

Communication latency is a fact that must be dealt with in parallel programming. Dealing with this latency is therefore a major objective in parallel processing. Although one can attempt to reduce it via architectural innovations, physical reality dictates that remote access will always be significantly slower than local access. Software techniques for *tolerating* latency are therefore essential.

Message driven execution is a promising technique in this regard. In message driven execution style (which is distinct from message-passing), user programs do not block on a *receive-message* call. Instead, the system activates a process when there is a message for it. Therefore, it gives the ability to overlap computation and communication. This helps latency tolerance in two ways: First, when one process is waiting for data from a remote process, another ready pro-

cess may be scheduled for execution. Secondly, even a single process may wait for multiple data items simultaneously, and continue execution whenever any of the expected items arrive.

Message-driven execution also promotes modularity. Consider a situation when two processes belonging to two different modules are waiting for messages directed to them. When a message arrives, the runtime system will activate the appropriate process; neither module needs to know about the other module. In contrast, in the blocking-receive paradigm that is widely used currently, this can be accomplished, if at all, at the cost of modularity: The code in a module may issue a *wild-card* receive, but if it receives a message meant only for another module, it must somehow resume the other module, and hand over the message to it. This means that writer of a module issuing a blocking receive must know about all other modules that may be waiting for a message at that moment, and must design mechanisms to recognize and hand over messages belonging to other modules (for a more detailed comparison of these two paradigms see [5]).

Although it imparts these benefits, message driven execution often extracts a price in the form of apparent program complexity. The *split-phase* or *continuation-passing* style of programming that it requires is sometimes non-intuitive, and obfuscates the flow of control. As the system may execute messages in the order it receives them (as opposed to a deterministic order imposed by sequential receive statements), the programmer must deal with all possible orderings of messages. These are accompanied by complex reasoning about which message-orderings will not arise, which are harmless, and which must be dealt with by buffering, counters, and flags.

We propose a coordination language called Dagger which extends Charm, a message driven language. Dagger retains the benefits of message driven execution, while reducing the complexity of the resultant

*This research was supported in part by the National Science Foundation grants CCR-90-07195 and CCR-91-06608.

programs. It allows specification of processes in terms of dependences between messages and pieces of computations. These dependences form a partial order which clarifies the flow of control. The Dagger runtime system buffers messages until they can be processed, and automatically maintains all the flags and counters needed to ensure that the partial order is adhered to.

2 The Charm language

Charm is a machine independent parallel programming system [7]. Programs written using this system will run unchanged on MIMD machines with or without a shared memory. The programs are written in C with a few syntactic extensions. The system currently runs on Intel's iPSC/860 and Paragon, NCUBE/2, CM-5, Encore Multimax, Sequent Symmetry, ALLIANT FX/8, single-processor UNIX machines, and networks of workstations.

Programs consist of potentially medium grained processes (called *chares*), and a special type of replicated processes, called branch-office chares. Charm supports dynamic creation of chares, by providing dynamic (as well as static) load balancing strategies. There may be thousands of small-grained chares on each processor, or just a few, depending on the application. Chares interact by sending messages to each other and via specific information sharing modes described below.

The Charm runtime system is message driven. It repeatedly selects one of the available messages from a pool of messages in accordance with a user selected queueing strategy, restores the context of the chare to which it is directed, and initiates execution of the code specified by the message.

A Charm program consists of chare definitions, message definitions, and declarations of specifically shared objects in addition to regular C language constructs (except global variables). A chare definition consists of local variable declarations, entry-point definitions and private function definitions as illustrated in Figure 1. Local variables of a chare are shared among the chare's entry-points and private functions. Private functions are not visible to other chares, and can be called only inside the owner chare. However, C functions that are declared outside of chares are visible to any chare. Entry-point definitions start with an entry name, a message name, followed by a block of C statements and Charm system calls. Some of the important Charm system calls are:

CreateChare(chareName,entryPoint,msg)

This call is used to create an instance of a chare named as *chareName*. As all other Charm system

calls, **CreateChare** is a non-blocking call, that is, it immediately returns. Eventually as the system creates an instance of chare *chareName*, it starts to execute the *entryPoint* with the message *msg*.

SendMsg(chareID,entryPoint,msg)

This call deposits the message *msg* to be sent to the *entryPoint* of chare instance *chareID*. *chareID* represents an instance of a chare. It is obtained by a system call **MyChareID()**, and it may be passed to other chares in messages.

```

chare chare-name {
  local variable declarations
  entry EP1 : (message MSGTYPE *msgptr)
    {C code block}
  ...
  entry EPn : (message MSGTYPE *msgptr)
    {C code-block}
  private function-1() {C code block}
  ...
  private function-m() {C code block}
}

```

Figure 1: Chare Definition

A branch office chare (BOC) is a form of chare that is replicated on all processors. An instance of a BOC has a branch chare on every processor. A BOC definition is similar to a chare definition except it contains public functions which can be called by other chares on the same processor. BOC's are useful for some computations such as reduction operations (i.e., collecting some information locally on each processor, and then combining it across processors), as well as for expressing static load balancing, and SPMD style programs.

In addition to messages and BOC's, Charm provides other ways in which processes share information. The information sharing abstractions supported include read only variables, monotonic variables, writeonce variables, accumulators and distributed tables. Charm also provides a sophisticated module system that facilitates reuse, and large-scale programming for parallel software. Details about these features can be found in [10].

2.1 An example in Charm

Consider an algorithm for matrix multiplication that is dynamically load balanced. Such a formulation may be useful on a machine where different processors operate at different speeds, for example. We

```

chare mult_chare {
  int count, *row, *column;
  ChareIDType chareid;
  entry init: (message MSG *msg) {
    count = 2; MyChareID(&chareid);
    Find(Atable, msg->row_index,
         rcv_row, &chareid, NOWAIT);
    Find(Btable, msg->col_index,
         rcv_column, &chareid, NOWAIT);
  }
  entry rcv_row: (message TBL_MSG *msg) {
    row = msg->data;
    if (--count == 0 ) multiply(row, column);
  }
  entry rcv_column: (message TBL_MSG *msg) {
    column = msg->data;
    if (--count == 0 ) multiply(row, column);
  }
}

```

Figure 2: Matrix multiplication chare

assume that the two matrices to be multiplied have been stored in distributed tables. Matrix A is stored as a collection of entries such that each entry is a block of contiguous rows. Similarly, the matrix B is stored as a collection of columns. One of the chares (`mult_chare`) used in implementing such an algorithm is shown in Figure 2. This chare is responsible for multiplying a block of rows of A, and a block of columns of B. The entry `init` is executed when an instance of the chare is created. The message `msg` contains indices of the row and column blocks that are to be multiplied. First, the chare requests the row and columns from the tables `Atable` and `Btable` (these tables store the matrices A and B) by calling `Find` which is supported by the distributed tables mechanism in Charm. In the `Find` call, the row (or column) index, return entry-point and the chare instance identifier are supplied. Note that the `Find` call is non-blocking, and it immediately returns. Eventually, the row (and column) data will be sent in a message (of type `TBL_MSG` which is defined in the Charm language) to the entry-point `rcv_row` (`rcv_column`), and these messages may arrive in any order.

The multiplication depends on availability of both rows and columns. Therefore a shared variable, `count`, is used to detect that both messages are available. Initially the count is set to 2 (since only two messages are expected). Whenever a message is received, the

message is saved, the count is decremented by one. If the value of count becomes zero, then the multiply function is called. This example has been chosen to be a simple one in order to demonstrate the necessity of counters and buffers. In general, a parallel algorithm may have more interactions leading to the use of many counters, flags, and message buffers, which complicates the program development significantly.

3 Basic Dagger language

In order to reduce the complexity of program development, a coordination language called Dagger has been developed on top of the Charm system. In Charm, an entry-point is executed when there is a message directed to it. If the computation in that entry-point is dependent on the computation in another entry-point within the same chare, then the programmer must handle this unexpected message by buffering it, and fetching it whenever the entry-point becomes eligible for execution. Dagger hides these details from the programmer by providing `expect` and `when-block` constructs which will be discussed in the following section.

3.1 Dag Chare

The Dagger language is defined by augmenting Charm with a special form of chare called a *dag-chare*. A dag-chare specifies pieces of computations (when-blocks) and dependences among computations and messages. A when-block is guarded by some dependences that must be satisfied before the when-block can be scheduled for execution. These dependences include arrival of messages or completion of other when-blocks. Before describing the Dagger language in detail, let us consider the matrix multiplication example, and show how it looks in Dagger. Figure 3 shows the matrix multiplication written as a dag-chare. Whenever the entries `rcv_row` and `rcv_column` receive the messages, the multiply function is called with the rows and columns that have been received. The Dagger takes care of the bookkeeping functions such as counters, flags and buffering the messages. Therefore, the resulting code is more readable (and easy to program), while still retaining the benefits of a message driven model.

In Figure 4, a template for a dag-chare is shown. In addition to entries, a dag-chare may declare some other data local to that dag-chare in the local variable declaration section. The local variables are shared among when-blocks and private functions of the dag-chare. Private functions are regular C functions which may contain Charm or Dagger statements/calls, and they can be called only within the static scope of the dag-chare.

```

dag chare mult_chare {
entry init: (message MSG *msg);
entry recv_row: (message TBL_MSG *row);
entry recv_column:(message TBL_MSG *column);

when init : {
    MyChareID(&chareid);
    Find(Atable, msg->row_index,...);
    Find(Btable, msg->colm_index,...);
    expect(recv_row);
    expect(recv_column);
}

when recv_row, recv_column :
    { multiply(row->data,column->data) }
}

```

Figure 3: Matrix multiplication dag-chare

```

dag chare example {
    local variable declarations
    condition variable declarations
    entry declarations
    when depn_list_1 : {when_body_1}
    ...
    when depn_list_n : {when_body_n}
    private function f1() {C_code_1}
    ...
    private function fm() {C_code_m}
}

```

Figure 4: The Dagger chare template

As in a chare definition, there are no explicit receive calls in a dag-chare. The dag-chare declares entry-points, and messages are received at these entry-points. The entry-point declaration, which is in the form:

```

entry entry_name: (message msg_type *msg)

```

defines an entry with the name `entry_name`, and associates a variable with a specified message type with that entry. Messages can be sent to entry-points by supplying the `entry_name` in the Charm system calls such as `SendMsg`. The variable `msg` is a pointer to the message received by the entry.

Receiving a message at an entry-point is not sufficient to trigger a computation. (In contrast, in Charm,

arrival of a message always triggers a computation which is associated with that entry-point.) The computation must be in a state where it is ready to process the message. A Dagger program tells the Dagger runtime system when it is ready to process a message by using the `expect` statement:

```

expect(entry_name)

```

If a message arrives before an `expect` statement has been issued for it, Dagger will buffer the message. The message becomes available only after the `expect` statement is executed. A special entry-point, `init`, is used for initialization purposes and it is implicitly expected.

A dag-chare may have a special type of variables called condition variable. A condition variable is declared as follows:

```

CONDVAR cond_var_name

```

The condition variable is used to signal completion of a when-block. In other words, it is used to express the dependences among when-blocks which belong to the same dag-chare. A when-block can send a message to an entry which is defined in the same dag-chare, however to utilize a shared variable (condition variable) is more efficient. A condition variable is initialized to the *not-ready* state when it is declared. It is set to the *ready* state by the `ready` statement:

```

ready(cond_var_name)

```

Once a condition variable is set, the Dagger may schedule the when-blocks which are waiting for that condition variable to be set.

A when-block is a computation which is guarded by a list of entry names and condition names:

```

when  $e_1, \dots, e_n, c_1, \dots, c_m$  : {when-body}

```

where e_i is an entry name, and c_i is a condition variable. In order to initiate the execution of the when-block, the dependence list of the when-block must be satisfied. The dependence list is satisfied if:

- a message has been received and `expect` statement has been executed for each entry e_i in the dependence list,
- for each condition variable c_i in the list, a `ready` statement has been executed.

The when-body is a block of C code possibly including Charm system calls, and `expect` and `ready` Dagger statements. The messages received by the entries e_i 's are accessed inside the when-body through the message pointers defined in the entry declarations.

3.2 Dag Chare example

As another example of a Dagger program, we will consider a simple version of a numerical problem: Jacobi relaxation to solve a penta-diagonal linear system (which arises in the solution of partial differential

equations). We will present the problem without getting into the details of the application, and present the Dagger code for it. This problem involves a 2-dimensional grid of points. The grid is partitioned into rectangular blocks, and each processor is assigned to one block. The basic computation in a processor is to perform some local computation on its own block, exchange some information (boundary values) with four neighbour processors (east,west,north,south), and to carry out a reduction operation across all processors (maximum operation). The computation continues in this manner until the solution is reached. Figure 5

```

dag BranchOffice jacobi {
  ChareNumType mycid; PeNumType neighbour[4];
  CONDVAR SEND;
  entry init : (message MSGINIT *msg);
  entry NORTH: (message BOUNDARY *north);
  entry SOUTH: (message BOUNDARY *south);
  entry WEST : (message BOUNDARY *west);
  entry EAST : (message BOUNDARY *east);
  entry CONVERGENCE : (message CONV *conv);
  when init : { initialize(); ready(SEND); }
  when SEND : { BOUNDARY *m;
    for each direction (NORTH,SOUTH,WEST,EAST){
      m = copy_boundary(direction);
      SendMsgBranch(entry_no[direction],m,
        neighbour[direction]);
      expect (entry_no[direction]); } }
  when NORTH,SOUTH,WEST,EAST : {
    update(north,south,west,east);
    reduction(my_conv(),CONVERGENCE,&mycid);
    expect (CONVERGENCE); }
  when CONVERGENCE: {
    if (conv->done) print_result()
    else ready(SEND); }
}

```

Figure 5: Jacobi relaxation dag BOC

shows a dag BOC to carry out this computation. The four entry-points (NORTH,SOUTH,EAST,WEST) receive the boundary values from neighbouring processors. The entry-point CONVERGENCE receives the result of the global reduction operation. When an instance of the Jacobi BOC is created, the init entry-point is executed first. The code at this entry-point carries out some initializations such as the determination of the identity of the neighbour processors. After initialization, the condition variable SEND is set by the ready statement. This enables the when-block which depends on the variable SEND. In this when-block, boundary values are sent to neighbour processors (copy_boundary creates a message, and boundary values are copied

into messages, and SendMsg Charm call initiates the transfer). In addition to this, an expect statement is executed for each direction because the processor is ready to process boundary values from neighbours. After receiving all the boundary values, the local data is updated and the reduction operation is initiated. The function reduction is a call to another dag-chare which is not explained here. It suffices to note that a local convergence data is collected by my_conv(), and sent to the reduction chare, which is responsible for determining the global convergence. The reduction call is non-blocking, and eventually the reduction dag-chare sends the result to the entry-point CONVERGENCE. After initiating the reduction, an expect statement is issued to state that the computation is ready to process the reduction result. When the reduction result arrives, the code checks if global convergence has been reached. If not, it reactivates the when-block which sends the new boundary values, and the computation continues. The expect and ready statements serve an important purpose - imposing an order on the processing of messages. Without expect/ready construct (i.e., implicitly every message is expected), one of the processors might receive the boundary messages from its neighbours before the reduction message, and it may start next iteration. This violates the dependences in the algorithm. The Dagger performs the necessary synchronization by keeping counters and flags, and buffering unexpected messages to guarantee the correct order of execution.

4 Extended Dagger language

The Dagger Language as defined in section 3 was kept simple for ease of exposition. Supporting full generality of parallel programming acquires two extensions embodied in Dagger, which are motivated and described below.

4.1 Reference Numbers

The expect statement imposes an order on the execution of messages. This is sufficient for a simple dag computation. However, there are computations where the concurrent phases of a dag exist (in time). An example of that is a dag augmented with a loop where different iterations of the loop may be executed concurrently. Another example is a client-server type of computation. Client processes may send multiple requests concurrently to a server dag. The server dag performs the same computation for different requests concurrently.

First, we will illustrate the problem with a simple example, and then describe the solution provided by Dagger. Consider the Jacobi relaxation program of Figure 5 without any global convergence tests.

Each processor receives boundaries from its neighbours, computes new values and sends the new boundaries to the neighbours. This computation is repeated a fixed number of times. In Figure 6, the Dagger code is listed for that computation. Each processor is exe-

```

when NORTH,SOUTH,EAST,WEST: {
  update();
  if (++loop_count < limit)
    for each direction {
      m = copy_boundary(direction);
      SendMsgBranch(entry_no[direction],m,
        neighbour[direction]);
      expect(entry_no[direction]);
    }
}

```

Figure 6: Jacobi relaxation without reference numbers

cuting the same dag code. Depending on the machines and its operating system, it is possible that messages belonging to different iterations may arrive out of order. A scenario where the computation goes wrong is illustrated in Figure 7. Processors i and j are exchanging messages and doing some local computation. The message sent by processor i in the second iteration is delayed. When the processor i receives a message from j in the third iteration, it performs the local computation and sends the message belonging to the fourth iteration. Processor j receives the message which belongs to the fourth iteration before the one belonging to the third iteration.




Figure 7: Out of order messages

In order to handle this problem, messages belonging to different phases of the computation must be distinguished. To accomplish this, we modify the language to include *reference numbers*. Each message may have a reference number. Messages which belong to the same phase of the computation are given the same reference number by the user. Then, Dagger matches the messages with the same reference num-

ber to activate a when-block (condition variables may have reference numbers too). In other words, an instance of a when-block is scheduled for execution only if the dependence list is satisfied with the availability of messages and condition variables with matching reference numbers. The `expect` and `ready` statements are modified to support reference numbers as follows:

```

expect(entry_name,reference_number)
ready(cond_var_name,reference_number)

```

The reference number of messages are accessed and set by the function calls provided by the system: `GetRefNumber(msg)`, and `SetRefNumber(msg)`. A correct version of the Jacobi example in Figure 6 can be written by using the `loop_count` as a reference number. The code is modified by replacing the `SendMsg` and `expect` statements with the following ones:

```

SetRefNum(m,loop_count);
SendMsgBranch(entry_no[direction],m,
  neighbour[direction]);
expect(entry_no[direction],loop_count);

```

4.2 Entry-points with multiple messages

Another extension to the Dagger deals with entry-points which receive multiple messages. This situation arises when the number of messages that a when-block depends on is known only at run time, or differs from processor to processor. As an example, consider a reduction operation. In a reduction operation, some data values from every processor are collected, and the result of the reduction operation over the collected data is distributed to all the processors (for example, a global sum operation). An efficient and scalable way of implementing the reduction is to utilize a spanning tree of processors. Each processor in the tree collects and reduces the data from its children and passes its partial result to the parent. When the root receives all partial results from its children, the final result is broadcast. We can express this computation in the basic Dagger language by a when statement which is guarded by the entry-points declared for each child. However, the number of children is not fixed for all processors even with a fixed number of processors; also, as the number of processors changes, the spanning tree changes. To solve this problem, the language is extended by allowing entry-points to receive multiple messages. The entry declaration:

```

entry entry_name[n] : (message MSG *m[]);

```

 associates a variable n , with the entry `entry_name`. This variable is initialized to a user specified value at the beginning (in `init entry`). The entry-point

entry_name now expects n messages stored in an array of message pointers called m. The when-block:

```
when entry_name[ANY] : { ... }
```

is activated for each message received at this entry-point, and when all the messages arrived, then

```
when entry_name : { ... }
```

is activated.

5 Implementation

Dagger has been implemented on top of the Charm system. The implementation is composed of two parts: translation of a dag-chare and run time management.

The Charm translator has been extended to transform dag-chares into chares. Each entry declaration in the dag-chare is converted to an entry-point. All the when-blocks become private functions of the chare. In addition to these, some control data structures are defined as local data of the chare and are manipulated by the Dagger run-time. These data structures include *three queues*: message queue, waiting queue, and ready queue. Message queue keeps the messages until they are consumed by the when-blocks. The waiting queue contains the instances of activated when-blocks that are waiting for some messages or *expect/ready* statements. The ready queue is a list of when-block instances which are eligible for execution. When a message is received, the corresponding entry-point is invoked by Charm. This entry-point (which is produced by the Dagger translator) contains the code to buffer the message and to check if any instance of a dependent when-block is eligible for execution. A when-block instance in the waiting queue has a counter. This counter is initialized to the number of entries and conditions in the dependence list of the when-block. The counter is decremented by the availability of expected messages, and/or execution of *ready* statements. Whenever the counter reaches zero, the when-block instance is put into ready queue. At the end of each entry-point code, the function `process_ready_list` is called to execute the when-block instances in the ready queue before returning the control to the Charm runtime.

6 Preliminary performance results

In this section, the preliminary performance results of Dagger will be presented. First, we will look at the overhead introduced by Dagger with respect to Charm level. This overhead is as a result of buffering messages, queuing, and matching operations. We do not expect the higher level of abstraction and increased expressiveness provided by Dagger to come free. However, we expect the overhead to be small, and the overall performance of Dagger to be better

than the performance of blocking-receive model.

Table 1 depicts the overhead introduced by the Dagger. The Jacobi method, described in Section 3.2, was implemented in Charm and Dagger. The table shows the elapsed time and percentage overhead for different problem sizes (note that as problem sizes increases, total number of iterations increases). The overhead is small and decreases as the problem size increases. In addition, there are opportunities to reduce the overhead of Dagger in the runtime system.

| | Sequent Symmetry | | | NCUBE | | |
|---|------------------|-------|--------|-------|-------|-------|
| a | 16x16 | 32x32 | 64x64 | 16x16 | 32x32 | 64x64 |
| b | 3.10 | 21.28 | 159.72 | 1.39 | 4.95 | 21.69 |
| c | 2.93 | 20.83 | 158.1 | 1.26 | 4.61 | 20.95 |
| d | 5.8 | 2.16 | 1.02 | 10.7 | 7.4 | 3.5 |

(a)Total grid size (b)Dagger (c)Charm (d)Overhead(%)

Table 1: Dagger Overhead (on 4 processors)

The main motivation behind Dagger is to retain the ability to overlap computation and communication. In order to demonstrate this feature, a concurrent reduction program was written for NCUBE/2 in C with blocking-receives and in Dagger. Each processor has an array which is partitioned into blocks of size 512 words. A reduction (max) operation is performed for each partition. The reductions are independent of each other. The blocking-receive version calls the NCUBE/2 system library function `nrmaxn` to perform the reduction. This call is a blocking call, and the processor waits for the result of the reduction. In the Dagger version, the program initiates a non-blocking reduction operation which is implemented in Dagger also, then it continues with the next available piece of computation. Figure 8 shows the elapsed time of these two programs. As the number of processors increases, the blocking-receive version takes more time, because the cost of reduction operation is in the order of $\log p$ where p is the number of processors. The Dagger version tolerates this by overlapping the computation and communication (the initial increase up to 16 processors is due to the maximum branching factor of the spanning tree employed by Charm which increases from 1 to 4 and stops at 4 beyond 16 processors).

7 Related work

The original Actor model as described in [1] is purely message driven. The issue of synchronization within an actor was addressed in [9] which proposed the *enable set* construct. Using this, one may specify which messages may be processed in the new state. Any other messages that are received by an actor are buffered until the current enable set includes them.




Figure 8: Overlapping Communication

Thus, this construct is analogous to our expect statement. However, there is no analogue of a when-block, viz. a computation block, that can be executed only when a specific group of messages have arrived. A more recent paper [3] supports a much more complex model which subsumes synchronization of multiple actors depending on message sets. It should be noted that Dagger/Charm provides a programming model that differs from Actors in many ways. The discussion above focuses only on how they deal with message driven execution.

Recent work on Active Messages [4] also deals with message driven execution and split phase transactions. The split-C language based on Active Messages employs polling for arrival of messages. However the TAM compiler built on Active messages has some similarities to Dagger. As messages always enable the corresponding threads of an activation frame, there appears to be no way of buffering unexpected messages. Counters and flags for synchronizing on arrival of multiple messages are explicitly maintained. However, TAM is meant as the back end for a data flow compiler as opposed to a language meant for the application programmer. So these inconveniences may not be of much consequence.

Macro data flow [6] approaches share with us the objective of message driven execution and local synchronization. However, much of the past work in this area was aimed at special purpose hardware. Also, these approaches are often meant to be used as a back-end for compilers. Thus the inconvenience of maintaining counters and buffers explicitly is not considered significant. These approaches thus are comparable to Charm itself rather than Dagger. Our experience with using Dagger as back-end for a compiler for a data parallel language [8] indicates that Dagger might provide a more convenient intermediate language than macro data flow.

8 Conclusion

We presented a coordination language called Dagger which combines the efficiency of message driven execution with the conceptual simplicity of blocking-receives. Programming in the blocking-receive paradigm is easier since it imposes a strict synchronization. However, it exaggerates the communication latency. Dagger allows users to express dependencies among messages and computations. The send-expect mechanism together with when-blocks, which are guarded by the availability of messages, allows expression of parallelism with ease, at the same time retaining message driven execution.

Dagger has been developed on top of Charm which supports message driven portable parallel programming on MIMD machines. As future work, the runtime of the Dagger will be tuned to decrease the overhead. A visual editor for Dagger has also been developed. The visual interface will allow users to express and edit computations graphically.

References

- [1] G.Agha, *Actors: A Model of Concurrent Computation in Distributed Systems*. MIT Press. 1986.
- [2] W.Dally, and et al. "The J-Machine: A Fine-Grain Concurrent Computer", In *IFIP Congress*, 1989.
- [3] S.Frolund, G.Agha, "Activation of Concurrent Objects by Message Sets", Internal Report, University of Illinois at Urbana-Champaign.
- [4] T.von Eicken, D.E.Culler, S.C.Goldstein, K.E.Schauser, "Active Messages: a Mechanism for Integrated Communication and Computation", *Proc. of the 19th Int'l Symp. on Computer Architecture*, Australia, May 1992, pp256-266.
- [5] A.Gursoy, *Message Driven Execution and its Impact on the Performance of CFD and other Applications*, Ph.D Thesis in preparation, University of Illinois at Urbana-Champaign, Jan 1993.
- [6] A.S.Grimshaw, *Mentat : An Object Oriented Macro Data Flow System*, UIUCDCS-R-88-1440, Ph.D Thesis, University of Illinois at Urbana-Champaign, June 1988.
- [7] L.V.Kale, "The Chare Kernel parallel programming language and system", *Proceedings of the International Conference on Parallel Processing*, Vol II, Aug 1990, pp17-25.

- [8] E.Kornkven, "Overlapping Computation and Communication in an Implementation of A Data Parallel Language", Report 92-4, Parallel Programming Laboratory, Department of Computer Science, University of Illinois at Urbana-Champaign, Oct 1992.
- [9] C.Tomlinson, V.Singh, "Inheritance and Synchronization with Enabled-Sets", ACM OOPSLA 1989 , pp103-112.
- [10] The CHARM(4.0) programming language manual, Department of Computer Science, University of Illinois at Urbana-Champaign, Urbana, IL, 1993.