# Speed Limit Reduction Enhances Urban Worker Safety: Evidence from a Decade of Traffic Incidents in Santiago, Chile

Eduardo Graells-Garrido<sup>1,2</sup>, Matías Toro<sup>1</sup>, Gabriel Mansilla<sup>3</sup>, Matías Nicolai<sup>3</sup>, Santiago Mansilla<sup>3</sup>, Jocelyn Dunstan<sup>4</sup>

<sup>1</sup>Department of Computer Science, University of Chile, Santiago, Chile; <sup>2</sup>National Center for Artificial Intelligence (CENIA), Santiago, Chile; <sup>3</sup>GSE Salud Consultores, Santiago, Chile; <sup>4</sup>Department of Computer Science & Institute for Mathematical Computing, Pontificia Universidad Católica de Chile, Santiago, Chile

#### Abstract

Work-related traffic incidents significantly impact urban mobility and productivity. This study analyzes a decade of work-related traffic incident data (2012-2021) in Santiago, Chile, using records from a major social insurance company. We explore temporal, spatial, and demographic patterns in these incidents in urban and rural areas. We also evaluate the impact of a 2018 urban speed limit reduction law on incident injury severity. Using negative binomial regression, we assess how various factors, including the speed limit change, affect injury severity measured by prescribed medical leave days. Our analysis reveals distinct incident occurrence and severity patterns across different times, locations, and demographic groups. We find that motorcycles and cycles are associated with more severe injuries, with marginal effects of 26.94 and 13.06 additional days of medical leave, respectively, compared to motorized vehicles. Female workers tend to have less severe injuries, with an average of 7.57 fewer days of medical leave. Age is also a significant factor, with each year associated with 0.57 additional days of leave. Notably, the urban speed limit reduction is associated with a decrease of 4.26 days in prescribed medical leave for incidents in urban areas, suggesting that lower speed limits contribute to reduced injury severity in work-related traffic incidents. Our results provide insights for urban planning, transportation policy, and workplace safety initiatives, highlighting the potential benefits of speed management in urban areas for improving road safety and minimizing the economic impact of work-related incidents.

# Introduction

Work trips are a crucial aspect of daily urban mobility, shaping the rhythm of cities and defining peak travel periods. The safety of these trips is important, as work-related crashes, collisions or falls impact individual health, urban productivity, and sustainability (United Nations, 2023). These incidents significantly impact urban dynamics by affecting workers, disrupting traffic, straining emergency services, and causing economic losses through reduced productivity (Chantith et al., 2021). In this paper, we use the term 'incident' to refer to traffic incidents that may result in injury or property damage, avoiding the term 'accident' which can imply unavoidability.

While disruptive to urban systems, traffic incidents are often underrepresented in transportation analyses. Traditional travel surveys rarely capture traffic incident data, and new data sources like mobile phone records, although helpful in understanding general mobility patterns (Widhalm et al., 2015;

# egraells@dcc.uchile.cl Acknowledaments: This work was

☑ For correspondence:

selected in the Call for Research and Innovation Projects in Accident Prevention and Occupational Diseases (2022) by the Superintendency of Social Security of Chile (SUSESO), and was funded by Mutual de Seguridad (CChC) with resources from the Social Security of the Law No. 16.744 on Occupational Accidents and Diseases. E. Graells-Garrido was partially funded by National Center for Artificial Intelligence CENIA FB210017, Basal ANID. The authors thank the technical management from Luis Alarcón at Mutual de Seguridad.

**Competing interests:** The author(s) declared no potential conflicts of interest with respect to the research, authorship, and/or publication of this article.

Graells-Garrido et al., 2023a), cannot identify specific traffic incidents due to anonymization and lack of meta-data. However, work-related incidents offer study opportunities, as they are more likely to be centrally recorded due to legal and insurance requirements.

Our study focuses on Santiago, the capital of Chile and its largest urban agglomeration. According to the last official Census from 2017, the official population of Santiago is of nearly 8 million inhabitants spread across an urban area of 867.75 square kilometers, comprising over 40 independent municipalities. The city's transportation system is characterized by an integrated multimodal network with a nearly flat fare structure across the metro, urban buses, and rail services (Muñoz et al., 2014).

Various institutions prioritize worker safety and insurance in Santiago, overseen by the *Superintendencia de Seguridad Social* (SUSESO). This paper analyzes a dataset from one of these entities, *Mutual de Seguridad de la Cámara Chilena de la Construcción* (MUSEG), which covers approximately 31% of all insured workers in the country as of 2022. Our study examines around 33,000 traffic incidents in the Santiago metropolitan area and surrounding rural regions from 2012 to 2021, revealing temporal, geographical, and demographic patterns.

A significant event within our study period is the implementation of a new speed limit regulation on August 4th, 2018 (Law 21,103), which reduced the urban speed limit from 60 km/h to 50 km/h (Gobierno de Chile, 2019). While this law primarily affects cars, its impact extends to all transportation modes due to their interaction with vehicles on shared roads. We use this policy change as a natural experiment, employing a Negative Binomial regression to assess its effect on incident severity.

This work addresses the following research questions:

- What are the temporal, spatial, and demographic patterns of work-related traffic incidents in Santiago?
- 2. How did the 2018 speed limit reduction impact the severity of work-related traffic incidents?
- 3. How do factors such as mode of transportation, time of day, and worker demographics influence incident severity?

Our analysis shows that after the law's implementation, the severity of all traffic incident injuries decreased. Specifically, incidents required an average of 3.88 fewer days of medical leave. This finding suggests that the law's impact goes beyond reducing incident frequency, allowing workers to return to their families and work activities sooner.

This study contributes to research on urban mobility safety. Less than 10% of road safety research focuses on low- and middle-income countries, despite these areas accounting for most road traffic deaths and injuries (Haghani et al., 2022). While previous studies have shown the effectiveness of speed limit reductions in various contexts (Elvik, 2012; Cleland et al., 2020; Milton et al., 2021), our work provides specific insights into the impact on work-related incidents in a Latin American urban context, as well as the factors related to the severity of such incidents.

Our findings align with emerging urban planning concepts such as "slow streets" (Bajada et al., 2023) and "15-minute cities" (Graells-Garrido et al., 2021), which promote safer, more accessible urban environments. Recent studies support these approaches: vehicle speeds decrease in shared spaces when both pedestrian and vehicle flows are high (Tzouras et al., 2023), while slow zones in Paris increased human activity by 44% (Salazar-Miranda et al., 2022). Our research extends these findings to work-related mobility, showing that lower urban speed limits contribute to reduced injury severity in all types of traffic incidents. These results collectively suggest that cities designed for slower-paced mobility not only enhance safety but also promote social interaction and urban vitality, offering promising avenues for future urban planning and policy development.

This paper is structured as follows: Section 2 reviews related work on urban mobility safety and speed limit impacts. Section 3 describes our context and data sources. Section 4 describes the methodology. Section 5 presents our results, including the spatial and temporal patterns of incidents and the regression analysis of the impact of the speed limit law. Section 6 concludes with key takeaways and suggestions for future research.

# **Related Work**

Our study builds upon research in urban transportation safety, focusing on work-related incidents and the impact of speed limit regulations. This section reviews key literature in these areas.

# **Urban Mobility and Safety**

Urban mobility patterns significantly influence traffic safety. Miner et al. (2024) categorize the negative impacts of automobility into violence, ill health, social injustice, and environmental damage. Their study reveals that cars have contributed to 60–80 million deaths globally and exacerbated social and environmental issues. They advocate for replacing car-centric policies with interventions such as increasing bike lanes or reducing traffic speed limits.

Cabrera-Arnau et al. (2020) and Cabrera-Arnau and Bishop (2021) explored the relationship between urban size and incident rates. They found that while the number of incidents in an urban area generally depends superlinearly on population size, this relationship varies with incident severity. Notably, they found no significant change in the number of road traffic collisions per person for urban areas of different sizes, highlighting the complex nature of urban mobility and safety.

## **Spatial Analysis of Traffic incidents**

Spatial patterns of traffic incidents provide crucial insights for targeted interventions. Hazaymeh et al. (2022) used local hotspot analysis to study traffic incidents in Jordan, concluding that less severe incidents occur where traffic volume is highest.

In the Latin American context, Mangones et al. (2024) compared crash risk on arterial roads, Bus Rapid Transit (BRT), and Buses with High Level of Service (BHLS) corridors in Bogotá, Colombia. Their findings suggest that different public transport infrastructures have varying impacts on safety. BRT networks provide lower crash rates for less severe collisions but increase injuries and fatalities. This underscores the importance of considering different road types and transport modes in safety analyses. Sukhai et al. (2021), studying South Africa, another Global South country, found that contextual effects create unequal road safety risks, with higher vulnerabilities for pedestrians, females, and public transport users linked to rurality and socio-economic factors.

#### Impact of Speed Limit Laws

The relationship between speed and road safety has been extensively studied. Elvik (2012) conducted a systematic review and meta-analysis, concluding that speeding is the most critical factor contributing to traffic injuries. Their work provides a model correlating speed enforcement with both the likelihood of crashes and the resulting health consequences.

Cleland et al. (2020) and Milton et al. (2021) examined the effects of 20 mph (32 km/h) zones and limits in various cities. Both studies found associations between lower speed limits and crash frequency and harm to road users. However, they also noted the need for more evidence on the impact of air pollution on livability.

In the Chilean context, Martínez and Contreras (2020) and Nazif-Munoz et al. (2014) studied the impacts of a 2005 traffic law reform. Martínez and Contreras (2020) found that the reform led to significant reductions in road traffic death trends for both child pedestrians and passengers, with socioeconomic factors also playing a role. Nazif-Munoz et al. (2014) observed that the 2005 reform was associated with a 7% reduction in pedestrian fatalities, mediated by increased police enforcement and reduced alcohol consumption. They also found that police enforcement was directly associated with significant decreases in fatalities across all road user types, while road infrastructure investment was linked to an 11% reduction in pedestrian fatalities. These studies provide essential context for understanding the evolving landscape of traffic safety regulations in Chile and highlight the complex interplay between legislative changes, enforcement, and infrastructure investment in improving road safety outcomes.

#### Gender and Age Dynamics in Traffic incidents

González-Sánchez et al. (2021) investigated the influence of road type on traffic injury risk, considering gender and age. They found that men consistently have a higher risk of severe and fatal injuries across all modes of transport and road types. Havet et al. (2021) explored how determinants of daily mobility affect male and female workers differently, finding persistent gender differences in travel patterns even when controlling for employment status and car access.

Salminen (2000) found that in Finland, men were involved in five out of every six traffic incidents during work hours, despite driving only three out of every four kilometers. The study also revealed that older workers (50-65 years) had the highest frequency of work-related traffic incidents, highlighting the importance of age as a factor in our analysis.

## Work-Related incidents in Urban Contexts

Work-related traffic incidents, particularly those occurring during commutes, represent a significant subset of urban traffic incidents with unique characteristics and impacts. These incidents affect individual workers and have broader implications for urban mobility and economic productivity.

Mitchell et al. (2004) conducted a comprehensive study of work-related road deaths in Australia, finding that, on average, 151 commuters were fatally injured in vehicle incidents on public roadways each year from 1989 to 1992. This translates to a rate of 2.0 per 100,000 commuters per year, highlighting the significant risk associated with daily work-related travel in urban areas.

The economic impact of commuting incidents is substantial. While not specific to commuting, Chantith et al. (2021) calculated that productivity loss due to road traffic incidents in Thailand amounted to approximately 0.8% of the country's GDP in 2017. This underscores the significant economic burden that traffic incidents, including those related to commuting, can impose on urban economies.

The duration of medical leave following commuting incidents is a critical aspect affecting workers and employers. Hansson (1976) studied road traffic casualties in Sweden and found that the average duration of inability to work was 35 days. They noted a close relation between the seriousness of the injury and time off work, with orthopedic injuries resulting in an average of 120 days of medical leave. Although this study is not recent, it highlights the potentially long-term impact of traffic incidents on workers' ability to return to work.

Two years post-crash, 8% of previously unaffected car occupants in Sweden were on sickness absence or disability pension (Elrud et al., 2019). For cycle crashes, 20% of individuals had sickness absence, with duration varying by injury type and body region (Ohlin et al., 2018). These studies highlight the long-term impacts of traffic crashes on workers.

Urban infrastructure plays a crucial role in commuting safety. Mangones et al. (2024) explored how different public transport infrastructures in Bogotá, Colombia, impact safety. They found that different bus corridor types affect crash rates and severity differently, highlighting the importance of infrastructure design in commuting safety.

The gender aspect of commuting safety is a critical consideration in urban mobility. Gauvin et al. (2020) studied urban mobility patterns in Santiago, Chile, revealing a gender gap in mobility. Women were found to visit fewer unique locations than men and distribute their time less equally among such locations. This gender difference in mobility patterns could affect commuting safety. Complementing this, Vasquez-Henriquez et al. (2020) analyzed social media data from Santiago to understand gender differences in transportation experiences. They found that women more frequently express concerns about safety and harassment in public transportation and public spaces. This aligns with findings from Loukaitou-Sideris (2016), who highlight that women's transport needs differ from men's due to safety concerns and sociocultural norms. These studies underscore the importance of considering gender-specific safety issues in urban transportation planning and policy-making, particularly in work-related travel.

Our study builds upon this body of work by explicitly examining work-related crashes in the context of Santiago, Chile, and evaluating the impact of a city-wide speed limit reduction on commuting safety.

By focusing on this intersection of work-related mobility and urban traffic safety policies, and by analyzing the medical days of leave prescribed following crashes, collisions or falls, we contribute to a more nuanced understanding of how urban interventions can affect commuting safety and worker well-being in a Latin American context.

# **Context and Data**

This study focuses on the Greater Santiago Metropolitan Area, the largest urban agglomeration in Chile. As of 2017, Santiago had a population of nearly 8 million inhabitants spread across an urban area of 867.75 square kilometers, comprising over 40 independent municipalities, with 45 within the urban core and the rest in the periphery. The city's transportation system is characterized by an integrated multimodal network with a nearly flat fare structure across the metro, urban buses, and one rail service, allowing up to three transfers within a two-hour window (Muñoz et al., 2014).

The data for this study comes from Mutual de Seguridad de la Cámara Chilena de la Construcción (MUSEG), one of the institutions overseen by the Superintendencia de Seguridad Social (SUSESO) that prioritizes worker safety and insurance. MUSEG covers approximately 31% of all insured workers in Chile as of 2022. Our dataset spans a decade, encompassing 75.8K traffic crashes, collisions or falls in the greater Santiago Metropolitan Area from 2012 to 2021.

Each record contains:

- · Date and time of occurrence
- Number of prescribed medical days of leave
- · Age and gender of the involved worker
- · Type of vehicle used at the time of the event
- · Municipality of the worker's residence
- · Municipality of the event
- · Text description of the event location (usually street name or intersection)
- · Municipality of the worker's employer

Fig. 1.a shows the monthly progression of event counts, indicating a positive trend, except for 2020, characterized by COVID-19 lockdowns.

The dataset contains non-fatal incidents only. We assess the severity of these incidents through the number of prescribed medical days of leave for each worker (see Fig. 1.b for its distribution, with a mean of 24.19 days in the whole dataset).

A significant event within our study period is the implementation of a new speed limit regulation on August 4th, 2018, which reduced the urban speed limit from 60 km/h to 50 km/h (Gobierno de Chile, 2019). We hypothesize that this law impacted the severity of injuries from traffic crashes, collisions or falls. The data suggests so, as the mean number of medical days of leave decreased from 25.76 before the law was in effect to 22.44 after the law was in effect (see Fig. 1.c).

This rich dataset allows us to examine work-related traffic crashes, collisions or falls in Santiago from multiple perspectives, including temporal trends, spatial patterns, and demographic factors. The 2018 speed limit regulation provides a natural experiment to assess the impact of policy changes on event severity. In the following section, we detail our methodology for analyzing this data, including how we assess its representativeness and our approach to quantifying the effect of the speed limit law on event severity.

#### Methodology

#### Data Representativeness

To understand traffic patterns in Santiago, we refer to the last official travel survey conducted in 2012, known as EOD2012 (SECTRA, 2015). This survey collected data on travel behavior, including trip origins, destinations, and modes of transportation, as well as demographic information of the resident population.



**Figure 1.** a) Monthly distribution of the number of crashes, collisions or falls. b) Histogram of the number of incidents concerning the number of medical leave days. c) Mean number of prescribed medical days of leave per month, with mean value annotations before and after Chile's latest speed regulation law (August 4th, 2018).

We compare origin-destination matrices built from both MUSEG and EOD2012 data. We calculate the Spearman correlation coefficient *r* between the origin-destination pairs in EOD2012 and MUSEG data:

$$r(X,Y) = \frac{\operatorname{COV}(X_R,Y_R)}{\sigma_{X_R}\sigma_{Y_R}}$$

cov is the covariance, and  $\sigma$  is the standard deviation, applied to the rank-transformed versions of X and Y, denoted by  $X_R$  and  $Y_R$ . We estimate the correlation between OD matrices at the municipal level, as the EOD2012 data represents this level.

In particular, according to EOD2012, on an average working day in Santiago, there are 13.95 million trips, of which 18.7% are to-work trips, 2% are for-work trips, and 46% are to-home trips (with a fraction of these presumably mirroring work trips). We analyze the correlation between work trips.

# **Exploratory Analysis**

We analyze the MUSEG data concerning modal share, demographic composition, and geographical association of incidents. We focus on the daily periods defined in EOD2012:

- Morning peak: 6AM to 9AM
- Morning valley: 9AM to Noon
- · Lunch: Noon to 2PM
- Afternoon Valley: 2PM to 5:30PM
- Afternoon Peak: 5:30PM to 8:30PM
- Nigh Valley: 8:30PM to 11PM
- Night: 11 PM to 6 AM (next day)

We also explore the demographic composition of incidents with respect to gender and age and observe if there are trends regarding severity and that demographic composition. We use the ArcGIS Application Programming Interface to geolocate each event. We queried the API with the reported name of the street and the reported name of the incident municipality. This provides a specific coordinate for each event that can be analyzed spatially. This also allows us to determine if incidents happened in rural or urban areas. Not all incidents will be geolocated, as sometimes the reported location may be ambiguous or not present of GIS databases.

We aggregate geolocated incidents and trip origins/destinations into a hexagonal grid with an edge length of approximately 1.4 km using the H3 system (Uber Technologies, Inc, 2024). We are interested in finding potential areas where mode-specific incidents are prevalent. As such, counting is insufficient, as some areas may have a small number of incidents, with a relatively high ratio of incidents in a given mode of transportation. Hence, we resorted to using a log-odds ratio with an uninformative Dirichlet prior (Monroe et al., 2008), a weighting schema that factors in the frequency and variability of incidents per cell. It is defined as follows:

$$rac{\hat{\delta}_w^{i-j}}{\sigma^2(\hat{\delta}_w^{i-j})}$$

which is a standardized score of mode of transportation w within cell i, with respect to all other cells, encoded as j. The elements  $\delta$  and  $\sigma$  are defined as follows:

$$\begin{split} \hat{\delta}_w^{i-j} &= \log(\frac{y_w^i + \alpha_w}{n^i + \alpha_0 - (y_w^i + \alpha_w)}) - \log(\frac{y_w^j + \alpha_w}{n^j + \alpha_0 - (y_w^j + \alpha_w)})\\ \sigma^2(\hat{\delta}_w^{i-j}) &\approx \frac{1}{y_w^j + \alpha_w} + \frac{1}{y_w^j + \alpha_w}, \end{split}$$

where  $y_w^i$  is the observed number of incidents in mode w within cell i,  $n^i$  is the total number of incidents in cell i; conversely, here j is interpreted as all other cells from the grid. The value of  $\alpha_w$  is the prior parameter for the Dirichlet distribution, and it can be small to be uninformative, such as 0.01;  $\alpha_0$  represents the sum of all prior parameters for each mode w,  $\sum_w \alpha_w$ .

### Speed Limit Law Effects on Crash, Collision, or Fall Injury Severity

The days of medical leave represent a highly skewed variable (see Fig. 1.b), making it unsuitable for typical statistical tests to compare means. Therefore, we use regression analysis, where the dependent variable is the number of prescribed medical days of leave, and the independent variables are the characteristics of the trip/event.

While count data is usually modeled with Poisson regression, our data violates the Poisson distribution's assumption that the conditional mean equals the conditional variance. We use a Negative Binomial (NB) regression model (Cameron and Trivedi, 1986) to account for the over-dispersion in our highly skewed medical leave data. The NB model probability density function is defined as:

$$f(y_i \mid \mathbf{x}_i) = \frac{\Gamma(y_i + \alpha)}{y_i! \Gamma(\alpha)} \left(\frac{\alpha}{\alpha + u_i}\right)^{\tau} \left(\frac{u_i}{\alpha + u_i}\right)^{y_i},$$

where  $y_i$  is the medical days of leave,  $\mathbf{x}_i$  is the set of predictor variables,  $\Gamma$  is the gamma function, and  $\alpha$  is the dispersion parameter. The conditional mean and variance are given by:

$$E(y_i \mid \mathbf{x}_i) = u_i = \exp(\mathbf{x}_i^T \boldsymbol{\beta}); \forall \mathsf{ar}(y_i \mid \mathbf{x}_i) = u_i \left(1 + \frac{1}{\alpha} u_i\right).$$

This choice of model is coherent with previous work on analyzing behavioral and spatial patterns in Santiago (Graells-Garrido et al., 2017, 2023b).

We use only geolocated incidents for the regression analysis, as these can be assigned to urban or rural areas and to specific corridors where the speed limit law does not apply, such as highways. To ensure the representativeness of this subset, we compare the distribution of medical days of leave between geolocated and non-geolocated incidents. If significant differences are found, we apply additional filtering to ensure comparability.

We focus on two specific periods for our analysis:

1. Pre-law period: 2018-01-01 to 2018-07-31

#### 2. Post-law period: 2019-01-01 to 2019-07-31

These periods were chosen to ensure comparability and to isolate the effect of the speed limit law. We avoid using a more extended pre-law period to prevent data imbalance. We also limit the post-law period to avoid confounding factors such as the social upheaval in Chile (from October 18th, 2019) and the COVID-19 pandemic.

To estimate the model parameters, including the  $\beta$  regression coefficients and the dispersion parameter  $\alpha$ , we use Maximum likelihood estimation (Hilbe, 2011). The independent variables in our model include:

- A boolean feature indicating whether the event occurred before or after the speed limit law implementation (our main variable of interest)
- 2. Mode of transportation (e.g., car, motorcycle, cycle, pedestrian)
- 3. Time of day (using the periods defined in the EOD2012 survey)
- 4. Day of the week
- 5. Age of the worker involved in the event
- 6. Gender of the worker
- 7. A boolean feature indicating whether the event occurred in a rural area or on a highway

By including these variables, we aim to control for potential confounding factors that influence event severity independently of the speed limit change. The time-based variables (time of day, day of week) help account for variations in traffic patterns, while the demographic factors (age, gender) control for individual characteristics that might affect event outcomes. The rural/highway variable allows us to differentiate between areas directly affected by the urban speed limit change and those that were not.

We acknowledge that other unobserved factors may influence event severity during our study period. While our model cannot fully account for all possible confounders, the relatively short timeframe of our before-and-after analysis and the inclusion of multiple control variables help mitigate some of these concerns.

# **Results**

Our analysis of work-related traffic crashes, collisions, or falls in Santiago, Chile, revealed several interesting patterns across temporal, spatial, and demographic dimensions. We will present these findings, starting with the representativeness of our data, followed by exploratory analyses, and concluding with the results of our regression model examining the impact of the speed limit law.

# Data Representativeness

To assess how well our MUSEG dataset represents overall travel patterns in Santiago, we compared it to the EOD2012 survey data. The Spearman correlation coefficient between the origin-destination matrices of these two datasets was r = 0.69 (p < 0.001). This positive correlation suggests that about 69% of the variability in the ranks of one dataset is explained by the relationship with the ranks of the other. This indicates that the travel patterns observed in our MUSEG dataset largely align with the general commuting patterns in Santiago, providing confidence in the representativeness of our data.

# Mode of Transportation and Event Severity

Our analysis of event severity by mode of transportation revealed notable differences (Figure 2.a). Motorcycles, pedestrians and cycles were associated with the most severe incidents (44.45, 42.08 and 23.24 prescribed medical leave days, respectively). This pattern underscores the vulnerability of these road users.

Examining the modal share of incidents over time (Figure 2.b), we observed a consistent decline in public transport-related incidents (from 29.84% in 2012 to 16.99% in 2021). Conversely, motorized and motorcycle incidents showed an increasing trend (from 22.63% in 2012 to 26.95% in 2021 for the former, and from 17.56% in 2012 to 26.75% in 2021 for the latter). These shifts align with recent findings







**Figure 3.** Incident distribution per day of the week (panel (a)) and period of the day as defined by the last travel survey (panel (b)).

on the evolution of modal share in Santiago, which indicate a growing preference for private modes of transportation like cars and motorcycles (Graells-Garrido et al., 2023a).

# **Temporal Patterns**

The temporal distribution of incidents showed clear patterns (Figure 3.a). Incidents were more frequent at the start of the week (76.71% between Monday and Thursday), with a notable decrease during week-ends (only 2.87% on Sunday). This pattern likely reflects the typical workweek structure, with fewer work-related trips occurring on weekends.

Most incidents in our dataset occurred during the *morning peak* hours (50.47% of incidents, with a mean severity of 20.55 days of prescribed medical leave; see Figure 3.b). This concentration can be attributed to the convergence of many workers starting their day at similar times. Interestingly, while



Traffic Incidents per Mode of Transportation with respect to Demographics



Age & Gender Trends of Days of Medical Leave due to Traffic Incidents





the morning peak saw the highest frequency of incidents, *night* incidents (3.82%) were associated with greater severity (32.41 days of prescribed medical leave).

# **Demographic Patterns**

Our analysis revealed significant gender differences in incident patterns (Figure 4). Female workers accounted for 37.42% of incidents in the MUSEG data, closely mirroring their 37% representation in the overall insured worker population (Mutual de Seguridad, 2023). Similarly, the EOD2012 survey reports 36% of commuting trips by female workers.

Gender disparities were evident in mode choice (Figure 4): males were involved in 87.05% of motorcycle and 74.66% of cycle incidents, while females were involved in 56.57% of public transport incidents.



**Figure 6.** Spatial distributions of incidents in the MUSEG dataset (a), and commuting trip origins (b) and destinations (c) according to the EOD2012 dataset. Brighter colors encode a greater amount of incidents or trips. Black lines depict administrative boundaries for urban areas, having into account municipal boundaries.

These patterns echo gender differences observed in Santiago's latest travel survey (SECTRA, 2015), contrasting the worker composition ascribed to MUSEG, where 63% is male and 37% is female.

Age-wise, the 25-35-year age group accounted for the most significant fraction of incidents across all modes of transportation (Figure 4). However, the age distribution varied by mode, highlighting the importance of considering age in our subsequent analyses.

Regarding incident severity, we found that male workers tended to experience more severe incidents, aligning with previous research (Bermúdez et al., 2018). Additionally, incident severity increased with age for both genders (Figure 5).

#### **Spatial Patterns**

We geolocated 33.4K (44.05%) incidents in the Santiago area from 2012 to 2021. Our spatial analysis of incidents (Figure 6.a) revealed a distribution that differed from both the origins (Figure 6.b) and destinations (Figure 6.c) of commuting trips reported in the EOD2012 survey. This discrepancy is expected, as incidents can occur at any point during a commute, not just at trip endpoints.

When examining incident patterns by mode of transportation (Figure 7), we found interesting spatial associations. Cycle incidents clustered in zones with well-developed cycleways and significant poles of attraction for work-related trips. In contrast, motorized vehicles (e.g., cars) exhibited a stronger association with the city's peripheral sectors. These areas serve either as trip generators or intermediate pass-through zones, potentially leading to higher vehicle speeds compared to other city areas. A key takeaway from these spatial patterns is the realization that infrastructure alone does not ensure safety, especially for cyclists.

#### Speed Limit Law Effects

For our regression analysis, only 1.06% of the geolocated incidents occurred in rural areas, and 1.07% were located near highways, areas not directly impacted by the urban speed limit law.

Before proceeding with the regression, we compared the distribution of medical leave days between geolocated and non-geolocated incidents (Figure 8). The distributions were similar for incidents resulting in up to two years of medical leave. Consequently, we excluded the small fraction of incidents (0.001%) with longer leave periods from our analysis. We also excluded taxi trips (1.32% of the dataset)



**Figure 7.** Spatial associations with mode of transportation in each incident with cells from the H3 grid system. The association is defined as a log-odds ratio with an uninformative Dirichlet prior (Monroe et al., 2008). Each mode of transportation has its own map: a) Public Transportation and Private Buses; b) Motorized Transport (private cars and other vehicles with four wheels); c) Cycles (including bikes and scooters); d) Motorcycles; e) Pedestrian; and f) Taxi, including shared cabs, which are used predominantly in the south of the city. Positive log-odds ratios, depicted in shades of orange, signify areas where incidents in the respective mode are more prevalent than expected. Conversely, negative ratios, depicted in shades of purple, indicate fewer incidents than anticipated.

due to their distribution pattern. In total, we discarded 1.24% of observations according to this criteria.

Our final regression dataset comprised 4,620 incidents from the first seven months of 2018 and 2019. We performed the regression analysis using Python with the *statsmodels* library (Seabold and Perktold, 2010). Table 1 presents the results of our Negative Binomial regression model.

We calculated the marginal effects at the mean for each variable to ease interpretation of the results (Figure 9). The marginal effect represents the change in the expected number of prescribed medical leave days for a one-unit change in the independent variable, holding all other variables constant at their mean values. For categorical variables, it represents the difference in expected days of leave when the variable is true versus false, or when compared to the reference category. A positive marginal effect implies more severe injuries, as it is associated with more prescribed days of medical leave.

The model revealed several significant factors influencing incident severity:



Figure 8. complimentary cumulative density function of the number of medical days of leave, per mode of transportation. Each image compares the distribution of geolocated and non-geolocated incidents in the area of study.

	No. Observations: 4620		Df Residuals:		4602			
Ī	Method: MLE		Df Model:		17			
	Pseudo R-squ.: 0.01831		Log-Likelihood:		-15341			
Ī	converged: True		LL-Null:		-15627			
	Covariance Type:	nonrobust	LLR <i>p</i> -value:		< 0.001			
_			Coeff.	S.E.	z	р	[0.025	0.975]
Intercept			1.4738	0.145	10.179	< 0.001	1.190	1.758
Female (w.r.t. Male)			-0.3588	0.063	-5.718	< 0.001	-0.482	-0.236
Age (in years)			0.0269	0.002	11.083	< 0.001	0.022	0.032
Bikes & Scooters (w.r.t. Motorized)			0.6193	0.086	7.177	< 0.001	0.450	0.788
Pedestrian (w.r.t. Motorized)			0.8366	0.127	6.568	< 0.001	0.587	1.086
Motorcycle (w.r.t. Motorized)			1.2772	0.089	14.427	< 0.001	1.104	1.451
Public/Massive Transport (w.r.t.			-0.0174	0.081	-0.215	0.830	-0.176	0.141
Motorized)								
Morning Peak (w.r.t. Morning Val-			-0.0921	0.098	-0.939	0.348	-0.284	0.100
Lunch Time (w.r.t. Morning Valley)			0.1192	0.151	0.790	0.429	-0.177	0.415
Afternoon Valley (w.r.t. Morning Val-			0.5169	0.121	4.282	< 0.001	0.280	0.754
ley)								
Afternoon Peak (w.r.t. Morning Val- lev)			0.2618	0.109	2.391	0.017	0.047	0.476
Night Valley (w.r.t. Morning Valley)			0 2629	0 183	1 4 3 6	0 151	-0 096	0 622
Night (w.r.t. Morning Valley)			0.5314	0.159	3.350	0.001	0.221	0.842
Eriday (wrt Monday Thursday)			0.0751	0.000	0.017	0.250	0.006	0.005
Filiday (w.f.t. Monday Thursday)			-0.0/31	0.002	-0.917 1 754	0.339	-0.230	0.005
Sunday (w.r.t. Monday-Thursday)			0.2100	0.123	1.734	0.079	-0.025	0.400
			0.10/8	0.104	1.025	0.300	-0.153	0.489
Rural Area or Highway			0.4302	0.203	2.118	0.034	0.032	0.828
Speed Limit Law			-0.2021	0.057	-3.534	< 0.001	-0.314	-0.090
α			3.5531	0.076	47.048	< 0.001	3.405	3.701

Table 1. Summary table of regression results in the Negative Binomial Regression.



**Figure 9.** Marginal effects at the mean of regression factors. Factors are grouped according to a high-level category. Their marginal effect is represented by a dot with error bars that represent the corresponding 95% confidence interval.

- Mode of Transportation: Compared to motorized vehicles, cycles (marginal effect of 13.06 additional days of leave), motorcycles (26.94 days), and pedestrian trips (17.64 days) were associated with more severe injuries. This aligns with our exploratory findings and highlights the vulnerability of these users, consistent with previous studies on risk (Miner et al., 2024; Mangones et al., 2024).
- 2. Demographics: Female workers tended to have less severe injuries (7.57 fewer days of leave on average). This gender difference in injury severity has been observed in other studies (DeJoy, 1992; González-Sánchez et al., 2021; Havet et al., 2021). Age was also a significant factor, with each year associated with 0.57 additional days of leave, reflecting the increased vulnerability of older workers to severe injuries.
- 3. Time of Day: incidents during the afternoon valley (10.90 additional days), afternoon peak (5.52 days), and night (11.21 days) periods were associated with more severe injuries compared to the morning valley period, a result consistent with differences in driving at different periods of the day (Mohammadi, 2009) and in severity of incidents (Aarts et al., 2016).
- 4. Location: incidents in rural areas or on highways were more severe (9.07 additional days of leave), consistent with other studies (Cabrera-Arnau et al., 2020).
- 5. Speed Limit Law: Importantly, our analysis showed that the speed limit law was associated with a decrease of 4.26 days in prescribed medical leave for incidents in urban areas. This suggests that the law had a positive impact on reducing injury severity in work-related traffic incidents.

These results, visualized in Figure 9, provide valuable insights into the factors influencing workrelated traffic incident severity in Santiago and the potential benefits of speed management policies in urban areas. The marginal effects allow us to quantify the relative impact of each factor on incident severity, providing a clear picture of which elements have the strongest influence on the length of medical leave following a work-related traffic incident.

# Conclusions

Our analysis of work-related traffic incidents in Santiago, Chile, over a decade, revealed significant patterns in incident occurrence and severity across temporal, spatial, and demographic dimensions. These findings have important implications for urban planning, transportation policy, and workplace safety initiatives. The study identified motorcycles, cycles, and pedestrian trips as modes associated with more severe injuries compared to motorized vehicles. This vulnerability of certain users highlights the need for targeted safety measures (Miner et al., 2024; Mangones et al., 2024). We observed gender differences in incident severity, with female workers experiencing less severe injuries on average. Older workers were more likely to suffer more severe injuries (DeJoy, 1992; González-Sánchez et al., 2021; Elrud et al., 2019). These demographic factors suggest potential benefits from age and gender-specific safety interventions.

Temporal patterns emerged, with incidents during afternoon and night periods associated with more severe injuries, aligning with previous studies on severity factors (Aarts et al., 2016). Spatially, incidents in rural areas or on highways were more severe (Cabrera-Arnau et al., 2020), indicating a need for tailored safety strategies for different road environments.

A key finding of our study is the impact of the 2018 urban speed limit reduction. This policy change was associated with a decrease in injury severity, with incidents requiring an average of 4.26 fewer days of medical leave. This result provides empirical support for the effectiveness of speed management policies in improving road safety (Elvik, 2012; Cleland et al., 2020; Milton et al., 2021). The observed increase in car usage in Santiago during the study period aligns with trends reported by Graells-Garrido et al. (2023a). Although more people are affected by the speed limit law due to increased car use, the safety benefits extend to all road users, including pedestrians and cyclists.

This research contributes to efforts improving urban mobility and safety. Guzman et al. (2020) developed Sustainable Mobility Plans for organizations in Bogotá, highlighting the need for tailored strategies to address congestion and enhance safety in urban areas. The results have practical implications for policymakers and urban planners. The positive impact of the speed limit reduction supports expanding such policies in urban areas. The higher injury severity for certain road users calls for infrastructure improvements and safety measures to protect vulnerable groups. Differences across demographic groups and periods suggest benefits from targeted safety campaigns and interventions.

Integrating road safety into broader urban design strategies aligns with 'safe system' approaches to urban mobility (Wegman et al., 2012). However, we found a higher association of incidents with improved cycling infrastructure, showing that infrastructure alone does not ensure safety. A comprehensive approach to urban mobility safety should combine infrastructure improvements with education, enforcement, and policy measures (Banister, 2008). Future urban planning should consider these complex interactions to create safer urban environments.

Our study has limitations. The data comes from a single social insurance provider, which may only partially represent some work-related incidents in Santiago. Our analysis does not include fatal incidents, which may have different patterns and risk factors. Future research could incorporate data from multiple sources and include fatal incidents for a more comprehensive analysis, as this work complements other studies that have focused on fatalities and number of deaths. Our analysis relied on geolocated incidents, although a relevant fraction of incidents were not geolocated. We analyzed a specific subset of geolocated incidents to ensure experimental validity; however, future work could deepen the analysis by exploring individual municipalities. In this case, all data could be used.

In conclusion, our findings highlight the complex relationship between urban design, transportation policy, and road safety. The demonstrated impact of the speed limit reduction on injury severity illustrates how policy interventions can improve safety outcomes for all road users, even in the context of increasing car usage. Integrating these insights into urban planning and transportation policy can contribute to safer, more sustainable urban mobility.

#### References

Aarts, L.T., Commandeur, J., Welsh, R., Niesen, S., Lerner, M., Thomas, P., Bos, N., Davidse, R.J., 2016. Study on serious road traffic injuries in the EU. Luxembourg: Publications Office of the European Union.

- Bajada, T., Mifsud, W.J., Scheiber, S., 2023. Transforming urban mobility and public space through slow streets. A stakeholder approach. Journal of Urban Mobility 4, 100068.
- Banister, D., 2008. The sustainable mobility paradigm. Transport policy 15, 73-80.
- Bermúdez, L., Karlis, D., Santolino, M., 2018. A discrete mixture regression for modeling the duration of non-hospitalization medical leave of motor accident victims. Accident Analysis & Prevention 121, 157–165.
- Cabrera-Arnau, C., Bishop, S.R., 2021. Urban population size and road traffic collisions in Europe. PLoS one 16, e0256485.
- Cabrera-Arnau, C., Prieto Curiel, R., Bishop, S.R., 2020. Uncovering the behaviour of road accidents in urban areas. Royal Society open science 7, 191739.
- Cameron, A.C., Trivedi, P.K., 1986. Econometric models based on count data. comparisons and applications of some estimators and tests. Journal of applied econometrics 1, 29–53.
- Chantith, C., Permpoonwiwat, C.K., Hamaide, B., 2021. Measure of productivity loss due to road traffic accidents in Thailand. IATSS research 45, 131–136.
- Cleland, C.L., McComb, K., Kee, F., Jepson, R., Kelly, M.P., Milton, K., Nightingale, G., Kelly, P., Baker, G., Craig, N., et al., 2020. Effects of 20 mph interventions on a range of public health outcomes: A metanarrative evidence synthesis. Journal of Transport & Health 17, 100633.
- DeJoy, D.M., 1992. An examination of gender differences in traffic accident risk perception. Accident Analysis & Prevention 24, 237–246.
- Elrud, R., Friberg, E., Alexanderson, K., Stigson, H., 2019. Sickness absence, disability pension and permanent medical impairment among 64,000 injured car occupants of working ages: A two-year prospective cohort study. Accident Analysis & Prevention 127, 35–41.
- Elvik, R., 2012. Speed limits, enforcement, and health consequences. Annual review of public health 33, 225–238.
- Gauvin, L., Tizzoni, M., Piaggesi, S., Young, A., Adler, N., Verhulst, S., Ferres, L., Cattuto, C., 2020. Gender gaps in urban mobility. Humanities and Social Sciences Communications 7, 1–13.
- Gobierno de Chile, 2019. Reducción de velocidad máxima urbana a 50 km/h permitió disminuir accidentes y fallecidos a un año de su implementación. https://www.gob.cl/noticias/reduccion-de-velocidadmaxima-urbana-50-kmh-permitio-disminuir-accidentes-y-fallecidos-un-ano-de-su-implementacion/. [Accessed 28-12-2023].
- González-Sánchez, G., Olmo-Sánchez, M.I., Maeso-González, E., Gutiérrez-Bedmar, M., García-Rodríguez, A., 2021. Traffic injury risk based on mobility patterns by gender, age, mode of transport and type of road. Sustainability 13, 10112.
- Graells-Garrido, E., Ferres, L., Caro, D., Bravo, L., 2017. The effect of Pokémon Go on the pulse of the city: a natural experiment. EPJ Data Science 6, 1–19.
- Graells-Garrido, E., Opitz, D., Rowe, F., Arriagada, J., 2023a. A data fusion approach with mobile phone data for updating travel survey-based mode split estimates. Transportation research part C: emerging technologies 155, 104285.
- Graells-Garrido, E., Schifanella, R., Opitz, D., Rowe, F., 2023b. Measuring the local complementarity of population, amenities and digital activities to identify and understand urban areas of interest. Environment and Planning B: Urban Analytics and City Science 50, 942–957.

- Graells-Garrido, E., Serra-Burriel, F., Rowe, F., Cucchietti, F.M., Reyes, P., 2021. A city of cities: Measuring how 15-minutes urban accessibility shapes human mobility in Barcelona. PloS one 16, e0250080.
- Guzman, L., Arellana, J., Alvarez, V., 2020. Confronting congestion in urban areas: Developing sustainable mobility plans for public and private organizations in bogotá. Transportation Research Part A: Policy and Practice 134, 321–335. doi:10.1016/j.tra.2020.02.019.
- Haghani, M., Behnood, A., Dixit, V., Oviedo-Trespalacios, O., 2022. Road safety research in the context of low-and middle-income countries: Macro-scale literature analyses, trends, knowledge gaps and challenges. Safety science 146, 105513.
- Hansson, P.G., 1976. Sick-leave after road traffic accidents. Scandinavian journal of social medicine 4, 103–107.
- Havet, N., Bayart, C., Bonnel, P., 2021. Why do gender differences in daily mobility behaviours persist among workers? Transportation Research Part A: Policy and Practice 145, 34–48.
- Hazaymeh, K., Almagbile, A., Alomari, A.H., 2022. Spatiotemporal analysis of traffic accidents hotspots based on geospatial techniques. ISPRS International Journal of Geo-Information 11, 260.
- Hilbe, J.M., 2011. Negative binomial regression. Cambridge University Press.
- Loukaitou-Sideris, A., 2016. A gendered view of mobility and transport: Next steps and future directions. Town Planning Review 87, 547–565.
- Mangones, S.C., Bulla-Cruz, L.A., Darghan, E., et al., 2024. Safety performance of dedicated and preferential bus lanes using multivariate negative binomial models for Bogotá, Colombia. Accident Analysis & Prevention 202, 107595.
- Martínez, P., Contreras, D., 2020. The effects of Chile's 2005 traffic law reform and in-country socioeconomic differences on road traffic deaths among children aged 0-14 years: A 12-year interrupted time series analysis. Accident Analysis & Prevention 136, 105335.
- Milton, K., Kelly, M.P., Baker, G., Cleland, C., Cope, A., Craig, N., Foster, C., Hunter, R., Kee, F., Kelly, P., et al., 2021. Use of natural experimental studies to evaluate 20mph speed limits in two major UK cities. Journal of Transport & Health 22, 101141.
- Miner, P., Smith, B.M., Jani, A., McNeill, G., Gathorne-Hardy, A., 2024. Car harm: A global review of automobility's harm to people and the environment. Journal of Transport Geography 115, 103817.
- Mitchell, R., Driscoll, T., Healey, S., 2004. Work-related road fatalities in Australia. Accident Analysis & Prevention 36, 851–860.
- Mohammadi, G., 2009. The pattern of fatalities by age, seat belt usage and time of day on road accidents. International journal of injury control and safety promotion 16, 27–33.
- Monroe, B.L., Colaresi, M.P., Quinn, K.M., 2008. Fightin'words: Lexical feature selection and evaluation for identifying the content of political conflict. Political Analysis 16, 372–403.
- Muñoz, J.C., Batarce, M., Hidalgo, D., 2014. Transantiago, five years after its launch. Research in Transportation Economics 48, 184–193.
- Mutual de Seguridad, 2023. Estadística. https://www.mutual.cl/portal/publico/mutual/inicio/nuestra-mutual/ transparencia/estadisticas/. [Accessed 08-03-2024].
- Nazif-Munoz, J.I., Quesnel-Vallée, A., Van den Berg, A., 2014. Explaining Chile's traffic fatality and injury reduction for 2000–2012. Traffic injury prevention 15, S56–S63.

- Ohlin, M., Kjeldgård, L., Elrud, R., Stigson, H., Alexanderson, K., Friberg, E., 2018. Duration of sickness absence following a bicycle crash, by injury type and injured body region: a nationwide register-based study. Journal of Transport & Health 9, 275–281.
- Salazar-Miranda, A., Heine, C., Duarte, F., Schechtner, K., Ratti, C., 2022. Measuring the impact of slow zones on street life using social media. Cities 131, 104010.
- Salminen, S., 2000. Traffic accidents during work and work commuting. International Journal of Industrial Ergonomics 26, 75–85. doi:10.1016/S0169-8141(00)00003-2.
- Seabold, S., Perktold, J., 2010. Statsmodels: econometric and statistical modeling with Python. SciPy 7.
- SECTRA, 2015. Informe ejecutivo encuesta origen-destino de viajes Santiago.
- Sukhai, A., Govender, R., Van Niekerk, A., 2021. Fatality risk and issues of inequity among vulnerable road users in South Africa. PLoS one 16, e0261182.
- Tzouras, P.G., Batista, M., Kepaptsoglou, K., Vlahogianni, E.I., Friedrich, B., 2023. Can we all coexist? An empirical analysis of drivers' and pedestrians' behavior in four different shared space road environments. Cities 141, 104477.
- Uber Technologies, Inc, 2024. H3 | H3 h3geo.org. https://h3geo.org/. [Accessed 25-01-2024].
- United Nations, 2023. Department of Economic and Social Affairs, Goal 11. https://sdgs.un.org/goals/ goal11. [Accessed 07-03-2024].
- Vasquez-Henriquez, P., Graells-Garrido, E., Caro, D., 2020. Tweets on the go: Gender differences in transport perception and its discussion on social media. Sustainability 12, 5405.
- Wegman, F., Zhang, F., Dijkstra, A., 2012. How to make more cycling good for road safety? Accident Analysis & Prevention 44, 19–29.
- Widhalm, P., Yang, Y., Ulm, M., Athavale, S., González, M.C., 2015. Discovering urban activity patterns in cell phone data. Transportation 42, 597–623.