

AI Data Transparency: an Exploration Through the Lens of AI Incidents

Sophia Worth¹, Ben Snaith¹, Arunav Das², Gefion Thuermer¹, Elena Simperl¹

¹Open Data Institute, London, UK

²King's College London, London, UK

Abstract

Knowing more about the data used to build AI systems is critical for allowing different stakeholders to play their part in ensuring responsible and appropriate deployment and use. Meanwhile, a 2023 report shows that data transparency lags significantly behind other areas of AI transparency in popular foundation models. In this research, we sought to build on these findings, exploring the status of public documentation about data practices within AI systems generating public concern.

Our findings demonstrate that low data transparency persists across a wide range of systems, and further that issues of transparency and explainability at model- and system- level create barriers for investigating data transparency information to address public concerns about AI systems. We highlight a need to develop systematic ways of monitoring AI data transparency that account for the diversity of AI system types, and for such efforts to build on further understanding of the needs of those both supplying and using data transparency information.

1 Introduction

Data is at the heart of AI systems, playing a key role across the AI life cycle (Sambasivan et al. 2021) and in determining the “consequences in downstream AI deployment” (Jarahi, Memariani, and Guha 2023; Sambasivan et al. 2021). For example, many are now aware of the serious risks associated with facial recognition systems developed on biased datasets (Buolamwini and Gebru 2018), or AI systems revealing confidential information (Curzon et al. 2021). Such examples demonstrate that it is not only *which* data is used to build AI systems that is important, but also how well those developing, deploying and using AI systems understand biases, limitations and legal obligations associated with use of this data, to ensure systems are implemented appropriately.

Transparency about the use of data in AI systems is rightly gaining attention (Hardinges, Simperl, and Shadbolt 2023) as a pressing area for improvement in AI governance, in what researchers have called a “growing data transparency crisis” (Longpre and Hooker 2023) given widespread difficulties in understanding the use of data across AI systems,

and the ‘lineage’ of that data (who created it, how it has been curated, its limitations, etc.).

The past several years have seen a significant range of AI data transparency efforts emerging across sectors. These have both focused on documentation practices to describe specific datasets that are commonly used in AI systems (including for example, Datasheets and Data Cards) and as part of model- and system- transparency approaches including Model or System Cards, which include information about how data has been used to build AI systems. However, evidence suggests that use of these documentation practices often remains ad-hoc and inconsistent (Yang, Liang, and Zou 2024; Liang et al. 2022). One Microsoft study demonstrated that UX designers experience a lack of data transparency information to understand pre-trained models for responsibly implementing these in AI products (Liao et al. 2023), while the Stanford Foundation Model Transparency Index demonstrated that the data transparency of a selection of 10 popular foundation models is very low (Bommasani et al. 2023b). More broadly, there remains limited further evidence on how far the range of data transparency approaches have permeated to help different stakeholders understand AI systems and the role of data in their downstream impacts.

At the same time, there are widespread and increasing demands from diverse stakeholders including the public, civil society, private sector organisations and governments for better AI transparency (Jobin, Ienca, and Vayena 2019), and AI data transparency more specifically (Hardinges, Simperl, and Shadbolt 2023).

In this research we sought to evaluate the landscape of AI data transparency among those AI systems generating public concern. To do so, we made use of the AI incidents database (AIID) generated by the Partnership on AI as a basis for identifying AI systems associated with public concern. Using an initial sample of 135 incidents that took place between January 2022 and March 2024, which generated a sample of 54 AI systems, we adopted elements of the search protocol developed by the creators of the Stanford Foundation Model Transparency Index (FMTI) (Bommasani et al. 2023b) to explore the data transparency of AI systems underlying the sample of incidents. We found that the low levels of AI data transparency identified in the Stanford research were replicated across a 25 models (a wider range than the 10 models explored in the FMTI), and further identified issues

of transparency and explainability at model- and system-levels that create barriers for investigating data transparency information. We propose that further efforts to investigate and monitor the landscape of AI data transparency, including better understanding the needs of those using and supplying transparency information, will be important for helping those designing and deploying AI systems, as well as regulators and researchers on responsible AI to target their efforts, generating benefits in supporting wider improvements in AI data transparency.

2 Background

AI data transparency should be considered in relation to the ‘needs’ for transparency information. Historically, the data used to build AI systems has commonly been viewed as a ‘technical’ element, and therefore the details of data used only relevant to those with technical expertise (Jarahi, Memariani, and Guha 2023) - an increasingly disputed paradigm given the importance of data and its governance for the ‘downstream’ impacts of AI system use (Sambasivan et al. 2021). As a result, there is increasing demand for publicly documented information about how data is used within AI systems that is accessible to a wide audience, and that helps to understand system impacts - and AI data transparency is defined as such in the context of this research, following definitions used by Bommasani et al. (2023b) and Bertino (2020).

In this section, we first explore the forms that AI data transparency can take, before highlighting the diverse needs for transparency information and the tensions this can generate, and finally the current evidence on the landscape of data transparency across diverse AI systems.

2.1 Multiple forms of AI data transparency

When it comes to AI data transparency, much emphasis has been placed on approaches focused on specific datasets (Micheli et al. 2023) such as ‘datasheets’, ‘data cards’ and ‘data nutrition labels’, which typically target developers/those building AI systems to make appropriate use of those datasets (Hallinan et al. 2020; Gebru et al. 2021; Pushkarna, Zaldivar, and Kjartansson 2022). This focus is essential considering these stakeholders’ significant responsibility in addressing elements such as quality, bias, and contextual relevance of data. While they may complement one another, it is important to differentiate such transparency approaches from those that help a more general audience to understand which datasets and how these datasets have been implemented in AI systems (the focus of this research). For these forms of data transparency, we need to look at model- and system- level transparency approaches such as Model Cards (Mitchell et al. 2019; OECD 2022), System Cards (Meta 2022), or perhaps the UK’s Algorithmic Transparency Reporting Standard (CDDO and DSIT 2024), and which data transparency information they incorporate. Importantly, it is often advised that developers incorporate data-level transparency approaches such as data cards into their model- and system- level transparency approaches, although we have not identified research exploring how often this is completed.

2.2 Who needs AI data transparency information?

In a December 2023 public scandal, the generation of child sexual abuse material (CSAM) by the Stable Diffusion¹ text-to-image model stemmed from the system being trained on the popular, vast and openly available LAION-5B training dataset, which contained over a thousand instances of CSAM material (Verma and Harwell 2023). Stanford researchers investigating the scandal highlighted the issues raised by poor transparency about the data used to build AI systems, including for identifying in which other models the LAION-5B dataset has been used, how it has been used, and whether similar risks for exposure of this illegal material are likely to emerge (Thiel 2023). Without such information, it is difficult for stakeholders all across the AI lifecycle to understand how to interpret AI systems, their component parts and their limitations, and how to use the technologies appropriately.

While public concern about AI system deployment and the social and ethical implications are high (Modhvardia 2023), particularly with regards to development and deployment among private companies, research has shown success in transparency information improving trust among users and deployers, with one study demonstrating in particular the effectiveness of ‘data-centric explanations’ for helping users to understand and evaluate machine learning systems (Anik and Bunt 2021). Further, in the context of the movement towards responsible AI, researchers argue (Bommasani et al. 2023a) that beyond these practical needs, requiring system developers to work in the open increases scrutiny and accountability, thereby encouraging responsible practices, for example creating a need to demonstrate how harms are mitigated.

Calls for improved transparency have emerged from various domains, and look increasingly likely to become an expectation - for example, in recent months, both the US (House 2024) and UK (Adams and Greenwood 2024) governments have rolled out requirements for public bodies to offer transparency into public sector AI use. While transparency can certainly not be considered a silver-bullet for addressing the ethical challenges associated with AI systems, it is a prerequisite for informed decision-making and other forms of intervention such as regulation and other forms of accountability (NIST 2024).

2.3 Where are we now?

As discussed earlier in this section, a variety of best practices and standardised approaches for sharing transparency information have become increasingly well-established over the past several years. However, while recent studies have suggested that both data- and model- documentation practices are increasingly used, particularly among developer communities, evidence suggests that information supplied within documents is often limited and highly inconsistent (Liang et al. 2024; Yang, Liang, and Zou 2024).

¹Created by StabilityAI, a major generative AI company who have partnered with organisations such as Intel.

Foundation Model Transparency Index Scores by Major Dimensions of Transparency, 2023

Source: 2023 Foundation Model Transparency Index

Data Layer

	Meta	BigScience	OpenAI	stability.ai	Google	ANTHROPIC	cohere	AI21 labs	Inflection	amazon	Average
	Llama 2	BLOOMZ	GPT-4	Stable Diffusion 2	PaLM 2	Claude 2	Command	Jurassic-2	Inflection-1	Titan Text	
Data	40%	60%	20%	40%	20%	0%	20%	0%	0%	0%	20%
Labor	29%	86%	14%	14%	0%	29%	0%	0%	0%	0%	17%
Compute	57%	14%	14%	57%	14%	0%	14%	0%	0%	0%	17%
Methods	75%	100%	50%	100%	75%	75%	0%	0%	0%	0%	48%
Model Basics	100%	100%	50%	83%	67%	67%	50%	33%	50%	33%	63%
Model Access	100%	100%	67%	100%	33%	33%	67%	33%	0%	33%	57%
Capabilities	60%	80%	100%	40%	80%	80%	60%	60%	40%	20%	62%
Risks	57%	0%	57%	14%	29%	29%	29%	29%	0%	0%	24%
Mitigations	60%	0%	60%	0%	40%	40%	20%	0%	20%	20%	26%
Distribution	71%	71%	57%	71%	71%	57%	57%	43%	43%	43%	59%
Usage Policy	40%	20%	80%	40%	60%	60%	40%	20%	60%	20%	44%
Feedback	33%	33%	33%	33%	33%	33%	33%	33%	33%	0%	30%
Impact	14%	14%	14%	14%	14%	0%	14%	14%	14%	0%	11%
Average	57%	52%	47%	47%	41%	39%	31%	20%	20%	13%	

Figure 1: Figure from Bommanasi et al. (2023), in their Foundation Model Transparency Index paper comparing transparency across 10 key foundation models and 10 aspects of AI ecosystem transparency. Their ‘data layer’ includes data, labour and compute factors.

This is corroborated by recent research into transparency of the most popular AI datasets (Longpre et al. 2023) and the Stanford research exploring AI lifecycle transparency within high profile foundation models ((Bommasani et al. 2023a), see figure 1), which have demonstrated low availability of data transparency information in practice. Further, a Microsoft study demonstrated the limited data transparency information available to UX designers seeking to responsibly implement pre-trained models (Liao et al. 2023).

Still, there remains a need to consider how such findings generalise across a wider range of AI system types and applications, given the increasing deployment of AI products across sectors and fields of practice. This is important, for example, for differentiating sectors, types of AI systems, and types of organisation in terms of data transparency information they provide, potential barriers for sharing this information, and particular targets for intervention. In responding to this need, this research considers AI data transparency in the context of systems generating public concern as a more diverse, priority sample of AI systems to examine.

3 Methodology

3.1 Research question

In this research, we explore the question: what is the state of data transparency in AI systems that have generated public concern?

3.2 Data: AI incidents for identifying AI systems causing public concern

The practice of recording AI incidents has emerged mainly with initiatives from civil society in recent years, primarily with the aim of helping to prevent recurrence of issues (Turri and Dzombak 2023). ‘Incidents databases’ largely do not include transparency information about ‘upstream’ aspects of an AI system (how it was built and how that has led to the incident), but rather focus on impacts and ‘observable’ aspects of AI systems (Turri and Dzombak 2023), and as such largely do not cover data transparency information. Still, the records of AI incidents can be used as a basis for exploration of how AI is used in the public domain, and the nature of concerns arising.

In this research we made use of the AI Incidents Database (AIID) released in 2020 by the Partnership on AI (Mcgregor 2020). The database is developed on the basis of crowdsourcing incidents from the public which are then audited by administrators, who curate the incident reports based on information available in public news reports. Although there are multiple databases focused on publicly recording AI incidents, we selected the AIID due to easier interpretability of the sample and accessibility of the data. We discuss some limitations of this sample at the end of this paper.

3.3 Methods

An overview of the methods used is available in Figure 2.




Figure 2: Overview of methodology

Filtering sample of AI systems This stage of the research was implemented by the first author of the paper. The AIID database contained 642 incidents as of early March 2024. We filtered these for recent incidents that took place between January 2022 and March 2024, to increase the likelihood of transparency information remaining available in findable formats. We used the AIID platform’s search function to identify incident reports that mentioned ‘Data’ to limit our sample to those incidents that discuss any issues associated with data. This generated a list of 135 incidents for analysis.

We used the AIID ‘incident report’ on the platform to identify the system and/or model at the centre of each AI incident. The exclusion criteria were all duplicate systems/models (46), non-English language systems (2), incidents where the issue was not clearly associated with the AI system (10), and any incidents that did not name a system/model/function of model such that it was difficult to include this information or a clear proxy (23). As such, we included 54 systems with a clear system name and function OR model name in our assessment.

Analysing AI data transparency In assessing ‘data transparency’, we used the list of indicators under the ‘Data’ section (one of ten transparency areas in their ‘ecosystem approach’ to AI transparency, see figure 1) in the Stanford Foundation Model Transparency Index (FM TI), developed from their review of scientific literature and public discourse on what AI transparency is needed for “public accountability” (p. 28, (Bommasani et al. 2023a)) among foundation models. This is defined as information needed to understand decision-making in building AI systems. Their research aimed to identify publicly available information about “data used to build the model” (in training, pre-testing, evaluation etc.). We have made use of their search proto-

col, openly documented online, (Bommasani et al. 2023b) to identify data transparency information, carefully documenting the search process and scoring each model by the data transparency indicator. However, this research faced resource constraints limiting certain aspects of the search protocol approach - for example, while the Stanford researchers validated their findings by contacting companies included in the sample, we used only publicly available documentation on the internet. In cases where the model is an ‘integration’ of other models (e.g., those built on ChatGPT such as in the case of FullPath’s GPT model) we specifically considered data used in this integration, not the original model. While relevant, we did not include ‘data labour’ and ‘compute’ indicators (see figure 1) in this research, also due to resource constraints. Future research on data transparency could explore such factors.

The indicators for ‘data transparency’ are: Data size; Data sources; Data creators; Data source selection; Data curation; Data augmentation; Harmful data filtration; Copyrighted data; Data licence; Personal information in data (?).

Applying the search protocol To apply the search protocol required identification of the model underlying the AI system’s function. As discussed in section 2.3, an AI system is made up of the inputs (data) and the mechanisms (‘models’) that generate the output - and an AI system’s outputs can be generated from multiple models, or just one (Meta 2022). To understand the data used to build a system, it was important to identify the particular model(s) underlying a given function. Where the specific model was not named in the incident reports, for each system we searched “COMPANY NAME” + “SYSTEM NAME/FUNCTION” + “model transparency”/“technical paper”/“model” and explored the resulting findings to select a model that was re-

Rate per data transparency indicator in all identifiable models



Figure 3: AI models scoring a point for each data indicator in this research (n=25) in comparison to the findings of the Foundation Model Transparency Index (n=10) ((Bommasani et al. 2023b))

leased within the relevant time period for the incident. For those where we could not identify a clear input-output mechanism/model underlying the system/function (we included those where this was not explicitly called a 'model'), we considered that we were not able to apply the search protocol outlined. We discuss the challenges in identifying model transparency information in sections 4.1 and 5.1.

To build on the research protocol and identify any remaining information, we search for key transparency information using further searches for “MODEL NAME” + “transparency”/“data transparency”/“model transparency”/“technical paper” and recorded any key transparency sources, ensuring we searched in these for data transparency information.

4 Findings

4.1 Identifying models and model transparency information

For just over half of the 54 systems, we were not able to identify information about the model architecture/specific models or algorithms associated with the concern, such that we could apply the data transparency search protocol. 29 systems/products did not offer identifiable model information, while 25 did and were analysed further for data transparency indicators.

The functions of those systems with identifiable model information (see table 1) were mostly associated with chat-

bots (n=8) or image generation (n=7), while the functions of those systems without identifiable model information (see table 2) were primarily associated with autonomous driving (n=7), facial recognition (n=5) and recommendation models (n=5).

For example, it is difficult to unpack how notoriously opaque (Stray 2021) recommender systems by big tech organisations work, likely a consequence of both the involvement of many different algorithms/models playing a role within the system/function at hand (Lada, Wang, and Yan 2021), and a desire by companies to keep the workings of their systems private to protect company interests (Luria 2023). Even where Meta, for example, has shared ‘system cards’ covering a large portion of their AI-driven recommender systems (Meta 2023), these tend to highlight that ‘multiple models’ are used to generate a particular function, and they do not name or offer more in depth information about these and the data used to develop them. As such, while it is often clear the general types of data these systems rely upon (customer purchasing history, browsing history etc.), it is difficult to identify a particular ‘input-output’ model or algorithm that the incident was associated with, in order to carry out the data transparency search protocol in this research. We identified similar challenges for identifying the ‘models’ at stake in facial recognition and autonomous driving systems among others (see Table 2) without specialist knowledge of the systems.

Data transparency score per model (out of 10)




Figure 4: Comparing number of data transparency indicators across all AI models analysed

4.2 Assessing data transparency within identifiable models

For those systems where we were able to apply the search protocol (i.e., those with identifiable model architectures/algorithms), we found that systems scored on average 2 of the 10 data transparency indicators, with 9 (40 percent) of the models scoring zero points. Of these, particular data indicators were more likely to be included (figure 3). Looking in particular at the nature of data transparency information available, the most commonly available information was about data curation and harmful data filtration (40 percent prevalence), data size (36 percent) and data sources (24 percent). Points were awarded in cases where some significant information was available, even if this was not a comprehensive description of the indicator, per the FMTI protocol. None of the models examined gave information about data licensing and very few gave information about personal information in data (12 percent), data creators (8 percent), and data source selection (8 percent) and copyrighted data (4 percent). Similarly, the Stanford FMTI researchers found that none of the 10 foundation models they assessed gave transparency information about data creators, data licensing, copyrighted data, nor personal information within the data used (Bommasani et al. 2023b)).

5 Discussion

5.1 Diverse challenges and ‘path-dependency’ for data transparency across AI systems

AI exists in society in many different forms. The findings of this research have demonstrated that the AI systems generating public concern are far from homogenous², and with this come diverse challenges in understanding how data has been used to build these AI systems.

Our findings demonstrate a ‘hierarchy of transparency’ or ‘path-dependency’, where it is difficult to investigate upstream elements of a system without understanding the basic architectures of a system or product. In this research, the vast majority of cases where AI models were identifiable and documented were generative AI-based systems (see Table 1). With the high profile technologies and models behind products for functions such as text and image generation, model names appear to be commonly reported in news, blogs and other materials online. The protocol used in this research to identify AI data transparency was taken from an existing method designed for generative AI/foundation models. To better understand AI data transparency for public accountability, future research should attempt to account for the diverse challenges for understanding how data has been

²indeed they will be, as discussed in section 6, far more diverse than those represented in this sample.

Function	No.	System name(s)
Chatbot	8	AI Blenderbot 3 ; LaMDA 2 ; ChatGPT3 ; ChatGPT4 ; Fullpath ChatGPT integration ; Replika AI chatbot ; GPT-4Chan ; Google Gemini 1.5 Pro
Image generation	7	Dall-E 2 ; Dall-E 3 ; Dall-E Mini ; Google Imagen ; Lensa ; AI image generator ; Midjourney ; Stable Diffusion 2.0
Image editing	2	Adobe Firefly Image 2 ; Playground v2 – 1024px Aesthetic Model
Generative AI identification	2	OpenAI AI classifier ; TurnItIn AI Writing Detection
Insurance decisions	1	nH Predict
Interview assessment	1	Hirevue Assessments model
Recommendations	1	Tiktok Monolith
Sound identification	1	Shotspotter
Voice generation	1	ElevenLabs Monolingual V1
Writing papers	1	Meta Galactica

Table 1: Systems and functions (model information identified) (n=25)

Function	No.	System name(s)
Autonomous driving	7	XPeng P7 ; Cruise autonomous vehicle technology ; Serve Robotics ; Tesla 'full self driving' software ; Tesla Model 3 Sedan Autopilot ; Tesla Model 9 Autopilot mode ; TuSimple autonomous vehicle technology
Facial recognition technology	5	Amazon Rekognition ; CBP One ; Clearview AI facial recognition software ; Hikvision ; Pimeyes
Recommendations	5	Amazon recommended purchases ; Facebook job ads algorithm ; Google docs 'inclusive language' function ; Google search ; Instagram recommender algorithms
Chatbot	2	Microsoft Co-Pilot Chatbot ; Tessa chatbot ; Chai Eliza chatbot
CSAM detection	1	Google Photos image analysis software
Image editing	1	ClothOff app
Pollution detection	1	Toronto AIPM system - Virtual beach 3.0
Purchase detection	1	Amazon Fresh detection algorithm
Translation	1	Google Lens camera-based translation feature
Video generation	1	Synthesia
Voice recognition	1	Centrelink voice recognition system

Table 2: Systems and functions (no model information identified) (n=29)

used to build different AI systems, and the different 'levels' at which transparency is prevented.

Further, we agree with the various studies concluding the importance of 'holistic' (Heger et al. 2022; Micheli et al. 2023; Brereton et al. 2023) approaches to AI transparency that help to understand the AI lifecycle - and emphasise the importance of embedding data transparency effectively in such approaches. A commonly touted solution is to embed data cards within model cards, and likewise model-level documentation can be embedded within system-level documentation (which take a more holistic view of the product and how it works).

5.2 Lack of data transparency of AI systems and models behind AI incidents

Largely, our findings suggest that the public availability of data transparency information is very limited across the systems identified as associated with AI incidents. Where it has been possible to identify particular models underlying AI incidents, the findings strikingly corroborate those of the Stanford Foundation Model Transparency Index, supporting their evidence generated across a sample of 10 foundation models with a wider range of 25 AI models.

It is interesting to note that the majority of those models scoring more than zero points were developed by 'big tech' companies (see figure 4). While the evidence in this research is insufficient to substantiate such a conclusion, it may be interesting to explore whether smaller companies (including

those stewarding generative AI models) are even less likely to offer data transparency information. The vast majority of incidents within the AI Incidents Database are indeed associated with big tech providers, highlighted as a limitation of the sample used in this report, and we suggest that future research could consider the disparities in data transparency across different types of organisations/providers.

The data transparency indicators designed by the Stanford FMTI and used in this research were designed based on evidence of public discourse and existing scientific literature on the need for transparency about foundation models. Particularly where there are very few or no models scoring on an indicator, it is important to reconsider how realistic and important these transparency elements are for developers to provide, across different system types. For example, we only identified transparency information addressing whether copyrighted data had been included in the model's development for one of the models included in this sample (Adobe's Firefly) - and none of those assessed in the FMTI scored this point. This should be interpreted in the context of major concerns and legal challenges (Vincent 2023) raised over the use of copyrighted data within AI systems, and particularly generative AI systems, leading to lobbying for legal requirements on companies to disclose the copyright status of their data. While almost none of those systems identified in this research respond to such demand, there is clear appetite among a diversity of stakeholders for copyright information to emerge (David 2023b,a). Similarly, the range of AI incidents focused on concerns surrounding harmful data inclusion, data biases, and the disclosure of personal data, for example, suggest that such indicators are applicable across a wide range of AI systems. The absence of this information raises questions about the reason such information is not shared - barriers to sharing information about the data in AI systems commonly highlighted (Felzmann et al. 2020) include proprietary reasons, cost, and impracticality, although there appears to be a lack of consensus regarding the extent of such barriers and their solutions.

Reconsideration of the applicability of the data transparency indicators used in this research across different types of stakeholders' needs, and for understanding different types of systems (and indeed, the types of AI incidents they are commonly associated with) may help to develop further approaches for monitoring the status of AI data transparency. As is highlighted as an objective by the FMTI researchers (Bommasani et al. 2023a), this may help, in turn, to communicate 'best practice', clear expectations and highlight gaps effectively to developers.

5.3 AI documentation practices and addressing stakeholder needs

As discussed in sections 1 and 2, AI documentation is the topic of significant attention, responding to the demand for transparency across many different stakeholder types. Much of the transparency information identified in this research was found in model cards and technical papers, suggesting the importance of the increasing expectation to supply these transparency documents for data transparency. Still, as demonstrated by the generally low scores among AI mod-

els assessed, the presence of model or system transparency documentation does not necessarily lead to presence of all desired transparency information.

Our findings have supported numerous other studies (Liang et al. 2022; Yang, Liang, and Zou 2024) demonstrating a need to increase the consistency of use of AI transparency documentation. It is important to consider how to ensure that data- and model- level transparency approaches lead to information being available to both technical and non-technical audiences seeking to understand the role of data within the systems and their downstream impacts, and therefore how these are incorporated in system-level transparency approaches, and also whether the information supplied is appropriate/sufficient. Still, we also highlight the importance of a continued research agenda to understand the efforts and barriers for producing this documentation, and how this can be best supported and encouraged.

6 Limitations of approach

This sampling and coding in this research was undertaken by a single researcher. As such, the findings are indicative of the availability of information based on the FMTI search protocol, but may not reflect all available information. Additionally, due to resource constraints we were not able to contact AI system providers to offer an opportunity to dispute our findings, a step included in the FMTI research approach. Contacting the system providers may have led to further interesting insights in addition to validation of our findings.

Further, the AI incidents reported in news media platforms and recorded to AI incidents databases will be a limited representation of those AI systems causing public concerns/real world incidents, with biases towards 'big tech' concerns, those affecting Global North countries, and less marginalised groups who may be more likely to have issues affecting them gain global attention. Indeed, in this research we were limited to analysing the English language examples. As such, expansion of this research approach to identify data transparency among a broader range of incidents would be important to validate and build on the findings.

Finally, the data transparency indicators used in this research protocol were designed specifically for foundation model transparency. While these indicators still appear broadly relevant across all types of AI systems, in section 5 we discuss the need to develop a protocol for assessing data transparency within a wider range of AI systems, including consideration of which indicators are most appropriate across diverse systems.

7 Recommendations

Recommendation 1: Investigate further how data transparency empower users of transparency information

In this research we have identified challenges in understanding the systems, models and datasets at stake in AI systems, and the importance of carefully considering how data transparency is embedded within AI system/ecosystem level transparency approaches. Particularly given the perceptions and presentation of data as 'technical' despite its clear relevance for understanding the impacts on individuals and tech-

nology users - and therefore many along its ‘supply chain’ for whom impacted individuals are their customers, clients etc. - it is important to consider the AI data transparency ‘information needs’ of different AI stakeholders more closely and how this varies across different contexts. In particular, given the most detailed data documentation approaches (dataset-level documentation) are aimed primarily at AI developers, we suggest the importance of considering how data transparency information for understanding AI systems and AI incidents can empower non-specialists and communities. Still, as discussed in recommendation 2, there remains a need to ensure simplicity and feasibility of transparency approaches, and to consideration of how to balance the needs of diverse stakeholders.

Recommendation 2: Better investigate the barriers and opportunities for effective and efficient sharing of data transparency information Common to discussions of data transparency are debates over the complexities of sharing data transparency information. Developers highlight concerns over privacy, security and intellectual property - and there are certainly questions in terms of explainability (are people able to understand the information they need), cost of generating transparency information, and incentives.

By generating an improved understanding of the different challenges for organisations developing AI systems, it may be possible to identify approaches that navigate significant concerns, while preventing calls for transparency being undermined by more vague and high-level counter-arguments such as ‘privacy concerns’ in spite of real demand for information and where issues could be mitigated.

For example, exploration of the potential challenges and opportunities for automated documentation of data practices across different system types may support more feasible and standardised approaches (Thirumuruganathan et al. 2021).

Recommendation 3: Develop an AI data transparency index addressing a wide range of AI systems We view the ecosystem-level view of the Foundation Model Transparency Index as key to understanding the needs and gaps in transparency approaches for these particular models across all aspects of the AI ecosystem. However, given the particularly limited availability of transparency information on AI data, and the diverse challenges raised in this report for understanding the data used in AI systems, we suggest that it is important to build on the findings of the FMTI and this exploratory report to develop a systematic means of assessing AI data transparency across more diverse systems. A data transparency index may consider:

- Both ‘big tech’ and smaller providers’ data transparency
- How data transparency varies across diverse applications of AI (in healthcare, environmental contexts, public sector etc.) - this may help to prompt an understanding of areas of best practice and areas of significant need and policy attention
- Data transparency indicators that empower different communities who represent societal interest in the implementation of AI systems (see recommendation 2)
- Transparency assessment of key datasets

We intend this research to offer a starting point for such efforts.

8 Conclusion

In all, the rapidly evolving landscape of AI data transparency has some way to go before the principle of transparency can be seen to be met. Our findings agree with the broad consensus that data documentation within AI systems remains largely ad hoc and mostly opaque to non-specialists and those outside of the companies creating the systems. We do, however, recognise the progress that has been made in recent years with increasing expectations for use of AI documentation practices such as data and model cards, and publishing ‘technical papers’, FAQs, blogs and more to improve public accountability and trust, and suggest that these have met particular success with improving the public accountability of foundation models (perhaps in response to the high level of concern about these systems).

We further agree that the approach by the Stanford team developing the Foundation Model Transparency Index for generating an understanding of the AI transparency landscape is important for raising awareness of needs and gaps in transparency, and propose that deeper consideration of the AI data transparency is needed to address the particular limitations for public accountability of AI systems.

9 Acknowledgments

This exploratory research was undertaken as part of the Open Data Institute’s Data-Centric AI programme, for which we are grateful for funding by the Patrick J. McGovern Foundation.

References

- Adams, L.; and Greenwood, M. 2024. Algorithmic Transparency Recording Standard: Getting ready for adoption at scale – Responsible Technology Adoption Unit Blog. <https://rtau.blog.gov.uk/2024/03/07/algorithmic-transparency-recording-standard-getting-ready-for-adoption-at-scale/>.
- Anik, A. I.; and Bunt, A. 2021. Data-Centric Explanations: Explaining Training Data of Machine Learning Systems to Promote Transparency. In *Proceedings of the 2021 CHI Conference on Human Factors in Computing Systems*, 1–13. Yokohama Japan: ACM. ISBN 978-1-4503-8096-6.
- Bertino, E. 2020. The Quest for Data Transparency. *IEEE Security & Privacy*, 18(3): 67–68.
- Bommasani, R.; Klyman, K.; Longpre, S.; Kapoor, S.; Maslej, N.; Xiong, B.; Zhang, D.; and Liang, P. 2023a. The Foundation Model Transparency Index. <http://arxiv.org/abs/2310.12941>. ArXiv:2310.12941 [cs].
- Bommasani, R.; Klyman, K.; Longpre, S.; Maslej, N.; Xiong, B.; Zhang, D.; and Liang, P. 2023b. The Foundation Model Transparency Index Search Protocol. <https://github.com/stanford-crfm/fmti/blob/main/fmti-search-protocol.pdf>.
- Brereton, T. A.; Malik, M.; Lifson, M. A.; Greenwood, J. D.; Peterson, K. J.; and Overgaard, S. M. 2023. The Role of AI Model Documentation in Translational Science: A Scoping

- Review. <http://medrxiv.org/lookup/doi/10.1101/2023.01.21.23284858>.
- Buolamwini, J.; and Gebru, T. 2018. Gender Shades: Intersectional Accuracy Disparities in Commercial Gender Classification. *Proceedings of Machine Learning Research*, (81): 1–15.
- CDDO; and DSIT. 2024. Algorithmic Transparency Recording Standard. <https://www.gov.uk/government/publications/algorithmic-transparency-template>.
- Curzon, J.; Kosa, T. A.; Akalu, R.; and El-Khatib, K. 2021. Privacy and Artificial Intelligence. *IEEE Transactions on Artificial Intelligence*, 2(2): 96–108.
- David, E. 2023a. AI companies would be required to disclose copyrighted training data under new bill - The Verge. <https://www.theverge.com/2023/12/22/24012757/ai-foundation-model-transparency-act-bill-copyright-regulation>.
- David, E. 2023b. News outlets demand new rules for AI training data - The Verge. <https://www.theverge.com/2023/8/10/23827316/news-transparency-copyright-generative-ai>.
- Felzmann, H.; Fosch-Villaronga, E.; Lutz, C.; and Tamò-Larrioux, A. 2020. Towards Transparency by Design for Artificial Intelligence. *Science and Engineering Ethics*, 26(6): 3333–3361.
- Gebru, T.; Morgenstern, J.; Vecchione, B.; Vaughan, J. W.; Wallach, H.; Iii, H. D.; and Crawford, K. 2021. Datasheets for datasets. *Communications of the ACM*, 64(12): 86–92.
- Hallinan, D.; Leenes, R.; Gutwirth, S.; and De Hert, P., eds. 2020. *Data Protection and Privacy: Data Protection and Democracy*. Hart Publishing. ISBN 978-1-5099-3274-0 978-1-5099-3276-4 978-1-5099-3275-7 978-1-5099-3277-1.
- Hardinges, J.; Simperl, E.; and Shadbolt, N. 2023. We Must Fix the Lack of Transparency Around the Data Used to Train Foundation Models. *Harvard Data Science Review*, (Special Issue 4).
- Heger, A. K.; Marquis, L. B.; Vorvoreanu, M.; Wallach, H.; and Vaughan, J. W. 2022. Understanding Machine Learning Practitioners’ Data Documentation Perceptions, Needs, Challenges, and Desiderata. ArXiv:2206.02923 [cs].
- House, T. W. 2024. FACT SHEET: Vice President Harris Announces OMB Policy to Advance Governance, Innovation, and Risk Management in Federal Agencies’ Use of Artificial Intelligence. <https://www.whitehouse.gov/briefing-room/statements-releases/2024/03/28/fact-sheet-vice-president-harris-announces-omb-policy-to-advance-governance-innovation-and-risk-management-in-federal-agencies-use-of-artificial-intelligence/>.
- Jarrahi, M. H.; Memariani, A.; and Guha, S. 2023. The Principles of Data-Centric AI. *Communications of the ACM*, 66(8): 84–92.
- Jobin, A.; Ienca, M.; and Vayena, E. 2019. The global landscape of AI ethics guidelines. *Nature Machine Intelligence*, 1(9): 389–399.
- Lada, A.; Wang, M.; and Yan, T. 2021. How Does News Feed Predict What You Want to See? <https://about.fb.com/news/2021/01/how-does-news-feed-predict-what-you-want-to-see/>.
- Liang, W.; Rajani, N.; Yang, X.; Ozoani, E.; Wu, E.; Chen, Y.; Smith, D. S.; and Zou, J. 2024. What’s documented in AI? Systematic Analysis of 32K AI Model Cards. ArXiv:2402.05160 [cs].
- Liang, W.; Tadesse, G. A.; Ho, D.; Fei-Fei, L.; Zaharia, M.; Zhang, C.; and Zou, J. 2022. Advances, challenges and opportunities in creating data for trustworthy AI. *Nature Machine Intelligence*, 4(8): 669–677.
- Liao, Q. V.; Subramonyam, H.; Wang, J.; and Wortman Vaughan, J. 2023. Designerly Understanding: Information Needs for Model Transparency to Support Design Ideation for AI-Powered User Experience. In *Proceedings of the 2023 CHI Conference on Human Factors in Computing Systems*, 1–21. Hamburg Germany: ACM. ISBN 978-1-4503-9421-5.
- Longpre, S.; and Hooker, S. 2023. Data Provenance Explorer Launches to Tackle Data Transparency Crisis. <https://cohere.com/blog/data-provenance-explorer-launches-tackle-data-transparency-crisis>.
- Longpre, S.; Mahari, R.; Chen, A.; Obeng-Marnu, N.; Sileo, D.; Brannon, W.; Muennighoff, N.; Khazam, N.; Kabbara, J.; Perisetla, K.; Wu, X.; Shippole, E.; Bollacker, K.; Wu, T.; Villa, L.; Pentland, S.; and Hooker, S. 2023. The Data Provenance Initiative: A Large Scale Audit of Dataset Licensing & Attribution in AI. <http://arxiv.org/abs/2310.16787>. ArXiv:2310.16787 [cs].
- Luria, M. 2023. “This is Transparency to Me” User Insights into Recommendation Algorithm Reporting. <https://osf.io/qfcpX>.
- Mcgregor, S. 2020. When AI Systems Fail: Introducing the AI Incident Database. <https://partnershiponai.org/aiincidentdatabase/>.
- Meta. 2022. System Cards, a new resource for understanding how AI systems work. <https://ai.meta.com/blog/system-cards-a-new-resource-for-understanding-how-ai-systems-work/>.
- Meta. 2023. Our approach to explaining ranking. <https://transparency.meta.com/features/explaining-ranking/>.
- Micheli, M.; Hupont, I.; Delipetrev, B.; and Soler-Garrido, J. 2023. The landscape of data and AI documentation approaches in the European policy context. *Ethics and Information Technology*, 25(4): 56.
- Mitchell, M.; Wu, S.; Zaldivar, A.; Barnes, P.; Vasserman, L.; Hutchinson, B.; Spitzer, E.; Raji, I. D.; and Gebru, T. 2019. Model Cards for Model Reporting. In *Proceedings of the Conference on Fairness, Accountability, and Transparency*, 220–229. Atlanta GA USA: ACM. ISBN 978-1-4503-6125-5.
- Modhvadia, R. 2023. How do people feel about AI? Technical report.
- NIST. 2024. A Plan for Global Engagement on 8 AI Standards. <https://airc.nist.gov/docs/NIST.AI.100-5.Global-Plan.ipd.pdf>.

OECD. 2022. Model Cards - OECD.AI. <https://oecd.ai/en/catalogue/tools/model-cards>.

Pushkarna, M.; Zaldivar, A.; and Kjartansson, O. 2022. Data Cards: Purposeful and Transparent Dataset Documentation for Responsible AI. <http://arxiv.org/abs/2204.01075>. ArXiv:2204.01075 [cs].

Sambasivan, N.; Kapania, S.; Highfill, H.; Akrong, D.; Paritosh, P.; and Aroyo, L. M. 2021. “Everyone wants to do the model work, not the data work”: Data Cascades in High-Stakes AI. In *Proceedings of the 2021 CHI Conference on Human Factors in Computing Systems*, 1–15. Yokohama Japan: ACM. ISBN 978-1-4503-8096-6.

Stray, J. 2021. Show me the algorithm: Transparency in recommendation systems. <https://srinstitute.utoronto.ca/news/recommendation-systems-transparency>.

Thiel, D. 2023. Identifying and Eliminating CSAM in Generative ML Training Data and Models. Technical report, Stanford Internet Observatory.

Thirumuruganathan, S.; Kunjir, M.; Ouzzani, M.; and Chawla, S. 2021. Automated Annotations for AI Data and Model Transparency. *ACM Journal of Data and Information Quality (JDIQ)*, 14(1): 1–9.

Turri, V.; and Dzombak, R. 2023. Why We Need to Know More: Exploring the State of AI Incident Documentation Practices. In *Proceedings of the 2023 AAAI/ACM Conference on AI, Ethics, and Society*, 576–583. Montréal QC Canada: ACM. ISBN 9798400702310.

Verma, P.; and Harwell, D. 2023. Exploitive, illegal photos of children found in the data that trains some AI. *Washington Post*.

Vincent, J. 2023. AI art tools Stable Diffusion and Midjourney targeted with copyright lawsuit. <https://www.theverge.com/2023/1/16/23557098/generative-ai-art-copyright-legal-lawsuit-stable-diffusion-midjourney-deviantart>.

Yang, X.; Liang, W.; and Zou, J. 2024. Navigating Dataset Documentations in AI: A Large-Scale Analysis of Dataset Cards on Hugging Face. ArXiv:2401.13822 [cs].