

Abstract	Ground-truth	Vicuna-13b	GPT-3.5 turbo	LitFM-13b
<p>We theoretically study the dynamics and spatio-temporal pattern formation of driven lattices of nonlinear optical microresonators and analyze the formation of dissipative structures, in particular dissipative Kerr solitons. We consider both equally coupled one-dimensional chains, as well as the topological Su-Schrieffer-Heeger model. We show the complexity of the four-wave mixing pathways arising in these systems with the increasing dimensionality due to the combined spatial and synthetic frequency dimension of each resonator, and show that it can be modeled using a two-dimensional variant of the Lugiato-Lefever equation. We demonstrate the existence of two fundamentally different dynamical regimes in one-dimensional chains - elliptic and hyperbolic - inherent to the system. In the elliptic regime, we generate hexagonal patterns and a two-dimensional dissipative Kerr soliton corresponding to the global spatio-temporal mode-locking and discuss its similarity to edge-state solitons in the two-dimensional Haldane topological lattice. We find that the presence of the second dimension leads to the observation of regularized wave collapse. Furthermore, we study similarities and differences between a one-dimensional topological lattice and a single cavity and analyze nonlinearly induced edge-to-bulk scattering in the Su-Schrieffer-Heeger model. Moreover, we show that soliton formation can both be impaired in trivial but, importantly, also topologically protected bands due to nonlinear bulk edge scattering.</p>	<p>Dissipative structures in topological lattices of nonlinear optical resonators</p>	<p>Dynamics and Spatio-Temporal Pattern Formation of Driven Nonlinear Optical Microresonators</p>	<p>Spatio-Temporal Dynamics and Dissipative Kerr Soliton Formation in Nonlinear Optical Microresonator Lattices: A Study of Topological and Non-Topological Systems</p>	<p>Dissipative solitons in one- and two-dimensional topological lattices of nonlinear optical resonators</p>
<p>With the continuous increase of the spectrum and antennas, endogenous sensing is now possible in the fifth generation and future wireless communication systems. However, sensing is a highly complex task for a heterogeneous communication network with massive connections. Seeking multi-domain cooperation is necessary. In this article, we present an integrated sensing and communication (ISAC) system that performs active, passive, and interactive sensing in different stages of communication through hardware and software. We also propose different methods about how multi-user and multi-frequency band cooperate to further enhance the ISAC system's performance. Finally, we elaborate on the advantages of multi-domain cooperation from the physical layer to the network layer for the ISAC system.</p>	<p>Integrated Sensing and Communication with Multi-Domain Cooperation</p>	<p>Integrated Sensing and Communication System for Multi-Domain Cooperation in Future Wireless Networks</p>	<p>Enhancing Integrated Sensing and Communication (ISAC) Systems: Multi-Domain Cooperation and Performance Optimization in Future Wireless Networks</p>	<p>Integrated Sensing and Communication System: Multi-Domain Cooperation</p>
<p>We analytically show how a superposition of beamlets produces terahertz radiation with greater spatial homogeneity and efficiency compared to tilted-pulse-fronts generated by diffraction gratings. The advantages are particularly notable for large pump bandwidths and beam sizes, alluding to better performance in the presence of cascading effects and higher energy pumping. A theory of terahertz generation using a superposition of beamlets is developed. It is shown how such an arrangement produces a distortion free tilted-pulse-front. Closed form expressions for terahertz spectra and transients in three spatial dimensions are derived. Conditions for obtaining performance parity and bounds for optimal parameters are furnished.</p>	<p>Terahertz generation by beamlet superposition</p>	<p>Superposition of Beamlets for Efficient Terahertz Radiation</p>	<p>Enhanced Terahertz Generation Through Superposition of Beamlets: Theory, Spatial Homogeneity, and Efficiency Analysis</p>	<p>Terahertz Generation Using Superpositions of Beamlets</p>