

Enter Analysis Data Folder

Call Path of Root Causes

- ▼ MPI_Recv-100 at mpi_stuff.f : 100 - 100 line (Data transfer)
- ▼ Function-99 at mpi_stuff.f : 85 - 102 line
 - ▼ Call-98 at sweep.f : 237 - 237 line
 - ▼ Loop-97 at sweep.f : 219 - 580 line
 - ▼ Loop-96 at sweep.f : 173 - 614 line
 - ▼ Loop-95 at sweep.f : 136 - 614 line
 - ▼ Function-94 at sweep.f : 2 - 625 line
 - ▼ Call-93 at inner.f : 114 - 114 line
 - ▼ Loop-92 at inner.f : 95 - 128 line
 - ▼ Function-75 at inner.f : 2 - 198 line
 - ▼ Call-74 at inner_auto.f : 66 - 66 line
 - Function-73 at inner_auto.f : 2 - 68 line

```
87 integer orig, size, tag, info
88 double precision value(size)
89 include 'mpif.h'
90 include 'msg_stuff.h'
91 integer orig_tid
92 integer status(MPI_STATUS_SIZE)
93 info = 0
94 if (orig .eq. -1) then
95   orig_tid = MPI_ANY_SOURCE
96 else
97   orig_tid = tids(orig)
98 endif
99 call mpi_recv(value, size, MPI_DOUBLE_PRECISION,
100 & orig_tid, tag, MPI_COMM_WORLD, status, info)
101 c print *,myid,'rcv_real: ',orig,size,tag,orig_tid
102 return
103 end
104 subroutine snd_int(dest, value, size, tag, info)
105 implicit none
106 integer dest, size, tag, info
107 integer value(size)
```