
Continuous Training and Fine-tuning for Domain-Specific Language Models in Medical Question Answering

Zhen Guo
MIT EECS
Cambridge, MA 02139
zguo0525@mit.edu

Yining Hua
Harvard School of Public Health
Boston, MA 02139
yining_hua@hms.harvard.edu

Abstract

Large language models exhibit promising general capabilities but often lack specialized knowledge for domain-specific tasks. Developing domain experts from a base model enables a range of applications without prohibitive training costs. This work demonstrates a method using continuous training and instruction fine-tuning to rapidly adapt Llama 2 base models to the Chinese medical domain. We first conduct continuous training on 1B tokens from Chinese medical references to teach relevant vocabulary and knowledge. The models are then fine-tuned on 54K examples sourced from the Chinese National Medical Licensing Examination. Experiments on Chinese medical data confirm the effectiveness of this approach, producing a model comparable to GPT-3.5-turbo while using way less computational resource. The resulting domain-specific model could be useful for various Chinese medical applications. More broadly, this provides a template for domain-specific training of large language models in areas where pre-trained models lack the required expertise, such as law, science, and engineering.

1 Introduction

Large Language Models (LLMs) have demonstrated impressive performance on a wide range of general language tasks in recent years. Models like GPT-3, PaLM, and Bard have achieved state-of-the-art results on applications including translation, question answering, and program synthesis [1, 2, 3, 4], enabled by massive training data, extensive pre-training, and rapid scaling [5, 6]. However, despite exhibiting excellent performance in the general domain, LLMs often fail to capture the specialized expertise required for fields such as medicine, law, or science [7, 8]. As a result, LLMs are subject to poor performance on domain-specific applications, such as medical question answering or legal search [9, 10, 11, 12].

Training domain-specific LLMs from scratch poses massive computational challenges, which are prohibitively expensive for most organizations [13]. In response, this work presents a pragmatic methodology for the rapid adaptation of general language models to specialized domains using continual training [14, 15, 16] and instruction fine-tuning strategies. We focus on the healthcare and biomedicine domain, where the demand for proficient LLMs is hampered by stringent data privacy regulations and the limited computational resources typical of healthcare and biomedical labs [17, 18]. Concurrently, recognizing the linguistic inequity in NLP [19, 20] - primarily skewed towards English - we focus on Chinese, thus broadening the global utility and inclusivity of AI applications in healthcare. This dual challenge elevates the task difficulty and therefore presents a valuable evaluation for our proposed methodology.

In detail, we develop a Chinese medical LLM based on the open-source Llama model [13]. The adaptation process is carried out in two stages. Initially, continual pretraining is employed on a corpus of 1 billion Chinese medical tokens derived from question-answer pairs. This aims to teach the model general medical knowledge. Subsequently, the model is fine-tuned on authentic medical licensing exam data with Alpaca format [21] for medical question-answering.

The model developed with our method demonstrates capabilities comparable to those of GPT-3.5 but using significantly reduced computational resources for training. Compared to the original models, Llama-2-13B fine-tuned on CMExam with the question reasoning increased from 14.1% to 38.8% in F1 score, while Chinese-Llama-2-13B increased from 23.8% to 44.1%. Furthermore, additional gains were achieved with continuous training on 1 billion Chinese medical tokens before fine-tuning, with Llama-2-13B and Chinese-Llama-2-13B reaching F1 scores of 43.3% and 45.7% respectively. This result highlights the effectiveness of leveraging continual learning and fine-tuning to impart domain expertise and extended vocabulary into general models, thus presenting a viable framework for constructing specialized models for the biomedical domain. Moreover, the methodology presented in this work could be extended to other specialized domains. Examples include law, science, and engineering, where base models typically lack domain-specific knowledge.

2 Method

2.1 Base models

This work utilizes two base language models. The first is Llama 2 13B, which is pre-trained on 2 trillion tokens with a 4096 context length [13]. The second base model is a Chinese version of Llama 2 13B, initialized from the original Llama 2 and continuously trained on a mixture of Chinese and English corpora [22, 23]. The Chinese data with sources such as encyclopedias and scientific papers provides knowledge about the Chinese language. The English sources, including datasets like SlimPajama [24] and RefinedWeb [25], maintain existing knowledge in the base Llama model.

2.2 Continual training dataset

The continual training dataset includes more than 364,000 question-answer pairs extracted from Chinese medical encyclopedias and expert articles online. These data are part of the larger Huatuo-26M dataset [26], which contains around 1 billion tokens. The encyclopedia excerpt focuses on formal medical terminology and topics like andrology, gynecology, and infectious diseases rather than consultation records. The continuous training dataset could easily be expanded by adding more medical domain data, from open-sourced datasets in HuggingFace or proprietary datasets [27, 28, 29], given sufficient computational resources.

2.3 Fine-tuning dataset

CMExam is a large-scale Chinese medical exam dataset comprising more than 54,000 multiple-choice questions that span a wide range of medical knowledge. The questions cover 27 disease categories and 36 clinical departments, serving as a valuable resource for advancing medical language understanding [30]. CMExam also includes explanations for most of the questions, providing additional knowledge for fine-tuning LLMs by enabling them to incorporate reasoning capabilities during the training process.

While this work focuses on evaluating medical knowledge, CMExam could potentially be combined with other resources, like dialogues from Li et al.’s work[31], to fine-tune conversational agents for patient-doctor interactions. However, best practices for evaluating AI chatbots remain an open research area, as discussed in [32].

2.4 Evaluation datasets

To evaluate the model’s knowledge of the Chinese medical domain, we perform greedy decoding with a maximum generation length of 256 tokens on the 6,811 question-answer pairs in the CMExam test set [30]. For base models not fine-tuned on the CMExam training set, including Llama-13B and Chinese-Llama-13B, we use a custom script to extract answers from the model outputs. The

script first attempts to directly match the answer options in the model output. In case of failure, it performs a case-insensitive search for any answer strings provided in the answer options. As a last resort, the Levenshtein distance is used to find the closest matching answer to the first line of model prediction. For all other models, we use the same hard match evaluation as the original CMExam paper, comparing the ground truth answer to the predicted answer.

To assess catastrophic forgetting of general knowledge [33], we use MMLU [8] for English and CMMLU [34] for Chinese, with 5-shot prompting for both. These general knowledge benchmarks allow us to measure whether medical fine-tuning impacts the retention of broader world knowledge in LLMs. C-Eval [35] could also provide valuable information, we did not include it in this study due to installation issues with our cluster.

2.5 Hyperparameters for training

We continuously train and fine-tune the models using the HuggingFace Transformers library on a cluster consisting of 20 nodes each with 6 NVIDIA V100 32GB GPUs, with Fully Sharded Data Parallelism (FSDP) to distribute the model across nodes [36]. The key hyperparameters are summarized in Tab. 1.

Table 1: Hyperparameters for Training

Hyperparameter Name	Value
Learning rate	2×10^{-5}
Batch size	120
max seq length	4096
Number of epochs	1
Warmup ratio	0.03

Techniques such as mixed precision fp16 [37], gradient checkpointing [38], and AdaFactor optimizer [39] are used to improve training efficiency.

3 Results

3.1 Training with reasoning improves model performance

We first conduct full-parameter fine-tuning on the two based models: Llama-2-13B and Chinese-Llama-2-13B. The fine-tuning data come from the CMExam training set, using answer-only examples or question-answer pairs with reasoning explanations. For models in the general domain, the performances of medical question-answering are suboptimal except for GPT-3.5-turbo and GPT-4. As shown in Table 2, training with explanations in the answer improves the test accuracy for both models, even when evaluating accuracy alone, suggesting the values of reasoning data in fine-tuning.

When fine-tuned solely on the CMExam training data, Chinese-Llama-2-13B achieves comparable performance to GPT-3.5-turbo. In the CMExam paper, a fine-tuned Llama-7B model obtained a lower accuracy of just 18.3%. This reduced performance could be attributed both to the smaller model size and to the use of prompt tuning [40] and low-rank adaptation [41]. While these approaches are parameter-efficient, full-parameter fine-tuning generally enables better performance.

3.2 Continual training improves domain knowledge at a cost

Next, we show the training loss in Fig. 1. The perplexity loss decreases gracefully despite the distribution shift from pre-training to continual training data. Notably, our continual training is around 1 billion tokens, much smaller than the 2 trillion tokens used for Llama-2 pre-training.

In Table 3, we show the CMExam results on different continual training checkpoints. At each checkpoint, we also fine-tune the model with question explanations (reasoning) associated with the questions. A trend emerges where the model accuracy on CMExam tends to increase as continual training progresses, signifying the learning of medical domain knowledge. However, decreases are observed in the MMLU and CMMLU metrics over time, pointing to a phenomenon of catastrophic

Table 2: Performance Metrics for Fine-tuning

Model Type	Model	More Finetuning Dataset	CMExam	
			Acc (%)	F1 (%)
General Domain	GPT-3.5-turbo	-	46.4	46.1
	GPT-4	-	61.6	61.7
	ChatGLM-7B	-	26.3	25.7
	Llama-2-13B	-	21.0	14.1
	Chinese-Llama-2-13B	-	26.7	23.8
Medical Domain	Llama-2-13B	CMExam_answer_only	37.3	37.0
		CMExam_with_reasoning	39.3	38.8
	Chinese-Llama-2-13B	CMExam_answer_only	42.9	42.7
		CMExam_with_reasoning	44.5	44.1




Figure 1: Continual training loss on encyclopedia QA dataset

forgetting of general knowledge. This is unsurprising since we did not mix in samples from the original pre-training data due to computational constraints. As a result, the model may have progressively replaced general knowledge with new knowledge in the medical domain. Overall, after 1 epoch of continuous training, the model exhibits only minor decreases in general knowledge, along with a small improvement in healthcare and biomedical understanding. This trend of forgetting general knowledge and gains in domain-specific knowledge could continue if training is extended over more epochs.

Table 3: Performance Metrics for Fine-tuning Continuously Trained Checkpoints

Model	Trained Checkpoint	CMExam		MMLU	CMMLU
		Acc (%)	F1 (%)	Acc (%)	Acc (%)
Llama-2-13B	0	39.3	38.8	58.6	42.7
	750	43.4	43.0	57.2	42.1
	1500	43.1	42.8	57.2	42.1
	2250	43.6	42.9	56.4	42.0
	3000	43.8	43.3	57.0	41.8
Chinese-Llama-2-13B	0	44.5	44.1	54.4	46.0
	750	44.7	44.7	54.4	45.7
	1500	45.5	45.1	54.0	45.1
	2250	45.9	45.5	53.1	45.3
	3000	46.0	45.7	53.1	45.2

3.3 Challenges in cross-lingual fine-tuning

Table 4: Performance Metrics for Fine-tuning with Mixed Datasets

Model	Checkpoint	Finetuning Dataset	CMExam	
			Acc (%)	F1 (%)
Llama-2-13B	3000	CMExam	43.8	43.3
	3000	CMExam+MedQA+MedMCQA	42.8	43.4
Chinese-Llama-2-13B	3000	CMExam	46.0	45.7
	3000	CMExam+MedQA+MedMCQA	41.3	43.2

Inspired by Med-PaLM 2 [29], we attempt to further improve Chinese medical QA performance by mixing English and Chinese medical question-answering data for fine-tuning. Specifically, we combine the MedQA [42], MedMCQA [43], and CMExam training sets and use this mixture to fine-tune the continuously trained Llama-2 and Chinese-Llama-2 checkpoints.

However, contrary to expectations, this multilingual fine-tuning results in degraded performance on the CMExam benchmark, especially for the Chinese-Llama variants, as shown in Table 4. This observation implies that although techniques such as ensemble refinement and instruction tuning provide gains for English medical QA with Med-PaLM 2, they do not transfer directly when applied to Chinese medical data.

Thus, it highlights the challenges of cross-lingual transfer learning. Although methods from English tasks can inform model development in other languages, adaptation is still needed to account for linguistic differences. The optimal training strategies likely vary across languages and use cases. Simply mixing diverse multilingual data does not guarantee improved performance. More research is required to determine robust techniques for cross-lingual transfer that can truly augment in-language training.

4 Conclusion

Our experiments show the promise of continual pre-training and fine-tuning for developing domain-specific language models, rather than training from scratch. However, catastrophic forgetting of general knowledge remains a challenge. Mitigating this trade-off through techniques like experience replay could enable efficient adaptation of models to new domains while retaining diverse capabilities. Further research into continual learning is needed to fully realize its advantages.

5 Ethical statement

Continual training introduces the risk of amplifying biases in newly incorporated datasets, necessitating periodic bias audits and fairness-aware algorithms. Fine-tuning specialized medical tasks requires rigorous validation by medical experts to mitigate the risk of disseminating inaccurate or misleading medical information. The model is designed to complement, not replace, human expertise in healthcare settings, and given its focus on the Chinese medical language, it is fine-tuned to be sensitive to linguistic and cultural nuances. Transparency and accountability are emphasized to ensure ethical deployment, and ongoing ethical oversight is maintained to align the project with principles of beneficence and nonmaleficence.

References

- [1] Tom Brown, Benjamin Mann, Nick Ryder, Melanie Subbiah, Jared D Kaplan, Prafulla Dhariwal, Arvind Neelakantan, Pranav Shyam, Girish Sastry, Amanda Askell, et al. Language models are few-shot learners. *Advances in neural information processing systems*, 33:1877–1901, 2020.
- [2] Aakanksha Chowdhery, Sharan Narang, Jacob Devlin, Maarten Bosma, Gaurav Mishra, Adam Roberts, Paul Barham, Hyung Won Chung, Charles Sutton, Sebastian Gehrmann, Parker Schuh, Kensen Shi, Sasha Tsvyashchenko, Joshua Maynez, Abhishek Rao, Parker Barnes,

- Yi Tay, Noam Shazeer, Vinodkumar Prabhakaran, Emily Reif, Nan Du, Ben Hutchinson, Reiner Pope, James Bradbury, Jacob Austin, Michael Isard, Guy Gur-Ari, Pengcheng Yin, Toju Duke, Anselm Levskaya, Sanjay Ghemawat, Sunipa Dev, Henryk Michalewski, Xavier Garcia, Vedant Misra, Kevin Robinson, Liam Fedus, Denny Zhou, Daphne Ippolito, David Luan, Hyeontaek Lim, Barret Zoph, Alexander Spiridonov, Ryan Sepassi, David Dohan, Shivani Agrawal, Mark Omernick, Andrew M. Dai, Thanumalayan Sankaranarayanan Pillai, Marie Pellat, Aitor Lewkowycz, Erica Moreira, Rewon Child, Oleksandr Polozov, Katherine Lee, Zongwei Zhou, Xuezhi Wang, Brennan Saeta, Mark Diaz, Orhan Firat, Michele Catasta, Jason Wei, Kathy Meier-Hellstern, Douglas Eck, Jeff Dean, Slav Petrov, and Noah Fiedel. Palm: Scaling language modeling with pathways, 2022.
- [3] Long Ouyang, Jeff Wu, Xu Jiang, Diogo Almeida, Carroll L. Wainwright, Pamela Mishkin, Chong Zhang, Sandhini Agarwal, Katarina Slama, Alex Ray, John Schulman, Jacob Hilton, Fraser Kelton, Luke Miller, Maddie Simens, Amanda Askell, Peter Welinder, Paul Christiano, Jan Leike, and Ryan Lowe. Training language models to follow instructions with human feedback, 2022.
- [4] Wayne Xin Zhao, Kun Zhou, Junyi Li, Tianyi Tang, Xiaolei Wang, Yupeng Hou, Yingqian Min, Beichen Zhang, Junjie Zhang, Zican Dong, et al. A survey of large language models. *arXiv preprint arXiv:2303.18223*, 2023.
- [5] Jared Kaplan, Sam McCandlish, Tom Henighan, Tom B. Brown, Benjamin Chess, Rewon Child, Scott Gray, Alec Radford, Jeffrey Wu, and Dario Amodei. Scaling laws for neural language models, 2020.
- [6] Jordan Hoffmann, Sebastian Borgeaud, Arthur Mensch, Elena Buchatskaya, Trevor Cai, Eliza Rutherford, Diego de Las Casas, Lisa Anne Hendricks, Johannes Welbl, Aidan Clark, et al. Training compute-optimal large language models. *arXiv preprint arXiv:2203.15556*, 2022.
- [7] Yu Gu, Robert Tinn, Hao Cheng, Michael Lucas, Naoto Usuyama, Xiaodong Liu, Tristan Naumann, Jianfeng Gao, and Hoifung Poon. Domain-specific language model pretraining for biomedical natural language processing. *ACM Transactions on Computing for Healthcare (HEALTH)*, 3(1):1–23, 2021.
- [8] Dan Hendrycks, Collin Burns, Steven Basart, Andy Zou, Mantas Mazeika, Dawn Song, and Jacob Steinhardt. Measuring massive multitask language understanding, 2021.
- [9] Arun James Thirunavukarasu, Darren Shu Jeng Ting, Kabilan Elangovan, Laura Gutierrez, Ting Fang Tan, and Daniel Shu Wei Ting. Large language models in medicine. *Nature medicine*, pages 1–11, 2023.
- [10] Sangzin Ahn. The impending impacts of large language models on medical education. *Korean Journal of Medical Education*, 35(1):103, 2023.
- [11] Shengbin Yue, Wei Chen, Siyuan Wang, Bingxuan Li, Chenchen Shen, Shujun Liu, Yuxuan Zhou, Yao Xiao, Song Yun, Xuanjing Huang, and Zhongyu Wei. Disc-lawllm: Fine-tuning large language models for intelligent legal services, 2023.
- [12] Ha-Thanh Nguyen. A brief report on lawgpt 1.0: A virtual legal assistant based on gpt-3, 2023.
- [13] Hugo Touvron, Thibaut Lavril, Gautier Izacard, Xavier Martinet, Marie-Anne Lachaux, Timothée Lacroix, Baptiste Rozière, Naman Goyal, Eric Hambro, Faisal Azhar, et al. Llama: Open and efficient foundation language models. *arXiv preprint arXiv:2302.13971*, 2023.
- [14] Suchin Gururangan, Ana Marasović, Swabha Swayamdipta, Kyle Lo, Iz Beltagy, Doug Downey, and Noah A. Smith. Don’t stop pretraining: Adapt language models to domains and tasks. In *Proceedings of the 58th Annual Meeting of the Association for Computational Linguistics*, pages 8342–8360, Online, July 2020. Association for Computational Linguistics.
- [15] Zixuan Ke, Haowei Lin, Yijia Shao, Hu Xu, Lei Shu, and Bing Liu. Continual training of language models for few-shot learning, 2022.
- [16] Kshitij Gupta, Benjamin Thérien, Adam Ibrahim, Mats L. Richter, Quentin Anthony, Eugene Belilovsky, Irina Rish, and Timothée Lesort. Continual pre-training of large language models: How to (re)warm your model?, 2023.
- [17] Yining Hua, Liqin Wang, Vi Nguyen, Meghan Rieu-Werden, Alex McDowell, David W. Bates, Dinah Foer, and Li Zhou. A deep learning approach for transgender and gender diverse patient identification in electronic health records. *Journal of Biomedical Informatics*, page 104507, 2023.

- [18] Yining Hua, Shixu Lin, Minghui Li, Yujie Zhang, Peilin Zhou, Ying-Chih Lo, Li Zhou, and Jie Yang. Streamlining social media information retrieval for public health research with deep learning, 2023.
- [19] Steven Bird. Decolonising speech and language technology. In *Proceedings of the 28th International Conference on Computational Linguistics*, pages 3504–3519, 2020.
- [20] Qingcheng Zeng, Lucas Garay, Peilin Zhou, Dading Chong, Yining Hua, Jiageng Wu, Yikang Pan, Han Zhou, Rob Voigt, and Jie Yang. Greenplm: Cross-lingual transfer of monolingual pre-trained language models at almost no cost. In Edith Elkind, editor, *Proceedings of the Thirty-Second International Joint Conference on Artificial Intelligence, IJCAI-23*, pages 6290–6298. International Joint Conferences on Artificial Intelligence Organization, 8 2023. AI for Good.
- [21] Rohan Taori, Ishaan Gulrajani, Tianyi Zhang, Yann Dubois, Xuechen Li, Carlos Guestrin, Percy Liang, and Tatsunori B. Hashimoto. Stanford alpaca: An instruction-following llama model. https://github.com/tatsu-lab/stanford_alpaca, 2023.
- [22] Yudong Li, Yuqing Zhang, Zhe Zhao, Linlin Shen, Weijie Liu, Weiquan Mao, and Hui Zhang. CSL: A large-scale Chinese scientific literature dataset. In *Proceedings of the 29th International Conference on Computational Linguistics*, pages 3917–3923, Gyeongju, Republic of Korea, October 2022. International Committee on Computational Linguistics.
- [23] Zhe Zhao, Yudong Li, Cheng Hou, Jing Zhao, Rong Tian, Weijie Liu, Yiren Chen, Ningyuan Sun, Haoyan Liu, Weiquan Mao, Han Guo, Weigang Guo, Taiqiang Wu, Tao Zhu, Wenhong Shi, Chen Chen, Shan Huang, Sihong Chen, Liqun Liu, Feifei Li, Xiaoshuai Chen, Xingwu Sun, Zhanhui Kang, Xiaoyong Du, Linlin Shen, and Kimmo Yan. Tencentpretrain: A scalable and flexible toolkit for pre-training models of different modalities, 2023.
- [24] Zhiqiang Shen, Tianhua Tao, Liqun Ma, Willie Neiswanger, Joel Hestness, Natalia Vassilieva, Daria Soboleva, and Eric Xing. Slimpajama-dc: Understanding data combinations for llm training, 2023.
- [25] Guilherme Penedo, Quentin Malartic, Daniel Hesslow, Ruxandra Cojocaru, Alessandro Cappelli, Hamza Alobeidli, Baptiste Pannier, Ebtesam Almazrouei, and Julien Launay. The refinedweb dataset for falcon llm: Outperforming curated corpora with web data, and web data only, 2023.
- [26] Jianquan Li, Xidong Wang, Xiangbo Wu, Zhiyi Zhang, Xiaolong Xu, Jie Fu, Prayag Tiwari, Xiang Wan, and Benyou Wang. Huatuo-26m, a large-scale chinese medical qa dataset, 2023.
- [27] Renqian Luo, Liai Sun, Yingce Xia, Tao Qin, Sheng Zhang, Hoifung Poon, and Tie-Yan Liu. Biogpt: generative pre-trained transformer for biomedical text generation and mining. *Briefings in Bioinformatics*, 23(6), 2022.
- [28] Rohan Anil, Andrew M. Dai, Orhan Firat, Melvin Johnson, Dmitry Lepikhin, Alexandre Passos, Siamak Shakeri, Emanuel Taropa, Paige Bailey, Zhifeng Chen, Eric Chu, Jonathan H. Clark, Laurent El Shafey, Yanping Huang, Kathy Meier-Hellstern, Gaurav Mishra, Erica Moreira, Mark Omernick, Kevin Robinson, Sebastian Ruder, Yi Tay, Kefan Xiao, Yuanzhong Xu, Yujing Zhang, Gustavo Hernandez Abrego, Junwhan Ahn, Jacob Austin, Paul Barham, Jan Botha, James Bradbury, Siddhartha Brahma, Kevin Brooks, Michele Catasta, Yong Cheng, Colin Cherry, Christopher A. Choquette-Choo, Aakanksha Chowdhery, Clément Crepy, Shachi Dave, Mostafa Dehghani, Sunipa Dev, Jacob Devlin, Mark Díaz, Nan Du, Ethan Dyer, Vlad Feinberg, Fangxiaoyu Feng, Vlad Fienber, Markus Freitag, Xavier Garcia, Sebastian Gehrmann, Lucas Gonzalez, Guy Gur-Ari, Steven Hand, Hadi Hashemi, Le Hou, Joshua Howland, Andrea Hu, Jeffrey Hui, Jeremy Hurwitz, Michael Isard, Abe Ittycheriah, Matthew Jagielski, Wenhao Jia, Kathleen Kenealy, Maxim Krikun, Sneha Kudugunta, Chang Lan, Katherine Lee, Benjamin Lee, Eric Li, Music Li, Wei Li, YaGuang Li, Jian Li, Hyeontaek Lim, Hanzhao Lin, Zhongtao Liu, Frederick Liu, Marcello Maggioni, Aroma Mahendru, Joshua Maynez, Vedant Misra, Maysam Moussalem, Zachary Nado, John Nham, Eric Ni, Andrew Nystrom, Alicia Parrish, Marie Pellat, Martin Polacek, Alex Polozov, Reiner Pope, Siyuan Qiao, Emily Reif, Bryan Richter, Parker Riley, Alex Castro Ros, Aurko Roy, Brennan Saeta, Rajkumar Samuel, Renee Shelby, Ambrose Slone, Daniel Smilkov, David R. So, Daniel Sohn, Simon Tokumine, Dasha Valter, Vijay Vasudevan, Kiran Vodrahalli, Xuezhi Wang, Pidong Wang, Zirui Wang, Tao Wang, John Wieting, Yuhuai Wu, Kelvin Xu, Yunhan Xu, Linting Xue, Pengcheng Yin, Jiahui Yu, Qiao Zhang, Steven Zheng, Ce Zheng, Weikang Zhou, Denny Zhou, Slav Petrov, and Yonghui Wu. Palm 2 technical report, 2023.

- [29] Karan Singhal, Tao Tu, Juraj Gottweis, Rory Sayres, Ellery Wulczyn, Le Hou, Kevin Clark, Stephen Pfohl, Heather Cole-Lewis, Darlene Neal, Mike Schaekermann, Amy Wang, Mohamed Amin, Sami Lachgar, Philip Mansfield, Sushant Prakash, Bradley Green, Ewa Dominowska, Blaise Aguera y Arcas, Nenad Tomasev, Yun Liu, Renee Wong, Christopher Semturs, S. Sara Mahdavi, Joelle Barral, Dale Webster, Greg S. Corrado, Yossi Matias, Shekoofeh Azizi, Alan Karthikesalingam, and Vivek Natarajan. Towards expert-level medical question answering with large language models, 2023.
- [30] Junling Liu, Peilin Zhou, Yining Hua, Dading Chong, Zhongyu Tian, Andrew Liu, Helin Wang, Chenyu You, Zhenhua Guo, Lei Zhu, and Michael Lingzhi Li. Benchmarking large language models on cmexam – a comprehensive chinese medical exam dataset, 2023.
- [31] Yunxiang Li, Zihan Li, Kai Zhang, Ruilong Dan, Steve Jiang, and You Zhang. Chatdoctor: A medical chat model fine-tuned on a large language model meta-ai (llama) using medical domain knowledge, 2023.
- [32] Wei-Lin Chiang, Zhuohan Li, Zi Lin, Ying Sheng, Zhanghao Wu, Hao Zhang, Lianmin Zheng, Siyuan Zhuang, Yonghao Zhuang, Joseph E. Gonzalez, Ion Stoica, and Eric P. Xing. Vicuna: An open-source chatbot impressing gpt-4 with 90%* chatgpt quality, March 2023.
- [33] James Kirkpatrick, Razvan Pascanu, Neil Rabinowitz, Joel Veness, Guillaume Desjardins, Andrei A. Rusu, Kieran Milan, John Quan, Tiago Ramalho, Agnieszka Grabska-Barwinska, Demis Hassabis, Claudia Clopath, Dharshan Kumaran, and Raia Hadsell. Overcoming catastrophic forgetting in neural networks. *Proceedings of the National Academy of Sciences*, 114(13):3521–3526, mar 2017.
- [34] Haonan Li, Yixuan Zhang, Fajri Koto, Yifei Yang, Hai Zhao, Yeyun Gong, Nan Duan, and Timothy Baldwin. Cmmlu: Measuring massive multitask language understanding in chinese, 2023.
- [35] Yuzhen Huang, Yuzhuo Bai, Zhihao Zhu, Junlei Zhang, Jinghan Zhang, Tangjun Su, Junteng Liu, Chuancheng Lv, Yikai Zhang, Jiayi Lei, Yao Fu, Maosong Sun, and Junxian He. C-eval: A multi-level multi-discipline chinese evaluation suite for foundation models, 2023.
- [36] Yanli Zhao, Andrew Gu, Rohan Varma, Liang Luo, Chien-Chin Huang, Min Xu, Less Wright, Hamid Shojanazeri, Myle Ott, Sam Shleifer, Alban Desmaison, Can Balioglu, Pritam Damania, Bernard Nguyen, Geeta Chauhan, Yuchen Hao, Ajit Mathews, and Shen Li. Pytorch fsdp: Experiences on scaling fully sharded data parallel, 2023.
- [37] Paulius Micikevicius, Sharan Narang, Jonah Alben, Gregory Diamos, Erich Elsen, David Garcia, Boris Ginsburg, Michael Houston, Oleksii Kuchaiev, Ganesh Venkatesh, and Hao Wu. Mixed precision training, 2018.
- [38] Tianqi Chen, Bing Xu, Chiyuan Zhang, and Carlos Guestrin. Training deep nets with sublinear memory cost, 2016.
- [39] Noam Shazeer and Mitchell Stern. Adafactor: Adaptive learning rates with sublinear memory cost, 2018.
- [40] Xiang Lisa Li and Percy Liang. Prefix-tuning: Optimizing continuous prompts for generation. *arXiv preprint arXiv:2101.00190*, 2021.
- [41] Edward J Hu, Yelong Shen, Phillip Wallis, Zeyuan Allen-Zhu, Yuanzhi Li, Shean Wang, Lu Wang, and Weizhu Chen. Lora: Low-rank adaptation of large language models. *arXiv preprint arXiv:2106.09685*, 2021.
- [42] Di Jin, Eileen Pan, Nassim Oufattole, Wei-Hung Weng, Hanyi Fang, and Peter Szolovits. What disease does this patient have? a large-scale open domain question answering dataset from medical exams. *arXiv preprint arXiv:2009.13081*, 2020.
- [43] Ankit Pal, Logesh Kumar Umapathi, and Malaikannan Sankarasubbu. Medmcqa: A large-scale multi-subject multi-choice dataset for medical domain question answering. In Gerardo Flores, George H Chen, Tom Pollard, Joyce C Ho, and Tristan Naumann, editors, *Proceedings of the Conference on Health, Inference, and Learning*, volume 174 of *Proceedings of Machine Learning Research*, pages 248–260. PMLR, 07–08 Apr 2022.