



SPEC[®] ACCEL_ACC Result

Copyright 2014-2015 Standard Performance Evaluation Corporation

Cray

(Test Sponsor: Indiana University)

NVIDIA Tesla K20

Cray XK7

SPECaccel_acc_peak = Not Run

SPECaccel_acc_base = 1.74

ACCEL license: 3440A


Test sponsor: Indiana University

Tested by: Indiana University

Test date: Mar-2014

Hardware Availability: Apr-2013

Software Availability: Feb-2014



Hardware

CPU Name: AMD Opteron 6276
 CPU Characteristics: AMD Turbo CORE Technology up to 3.2GHz, Turbo CORE off
 CPU MHz: 2300
 CPU MHz Maximum: 3200
 FPU: Integrated
 CPU(s) enabled: 16 cores, 1 chip, 16 cores/chip
 CPU(s) orderable: 1 chip
 Primary Cache: 32 KB I + 16 KB D on chip per core
 Secondary Cache: 16 MB I+D on chip per chip, 2 MB shared / 2 cores
 L3 Cache: 16 MB I+D on chip per chip, 8 MB shared / 8 cores

Continued on next page

Accelerator

Accel Model Name: Tesla K20
 Accel Vendor: NVIDIA
 Accel Name: NVIDIA Tesla K20
 Type of Accel: GPU
 Accel Connection: PCIe 2.0 16x
 Does Accel Use ECC: yes
 Accel Description: NVIDIA Tesla K20m GPU, 2496 CUDA cores, 706MHz, 5 GB GDDR5 RAM
 Accel Driver: NVIDIA UNIX x86_64 Kernel Module 319.60



SPEC ACCEL_ACC Result

Copyright 2014-2015 Standard Performance Evaluation Corporation

Cray

(Test Sponsor: Indiana University)

NVIDIA Tesla K20

Cray XK7

SPECaccel_acc_peak = Not Run

SPECaccel_acc_base = 1.74

ACCEL license: 3440A
Test sponsor: Indiana University
Tested by: Indiana University

Test date: Mar-2014
Hardware Availability: Apr-2013
Software Availability: Feb-2014

Other Cache: None
Memory: 32 GB (4 x 8 GB 2Rx4 PC3L-12800R-11, ECC)
Disk Subsystem: NONE
Other Hardware: None

Software

Operating System: SUSE Linux Enterprise Server 11 (x86_64), Cray Linux Environment 4.1
SUSE Linux Enterprise Server 11 (x86_64)
2.6.32.59-0.7.1_1.0401.6845-cray_gem_c
Compiler: PGI Accelerator Server Complete, Release 14.1
File System: NFSv3 (IBM N5500 NAS) over Gb ethernet
System State: Multi-user, run level 3
Other Software: NVIDIA CUDA 5.0.35



SPEC ACCEL_ACC Result

Copyright 2014-2015 Standard Performance Evaluation Corporation

Cray
(Test Sponsor: Indiana University)

NVIDIA Tesla K20

Cray XK7

SPECaccel_acc_peak = Not Run

SPECaccel_acc_base = 1.74

ACCEL license: 3440A
Test sponsor: Indiana University
Tested by: Indiana University

Test date: Mar-2014
Hardware Availability: Apr-2013
Software Availability: Feb-2014

Results Table

Benchmark	Base						Peak					
	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio
303.ostencil	67.7	2.14	67.8	2.14	67.8	2.14						
304.olbm	308	1.48	308	1.48	308	1.48						
314.omriq	495	1.93	495	1.93	495	1.93						
350.md	124	2.03	124	2.03	124	2.03						
351.palm	327	1.13	327	1.13	327	1.13						
352.ep	461	1.15	459	1.16	459	1.15						
353.clvleaf	213	2.09	213	2.09	213	2.09						
354.cg	233	1.75	233	1.75	233	1.75						
355.seismic	192	1.93	192	1.93	192	1.93						
356.sp	169	1.63	169	1.63	169	1.63						
357.csp	207	1.30	207	1.30	207	1.30						
359.miniGhost	218	1.69	218	1.69	218	1.69						
360.ilbdc	149	2.46	149	2.46	149	2.46						
363.swim	127	1.81	126	1.82	126	1.83						
370.bt	100	2.22	100	2.22	100	2.22						

Results appear in the order in which they were run. Bold underlined text indicates a median measurement.

Platform Notes

```
Sysinfo program /N/soft/mason/specaccelv1-039/Docs/sysinfo
$Rev: 6874 $ $Date:: 2013-11-20 #$ 0953404ef7e75a5f9bbb534c6de3f831
running on nid00359 Sun Mar 2 11:01:12 2014
```

This section contains SUT (System Under Test) info as seen by some common utilities. To remove or add to this section, see: <http://www.spec.org/accel/Docs/config.html#sysinfo>

```
From /proc/cpuinfo
model name : AMD Opteron(TM) Processor 6276
1 "physical id"s (chips)
16 "processors"
cores, siblings (Caution: counting these is hw and system dependent. The
following excerpts from /proc/cpuinfo might not be reliable. Use with
caution.)
cpu cores : 16
siblings : 16
physical 0: cores 0 1 2 3 4 5 6 7
cache size : 2048 KB
```

From /proc/meminfo

Continued on next page



SPEC ACCEL_ACC Result

Copyright 2014-2015 Standard Performance Evaluation Corporation

Cray

(Test Sponsor: Indiana University)

NVIDIA Tesla K20

Cray XK7

SPECaccel_acc_peak = Not Run

SPECaccel_acc_base = 1.74

ACCEL license: 3440A
Test sponsor: Indiana University
Tested by: Indiana University

Test date: Mar-2014
Hardware Availability: Apr-2013
Software Availability: Feb-2014

Platform Notes (Continued)

MemTotal: 33084660 kB
HugePages_Total: 0
Hugepagesize: 2048 kB

```
/usr/bin/lsb_release -d
SUSE Linux Enterprise Server 11 (x86_64)
```

```
From /etc/*release* /etc/*version*
SuSE-release:
SUSE Linux Enterprise Server 11 (x86_64)
VERSION = 11
PATCHLEVEL = 1
```

```
mazama-release:
Mazama Wed Aug 28 02:06:30 CDT 2013 on hssbld0 by bwdev
lsb-cray-mazama-7.1.0
```

```
uname -a:
Linux nid00359 2.6.32.59-0.7.1_1.0401.6845-cray_gem_c #1 SMP Thu Nov 15
00:24:59 UTC 2012 x86_64 x86_64 x86_64 GNU/Linux
```

```
SPEC is set to: /N/soft/mason/specaccelv1-039
Filesystem Type Size Used Avail Use% Mounted on
/N/soft dvs 1.7T 1.6T 103G 94% /N/soft
```

Cannot run dmidecode; consider saying 'chmod +s /usr/sbin/dmidecode'

(End of data from sysinfo program)

Base Compiler Invocation

C benchmarks:

pgcc

Fortran benchmarks:

pgfortran

Benchmarks using both Fortran and C:

pgcc pgfortran

Base Optimization Flags

C benchmarks:

-fast -Mfprelaxed -acc -ta=tesla:cc35 -ta=tesla:cuda5.5

Continued on next page



SPEC ACCEL_ACC Result

Copyright 2014-2015 Standard Performance Evaluation Corporation

Cray

(Test Sponsor: Indiana University)

NVIDIA Tesla K20

Cray XK7

SPECaccel_acc_peak = Not Run

SPECaccel_acc_base = 1.74

ACCEL license: 3440A
Test sponsor: Indiana University
Tested by: Indiana University

Test date: Mar-2014
Hardware Availability: Apr-2013
Software Availability: Feb-2014

Base Optimization Flags (Continued)

Fortran benchmarks:

-fast -Mfprelaxed -acc -ta=tesla:cc35 -ta=tesla:cuda5.5

Benchmarks using both Fortran and C:

353.civrleaf: -fast -Mfprelaxed -acc -ta=tesla:cc35 -ta=tesla:cuda5.5

359.miniGhost: -fast -Mfprelaxed -acc -ta=tesla:cc35 -ta=tesla:cuda5.5
-Mnomain

The flags file that was used to format this result can be browsed at

http://www.spec.org/accel/flags/pgi2014_flags.html

You can also download the XML flags source by saving the following link:

http://www.spec.org/accel/flags/pgi2014_flags.xml

SPEC is a registered trademark of the Standard Performance Evaluation Corporation. All other brand and product names appearing in this result are trademarks or registered trademarks of their respective holders.

For questions about this result, please contact the tester.
For other inquiries, please contact webmaster@spec.org.

Tested with SPEC ACCEL v39.
Report generated on Tue Mar 3 14:20:50 2015 by SPEC ACCEL PS/PDF formatter v1212.
Originally published on 17 March 2014.