



# CINT2000 Result

Copyright ©1999-2004, Standard Performance Evaluation Corporation

**Dell**  
Precision WorkStation 650 (2.4 GHz Xeon)

SPECint\_rate2000 = 11.1  
SPECint\_rate\_base2000 = 10.6

SPEC license #: 55 | Tested by: Dell, Round Rock, TX | Test date: Mar-2002 | Hardware Avail: Nov-2002 | Software Avail: Jun-2002

Benchmark	Base Copies	Base Runtime	Base Ratio	Copies	Runtime	Ratio
164.gzip	1	155	10.5	1	141	11.5
175.vpr	1	258	6.29	1	238	6.81
176.gcc	1	100	12.7	1	99.2	12.9
181.mcf	1	256	8.15	1	255	8.17
186.crafty	1	106	10.9	1	106	11.0
197.parser	1	207	10.1	1	200	10.4
252.eon	1	124	12.2	1	105	14.4
253.perlbnk	1	162	12.9	1	162	12.9
254.gap	1	94.2	13.5	1	91.1	14.0
255.vortex	1	138	15.9	1	127	17.4
256.bzip2	1	209	8.31	1	207	8.40
300.twolf	1	373	9.34	1	364	9.57

### Hardware

CPU: Intel Xeon (533 MHz system bus)  
CPU MHz: 2400  
FPU: Integrated  
CPU(s) enabled: 1 core, 1 chip, 1 core/chip  
CPU(s) orderable: 1,2  
Parallel: No  
Primary Cache: 12K(I) micro-ops + 8KB(D) on chip  
Secondary Cache: 512KB(I+D) on chip  
L3 Cache: N/A  
Other Cache: N/A  
Memory: 4 x 512MB PC2100 CL2-2-2 DDR ECC SDRAM  
Disk Subsystem: 1 x 36GB Seagate 15K U320  
Other Hardware:

### Software

Operating System: Windows XP Professional (SP1)  
Compiler: Intel C++ Compiler 6.0 (020613Z)  
Microsoft Visual Studio .NET (7.0.9466)  
MicroQuill SmartHeap Library 6.01  
File System: NTFS  
System State: Default

## Notes/Tuning Information

### PORTABILITY FLAGS

176.gcc: -Dalloca=\_alloca -F10000000  
186.crafty: -DNT\_i386  
253.perlbnk: -DSPEC\_CPU2000\_NTOS -DPERLDLL -MT  
254.gap: -DSYS\_HAS\_CALLOC\_PROTO -DSYS\_HAS\_MALLOC\_PROTO

### FEEDBACK-DIRECTED OPTIMIZATION

FDO: PASS1= -Qprof\_gen PASS2= -Qprof\_use

### BASE TUNING

C: -Qipo -QxW +FDO shlW32M.lib  
C++: -QxW -GX -GR +FDO

### PEAK TUNING

164.gzip: -Qipo -QxW -O3 +FDO  
175.vpr: -Qipo -QxW -O3 +FDO  
176.gcc: -Qipo -QxW -O3 +FDO  
181.mcf: -Qipo -QxW -O3 +FDO shlW32M.lib  
186.crafty: -Qipo -QxW -O3 +FDO  
197.parser: -Qipo -QxW -O3 +FDO  
252.eon: -Qipo -QxW -O3 +FDO  
253.perlbnk: -Qipo -QxW +FDO shlW32M.lib  
254.gap: -Qipo -QaxW -O3 +FDO



# CINT2000 Result

Copyright ©1999-2004, Standard Performance Evaluation Corporation

Dell  
Precision WorkStation 650 (2.4 GHz Xeon)

SPECint\_rate2000 = 11.1  
SPECint\_rate\_base2000 = 10.6

SPEC license #: 55 | Tested by: Dell, Round Rock, TX | Test date: Mar-2002 | Hardware Avail: Nov-2002 | Software Avail: Jun-2002

## Notes/Tuning Information (Continued)

```
255.vortex: -Qwp_ipo -QxW -O3 -Oa +FDO
256.bzip2:  -Qipo -QxW -O3
300.twolf:  -Qipo -QxW -O3 -Oa shlw32M.lib
EXTRA LIBRARIES
shlw32M.lib: MicroQuill SmartHeap Library 6.01
              www.microquill.com
```