



CINT2000 Result

Copyright ©1999-2004, Standard Performance Evaluation Corporation

Dell
Dell PowerEdge 3250 (1.4GHz/3MB, Itanium2)

SPECint_rate2000 = 23.6
SPECint_rate_base2000 = 23.6

SPEC license #: 55 | Tested by: Dell, Round Rock, TX | Test date: Mar-2004 | Hardware Avail: Apr-2004 | Software Avail: Mar-2004

Benchmark	Base Copies	Base Runtime	Base Ratio	Copies	Runtime	Ratio
164.zip	2	161	20.1	2	161	20.1
175.vpr	2	171	19.0	2	171	19.0
176.gcc	2	97.0	26.3	2	97.0	26.3
181.mcf	2	189	22.1	2	189	22.1
186.crafty	2	89.5	25.9	2	89.5	25.9
197.parser	2	216	19.4	2	216	19.4
252.eon	2	96.7	31.2	2	96.7	31.2
253.perlbnk	2	195	21.4	2	195	21.4
254.gap	2	142	18.0	2	142	18.0
255.vortex	2	126	35.0	2	126	35.0
256.bzip2	2	151	23.1	2	151	23.1
300.twolf	2	253	27.6	2	253	27.6

Hardware

CPU: Itanium2 processor (1400 MHz)
CPU MHz: 1400
FPU: Integrated
CPU(s) enabled: 2 cores, 2 chips, 1 core/chip
CPU(s) orderable: 1,2
Parallel: No
Primary Cache: 16KBI + 16KBD on chip
Secondary Cache: 256KB(I+D) on chip
L3 Cache: 3MB (I+D) on chip
Other Cache: N/A
Memory: 8 GB (8 * 1024MB DDR200)
Disk Subsystem: Atlas 10K Ultra2
Other Hardware:

Software

Operating System: Windows Server 2003, Enterprise Edition
Compiler: Intel C++ Compiler 8.0 Build 20040304
Microsoft Platform SDK February 2003
File System: NTFS
System State: Default

Notes/Tuning Information

```
+FDO: PASS1=-Qprof_gen PASS2=-Qprof_use
Base tuning:
C programs:      -fast -Qauto_ilp32 +FDO
C++ programs:    -fast -GX -GR +FDO
Portability flags:
175.vpr:         -DSPEC_CPU2000_P64
176.gcc:         -Dalloca=_alloca /F60000000
181.mcf:         -DSPEC_CPU2000_P64
186.crafty:      -DNT_i386
252.eon:         -DSPEC_CPU2000_P64
253.perlbnk:     -DSPEC_CPU2000_NTOS -DPERLDLL -DSPEC_CPU2000_P64
253.perlbnk:     -DHAS_LONG_LONG -DUSE_LONG_LONG
254.gap:         -DSPEC_CPU2000 -DSPEC_CPU2000_P64
255.vortex:      -DSPEC_CPU2000_P64 -D_WIN32
Peak tuning: Same as baseline (basepeak=yes set globally)
```