



CINT2000 Result

Copyright ©1999-2004, Standard Performance Evaluation Corporation

Advanced Micro Devices

Tyan Thunder K7 Motherboard, AMD Athlon (TM) MP 1800+

SPECint_rate2000 = 13.0

SPECint_rate_base2000 = 12.6

SPEC license #: 49 | Tested by: AMD Austin TX | Test date: Oct-2001 | Hardware Avail: Oct-2001 | Software Avail: Jul-2001

Benchmark	Base Copies	Base Runtime	Base Ratio	Copies	Runtime	Ratio
164.gzip	2	189	17.2	2	196	16.6
175.vpr	2	444	7.31	2	413	7.86
176.gcc	2	334	7.63	2	298	8.56
181.mcf	2	913	4.57	2	915	4.56
186.crafty	2	114	20.3	2	114	20.4
197.parser	2	365	11.4	2	365	11.4
252.eon	2	106	28.5	2	95.6	31.5
253.perlbnk	2	202	20.7	2	202	20.7
254.gap	2	177	14.4	2	175	14.6
255.vortex	2	212	20.8	2	209	21.1
256.bzip2	2	355	9.80	2	338	10.3
300.twolf	2	747	9.32	2	734	9.48

Hardware

CPU: AMD Athlon (TM) MP 1800+
CPU MHz: 1533
FPU: Integrated
CPU(s) enabled: 2 cores, 2 chips, 1 core/chip
CPU(s) orderable: 1,2
Parallel: No
Primary Cache: 64KBI + 64KBD on chip
Secondary Cache: 256KB(I+D) on chip
L3 Cache: N/A
Other Cache: N/A
Memory: 2x256MB PC2100 DDR SDRAM CL2 Registered
Disk Subsystem: Seagate ST330620A
Other Hardware: None

Software

Operating System: Windows 2000 SP1
Compiler: Intel C/C++ 5.0.1 build 010525Z
Microsoft Visual Studio 6.0 SP5 (libraries)
MicroQuill SmartHeap Library 5.0
File System: FAT32
System State: Default

Notes/Tuning Information

shlW32M.lib is the SmartHeap library V5.0 from MicroQuill www.microquill.com

+FDO: PASS1=-Qprof_gen PASS2=-Qprof_use

Portability:

176.gcc: -Dalloca=_alloca /F10000000

186.crafty: -DNT_i386

253.perlbnk: -DSPEC_CPU2000_NTOS -DPERLDLL /MT

254.gap: -DSYS_HAS_CALLOC_PROTO -DSYS_HAS_MALLOC_PROTO

Baseline C: -QxK -Qipo +FDO shlW32M.lib

Baseline C++: -QxK -Qipo -GX -GR

Peak tuning:

164.gzip: -O3 -QxK -Qwp_ipo -Oi- +FDO

175.vpr: -O3 -Qxi -QaxK -Qwp_ipo +FDO

176.gcc: -O3 -QxK -Qwp_ipo -Oi- +FDO shlW32M.lib

181.mcf: -O3 -Qxi -QaxK -Qwp_ipo +FDO

186.crafty: -O3 -QxK -Qwp_ipo -Oa +FDO shlW32M.lib

197.parser: -O3 -Qxi -QaxK -Qwp_ipo +FDO

252.eon: -O3 -QxiM -Qwp_ipo +FDO

253.perlbnk: -O3 -QxK -Qipo +FDO shlW32M.lib

254.gap: -O3 -QxK -Qipo -Oi- +FDO shlW32M.lib

255.vortex: -O3 -QxK -Qwp_ipo +FDO shlW32M.lib

Standard Performance Evaluation Corporation

info@spec.org

<http://www.spec.org>



CINT2000 Result

Copyright ©1999-2004, Standard Performance Evaluation Corporation

Advanced Micro Devices

Tyan Thunder K7 Motherboard, AMD Athlon (TM) MP 1800+

SPECint_rate2000 = 13.0

SPECint_rate_base2000 = 12.6

SPEC license #: 49 | Tested by: AMD Austin TX | Test date: Oct-2001 | Hardware Avail: Oct-2001 | Software Avail: Jul-2001

Notes/Tuning Information (Continued)

```
256.bzip2:    -O3 -QxK -Oa -Qwp_ipo
300.twolf:    -O3 -QxK -Qipo -Oa +FDO shlW32M.lib
ONESTEP is used for all base and peak runs
```

The tested system can be assembled using a case such as the Chenming 601 AE-F-O,
a 460W power supply such as the Delta Electronics DPS465 AB A
The System bus runs at 266MHz