



# CFP2000 Result

Copyright ©1999-2005, Standard Performance Evaluation Corporation

## Acer Incorporated

Acer Altos R510 Mk2 (3.8 GHz Intel Xeon processor, 2MB L2, 800MHz system bus)

SPECfp2000 = 1940

SPECfp\_base2000 = 1927

SPEC license #: 97 Tested by: Acer Incorporated Test date: Dec-2005 Hardware Avail: Jan-2006 Software Avail: Jul-2005

Benchmark	Reference Time	Base Runtime	Base Ratio	Runtime	Ratio	
168.wupwise	1600	58.5	2737	58.4	2738	
171.swim	3100	133	2337	133	2336	
172.mgrid	1800	114	1586	114	1585	
173.applu	2100	131	1602	131	1602	
177.mesa	1400	84.7	1654	84.7	1654	
178.galgel	2900	76.1	3809	76.2	3806	
179.art	2600	57.1	4550	57.1	4550	
183.quake	1300	47.0	2765	46.9	2770	
187.facerec	1900	95.0	2001	95.0	2001	
188.amp	2200	191	1152	174	1262	
189.lucas	2000	96.2	2080	96.1	2081	
191.fma3d	2100	136	1542	136	1542	
200.sixtrack	1100	145	757	146	756	
301.apsi	2600	192	1353	192	1353	

### Hardware

CPU: Intel Xeon (3.8 GHz, 2MB L2, 800MHz system bus)  
CPU MHz: 3800  
FPU: Integrated  
CPU(s) enabled: 1 core, 1 chip, 1 core/chip(Hyper-Threading Technology Disabled)  
CPU(s) orderable: 1,2  
Parallel: No  
Primary Cache: 12KB(I) micro-ops + 16KB(D) on chip  
Secondary Cache: 2048KB(I+D) on chip  
L3 Cache: N/A  
Other Cache: N/A  
Memory: 6 x 512MB ECC DDR2-400 SDRAM  
Disk Subsystem: 1 x 160GB 7200RPM SATA HDD  
Other Hardware:

### Software

Operating System: Microsoft Windows Server 2003 Enterprise Edition (Build 3790)  
Compiler: Intel C++ 9.0 Build 20050430Z for IA32 and Fortran Compiler 9.0 Build 20050722Z for IA32  
Microsoft Visual Studio .Net 2003(7.1.3091, for libraries)  
shlw32M.lib is SmartHeap Library Version 7.4 from http://www.microquill.com/  
File System: NTFS  
System State: Default

## Notes/Tuning Information

```
+FDO: PASS1= -Qprof_gen PASS2=-Qprof_use
Base tuning for all Fortran Programs : -fast -Qansi_alias +FDO
Base tuning for all C Programs: -fast +FDO shlw32M.lib
Portability:
178.galgel: -FI /F32000000
192.fma3d: Approved windowsdp src.alt used
Peak tuning:
168.wupwise: -fast -Qansi_alias +FDO
171.swim: -fast -Qansi_alias +FDO
172.mgrid: -fast -Qansi_alias +FDO
173.applu: basepeak=yes
177.mesa: basepeak=yes
178.galgel: -fast -Qansi_alias +FDO
179.art: basepeak=yes
183.quake: -fast -Oa -Qrcd -Qprof_gen shlw32M.lib
187.facerec: basepeak=yes
188.amp: -Oa -QxP
```



# CFP2000 Result

Copyright ©1999-2005, Standard Performance Evaluation Corporation

**Acer Incorporated**

Acer Altos R510 Mk2 (3.8 GHz Intel Xeon processor, 2MB L2, 800MHz system bus)

SPECfp2000 = 1940

SPECfp\_base2000 = 1927

SPEC license #: 97 | Tested by: Acer Incorporated | Test date: Dec-2005 | Hardware Avail: Jan-2006 | Software Avail: Jul-2005

## Notes/Tuning Information (Continued)

189.lucas: -fast -Qprefetch- +FDO

191.fma3d: basepeak=yes

200.sixtrack: -Qipo -QxP +FDO

301.apsi: -fast +FDO

Enable hardware prefetching and adjacent cache line prefetch BIOS setting

Product description located at <http://www.acer.com>