



CINT2000 Result

Copyright ©1999-2005, Standard Performance Evaluation Corporation

Hewlett-Packard Company
ProLiant ML310 G3 (3.0GHz, Intel Pentium D Processor 930)

SPECint2000 = **1502**
SPECint_base2000 = **1497**

SPEC license #: 3 Tested by: Hewlett-Packard Company Test date: Feb-2006 Hardware Avail: Feb-2006 Software Avail: Oct-2005

Benchmark	Reference Time	Base Runtime	Base Ratio	Runtime	Ratio	1000 2000 3000 4000			
164.gzip	1400	137	1024	137	1020	[Bar chart showing ratio 1020]			
175.vpr	1400	138	1013	135	1037	[Bar chart showing ratio 1037]			
176.gcc	1100	61.5	1789	61.5	1789	[Bar chart showing ratio 1789]			
181.mcf	1800	93.4	1928	94.4	1907	[Bar chart showing ratio 1907]			
186.crafty	1000	90.0	1111	90.3	1107	[Bar chart showing ratio 1107]			
197.parser	1800	143	1257	143	1261	[Bar chart showing ratio 1261]			
252.eon	1300	68.7	1892	68.5	1897	[Bar chart showing ratio 1897]			
253.perlbmk	1800	100	1794	98.9	1819	[Bar chart showing ratio 1819]			
254.gap	1100	67.6	1627	66.3	1660	[Bar chart showing ratio 1660]			
255.vortex	1900	71.3	2664	71.3	2664	[Bar chart showing ratio 2664]			
256.bzip2	1500	132	1139	131	1141	[Bar chart showing ratio 1141]			
300.twolf	3000	198	1512	199	1510	[Bar chart showing ratio 1510]			

Hardware

CPU: Intel Pentium D Processor 930 (3.0GHz, 2x2MB L2, 800MHz bus)
CPU MHz: 3000
FPU: Integrated
CPU(s) enabled: 1 core, 1 chip, 2 cores/chip
CPU(s) orderable: 1
Parallel: No
Primary Cache: 12K micro-ops I + 16KBD (on chip) per core
Secondary Cache: 2048KB(I+D) (on chip) per core
L3 Cache: N/A
Other Cache: N/A
Memory: 4x1024MB PC2-4200
Disk Subsystem: 1x36.4GB 15K Ultra320 SCSI
Other Hardware:

Software

Operating System: Windows Server 2003 Enterprise SP1
Compiler: Intel C++ Compiler for 32-bit applications, (Version 9.0 Build 20051020Z)
Microsoft Visual Studio .NET 7.0.9466 (for libraries)
MicroQuill Smartheap Library 7.0
File System: NTFS
System State: Default

Notes/Tuning Information

+FDO: PASS1=-Qprof_gen PASS2=-Qprof_use

Base tuning for C programs: -fast +FDO ONESTEP=yes shlw32M.lib

Base tuning for C++ programs: -fast -Qcxx_features +FDO ONESTEP=yes

Portability flags:

176.gcc: -Dalloca=_alloca /F10000000

186.crafty: -DNT_i386

253.perlbmk: -DSPEC_CPU2000_NTOS -DPERLDLL /MT

254.gap: -DSYS_HAS_CALLOC_PROTO -DSYS_HAS_MALLOC_PROTO

Peak tuning:

164.gzip: -fast +FDO ONESTEP=yes

175.vpr: -fast +FDO ONESTEP=yes

176.gcc: basepeak = 1

181.mcf: -fast +FDO ONESTEP=yes shlw32M.lib

186.crafty: -fast -Oa +FDO ONESTEP=yes shlw32M.lib

197.parser: -fast +FDO ONESTEP=yes

252.eon: -fast +FDO

253.perlbmk: -fast -Oa +FDO ONESTEP=yes shlw32M.lib

254.gap: -fast +FDO ONESTEP=yes

255.vortex: -fast +FDO ONESTEP=yes shlw32M.lib



CINT2000 Result

Copyright ©1999-2005, Standard Performance Evaluation Corporation

Hewlett-Packard Company
ProLiant ML310 G3 (3.0GHz, Intel Pentium D Processor 930)

SPECint2000 = 1502
SPECint_base2000 = 1497

SPEC license #: 3 | Tested by: Hewlett-Packard Company | Test date: Feb-2006 | Hardware Avail: Feb-2006 | Software Avail: Oct-2005

Notes/Tuning Information (Continued)

256.bzip2: -fast -Oa -Qunroll11 +FDO ONESTEP=yes shlw32M.lib
300.twolf: -fast +FDO shlw32M.lib
Other Configuration Notes
/NUMPROC=1 flag was added to boot.ini to invoke the uniprocessor environment.