



# CFP2000 Result

Copyright ©1999-2007, Standard Performance Evaluation Corporation

## Bull

NovaScale B280 (Intel Xeon processor E5335, 2.00 GHz)

SPECfp\_rate2000 = 92.4

SPECfp\_rate\_base2000 = 91.1

SPEC license #: 20 | Tested by: Bull | Test date: Feb-2007 | Hardware Avail: Jan-2007 | Software Avail: Dec-2006

Benchmark	Base Copies	Base Runtime	Base Ratio	Copies	Runtime	Ratio
168.wupwise	8	138	108	8	138	108
171.swim	8	554	51.9	8	554	51.9
172.mgrid	8	345	48.5	8	345	48.5
173.applu	8	370	52.7	8	370	52.7
177.mesa	8	78.0	167	8	77.9	167
178.galgel	8	95.7	281	8	95.7	281
179.art	8	106	228	8	106	228
183.equake	8	179	67.3	8	179	67.3
187.facerec	8	152	116	8	152	116
188.amp	8	208	98.1	8	171	119
189.lucas	8	326	56.9	8	326	56.9
191.fma3d	8	309	63.1	8	309	63.1
200.sixtrack	8	143	71.3	8	143	71.3
301.apsi	8	268	90.2	8	268	90.2

### Hardware

CPU: Intel Xeon Processor E5335 (2.00 GHz, 8MB L2, 1333MHz bus)  
CPU MHz: 2000  
FPU: Integrated  
CPU(s) enabled: 8 cores, 2 chips, 4 cores/chip  
CPU(s) orderable: 1 to 2 chips  
Parallel: No  
Primary Cache: 32KB(I) + 32KB(D) on chip, per core  
Secondary Cache: 8MB(I+D) on chip, per chip ( 4MB shared by 2 cores)  
L3 Cache: N/A  
Other Cache: N/A  
Memory: 8GB (1GB DIMMx8, FB-DIMM PC2-5300F ECC CL5)  
Disk Subsystem: 1x73GB SAS 10000 rpm  
Other Hardware:

### Software

Operating System: Windows Server 2003 Enterprise Edition (32 bits), Service Pack 1  
Compiler: Intel(R) C++ Compiler for 32-bit app., Version 9.1, - Build 20061103Z Package ID: W\_CC\_C\_9.1.033  
Intel(R) Fortran Compiler for 32-bit app., Version 9.1, - Build 20061103Z Package ID: W\_FC\_C\_9.1.033  
Microsoft Visual Studio .NET 2003 (for libraries)  
MicroQuill SmartHeap Library 8.0 (shlW32M.lib)  
File System: NTFS  
System State: Default

## Notes/Tuning Information

Portability flags:

178.galgel: -FI /F32000000

Feedback optimization:

+FDO: PASS1= -Qprof\_gen PASS2= -Qprof\_use

Baseline Tuning Flags:

for C programs:  
-fast +FDO ONESTEP=yes shlW32M.lib  
for Fortran programs:  
-fast -Qansi\_alias +FDO

Peak Tuning Flags:

168.wupwise: basepeak=yes  
171.swim: basepeak=yes  
172.mgrid: basepeak=yes  
173.applu: basepeak=yes



# CFP2000 Result

Copyright ©1999-2007, Standard Performance Evaluation Corporation

**Bull**

NovaScale B280 (Intel Xeon processor E5335, 2.00 GHz)

SPECfp\_rate2000 = 92.4

SPECfp\_rate\_base2000 = 91.1

SPEC license #: 20 | Tested by: Bull | Test date: Feb-2007 | Hardware Avail: Jan-2007 | Software Avail: Dec-2006

## Notes/Tuning Information (Continued)

```
177.mesa: -fast +FDO ONESTEP=yes
178.galgel: basepeak=yes
179.art: basepeak=yes
183.quake: basepeak=yes
187.facerec: basepeak=yes
188.ammp: -fast +FDO ONESTEP=yes
189.lucas: basepeak=yes
191.fma3d: basepeak=yes
200.sixtrack: basepeak=yes
301.apsi: basepeak=yes
```

Other Configuration Notes

For information about Bull please see:  
<http://www.bull.com>