



SPEC® OMPG2012 Result

Copyright 2012-2017 Standard Performance Evaluation Corporation

NEC

(Test Sponsor: RWTH University Aachen)

SPECompG_peak2012 = Not Run

NEC HPC 1812Rg

SPECompG_base2012 = 9.97

OMP2012 license:055A


Test sponsor: RWTH University Aachen

Tested by: Jennifer Witham, Bo Wang

Test date: Sep-2017

Hardware Availability: Oct-2016

Software Availability: Feb-2016



Hardware

CPU Name: Intel Xeon E7-8860 v4
 CPU Characteristics: Intel Turbo Boost Technology up to 3.2 GHz (single)/2.2 GHz (all), 9.6 GT/s QPI, Hyper-Threading enabled
 CPU MHz: 2200
 CPU MHz Maximum: 3200
 FPU: Integrated
 CPU(s) enabled: 144 cores, 8 chips, 18 cores/chip, 2 threads/core
 CPU(s) orderable: 4,8 chips
 Primary Cache: 32 KB I + 32 KB D on chip per core
 Secondary Cache: 256 KB I+D on chip per core
 L3 Cache: 45 MB I+D on chip per chip
 Other Cache: None
 Memory: 1 TB (64x16 GB 2Rx4 PC4-2400T-R)
 Disk Subsystem: SATA, Samsung SM863, 2x1.92TB, NVMe SSD
 Other Hardware: None

Continued on next page

Software

Operating System: CentOS Linux release 7.3.1611 (Core) 3.10.0-514.26.2.el7.x86_64
 Compiler: C/C++/Fortran: Version 16.0.2.181 of Intel Parallel Studio XE
 Auto Parallel: No
 File System: nfs
 System State: Multi-User
 Base Pointers: 64-bit
 Peak Pointers: 64-bit
 Other Software: None



SPEC OMPG2012 Result

Copyright 2012-2017 Standard Performance Evaluation Corporation

NEC

(Test Sponsor: RWTH University Aachen)

SPECompG_peak2012 = Not Run

NEC HPC 1812Rg

SPECompG_base2012 = 9.97

OMP2012 license:055A

Test sponsor: RWTH University Aachen

Tested by: Jennifer Witham, Bo Wang

Test date: Sep-2017

Hardware Availability: Oct-2016

Software Availability: Feb-2016

Base Threads Run: 36
Minimum Peak Threads: --
Maximum Peak Threads: --

Results Table

Benchmark	Base								Peak							
	Threads	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Threads	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio		
350.md	36	439	10.6	456	10.2	465	9.96									
351.bwaves	36	341	13.3	342	13.3	342	13.3									
352.nab	36	416	9.36	414	9.40	414	9.40									
357.bt331	36	353	13.4	350	13.5	352	13.5									
358.botsalgn	36	497	8.76	497	8.75	497	8.75									
359.botsspar	36	703	7.47	700	7.50	700	7.50									
360.ilbdc	36	710	5.02	711	5.01	708	5.03									
362.fma3d	36	524	7.25	518	7.33	524	7.25									
363.swim	36	425	10.6	425	10.7	425	10.7									
367.imagick	36	658	10.7	659	10.7	657	10.7									
370.mgrid331	36	485	9.11	485	9.12	486	9.10									
371.applu331	36	394	15.4	380	16.0	383	15.8									
372.smithwa	36	328	16.4	355	15.1	339	15.8									
376.kdtree	36	497	9.05	498	9.04	498	9.03									

Results appear in the order in which they were run. Bold underlined text indicates a median measurement.

Platform Notes

Sysinfo program /rwthfs/rz/cluster/home/jw331215/work/claixspec/Docs/sysinfo
Revision 563 of 2016-06-10 (097295389cf6073d8c3b03fa376740a5)
running on lns01.hpc.itc.rwth-aachen.de Thu Sep 14 14:11:51 2017

This section contains SUT (System Under Test) info as seen by some common utilities. To remove or add to this section, see:
<http://www.spec.org/omp2012/Docs/config.html#sysinfo>

From /proc/cpuinfo

```
model name : Intel(R) Xeon(R) CPU E7-8860 v4 @ 2.20GHz
8 "physical id"s (chips)
288 "processors"
```

cores, siblings (Caution: counting these is hw and system dependent. The following excerpts from /proc/cpuinfo might not be reliable. Use with caution.)

```
cpu cores : 18
siblings : 36
physical 0: cores 0 1 2 3 4 8 9 10 11 16 17 18 19 20 24 25 26 27
physical 1: cores 0 1 2 3 4 8 9 10 11 16 17 18 19 20 24 25 26 27
physical 2: cores 0 1 2 3 4 8 9 10 11 16 17 18 19 20 24 25 26 27
physical 3: cores 0 1 2 3 4 8 9 10 11 16 17 18 19 20 24 25 26 27
```

Continued on next page



SPEC OMPG2012 Result

Copyright 2012-2017 Standard Performance Evaluation Corporation

NEC

(Test Sponsor: RWTH University Aachen)

SPECompG_peak2012 = Not Run

NEC HPC 1812Rg

SPECompG_base2012 = 9.97

OMP2012 license:055A

Test sponsor: RWTH University Aachen

Tested by: Jennifer Witham, Bo Wang

Test date: Sep-2017

Hardware Availability: Oct-2016

Software Availability: Feb-2016

Platform Notes (Continued)

```

physical 4: cores 0 1 2 3 4 8 9 10 11 16 17 18 19 20 24 25 26 27
physical 5: cores 0 1 2 3 4 8 9 10 11 16 17 18 19 20 24 25 26 27
physical 6: cores 0 1 2 3 4 8 9 10 11 16 17 18 19 20 24 25 26 27
physical 7: cores 0 1 2 3 4 8 9 10 11 16 17 18 19 20 24 25 26 27
cache size : 46080 KB

```

From /proc/meminfo

MemTotal: 1056480792 kB

HugePages_Total: 0

Hugepagesize: 2048 kB

/usr/bin/lsb_release -d

CentOS Linux release 7.3.1611 (Core)

From /etc/*release* /etc/*version*

centos-release: CentOS Linux release 7.3.1611 (Core)

centos-release-upstream: Derived from Red Hat Enterprise Linux 7.3 (Source)

os-release:

NAME="CentOS Linux"

VERSION="7 (Core)"

ID="centos"

ID_LIKE="rhel fedora"

VERSION_ID="7"

PRETTY_NAME="CentOS Linux 7 (Core)"

ANSI_COLOR="0;31"

CPE_NAME="cpe:/o:centos:centos:7"

redhat-release: CentOS Linux release 7.3.1611 (Core)

system-release: CentOS Linux release 7.3.1611 (Core)

system-release-cpe: cpe:/o:centos:centos:7

uname -a:

Linux lns01.hpc.itc.rwth-aachen.de 3.10.0-514.26.2.el7.x86_64 #1 SMP Tue Jul 4 15:04:05 UTC 2017 x86_64 x86_64 x86_64 GNU/Linux

run-level 3 Aug 7 19:49

SPEC is set to: /rwthfs/rz/cluster/home/jw331215/work/claixspec

Filesystem	Type	Size	Used	Avail	Use%
isi.isi.hpc.itc.rwth-aachen.de:/home/jw331215	nfs	150G	65G	86G	43%
/rwthfs/rz/cluster/home/jw331215					

Mounted on

/rwthfs/rz/cluster/home/jw331215

Additional information from dmidecode:

Warning: Use caution when you interpret this section. The 'dmidecode' program reads system data which is "intended to allow hardware to be accurately determined", but the intent may not be met, as there are frequent changes to hardware, firmware, and the "DMTF SMBIOS" standard.

(End of data from sysinfo program)



SPEC OMPG2012 Result

Copyright 2012-2017 Standard Performance Evaluation Corporation

NEC

(Test Sponsor: RWTH University Aachen)

NEC HPC 1812Rg

SPECompG_peak2012 = Not Run

SPECompG_base2012 = 9.97

OMP2012 license:055A

Test sponsor: RWTH University Aachen

Tested by: Jennifer Witham, Bo Wang

Test date: Sep-2017

Hardware Availability: Oct-2016

Software Availability: Feb-2016

General Notes

BIOS settings:

Intel Hyper-Threading Technology (SMT): Enabled

Intel Turbo Boost Technology (Turbo) : Enabled

ENV_OMP_SCHEDULE=static

ENV_KMP_BLOCKTIME=200

ENV_KMP_STACKSIZE=8192M

ENV_OMP_DYNAMIC=FALSE

Base Compiler Invocation

C benchmarks:

icc

C++ benchmarks:

icpc

Fortran benchmarks:

ifort

Base Portability Flags

350.md: -free

357.bt331: -mmodel=medium

363.swin: -mmodel=medium

367.imagick: -std=c99

Base Optimization Flags

C benchmarks:

-O3 -openmp -ipo -xCORE-AVX2 -ansi-alias

C++ benchmarks:

-O3 -openmp -ipo -xCORE-AVX2 -ansi-alias

Fortran benchmarks:

-O3 -openmp -ipo -xCORE-AVX2 -align all

The flags file that was used to format this result can be browsed at

<http://www.spec.org/omp2012/flags/Intel-linux64.html>

You can also download the XML flags source by saving the following link:

<http://www.spec.org/omp2012/flags/Intel-linux64.xml>



SPEC OMPG2012 Result

Copyright 2012-2017 Standard Performance Evaluation Corporation

NEC

(Test Sponsor: RWTH University Aachen)

NEC HPC 1812Rg

SPECompG_peak2012 = Not Run

SPECompG_base2012 = 9.97

OMP2012 license:055A

Test sponsor: RWTH University Aachen

Tested by: Jennifer Witham, Bo Wang

Test date: Sep-2017

Hardware Availability: Oct-2016

Software Availability: Feb-2016

SPEC is a registered trademark of the Standard Performance Evaluation Corporation. All other brand and product names appearing in this result are trademarks or registered trademarks of their respective holders.

For questions about this result, please contact the tester.
For other inquiries, please contact webmaster@spec.org.

Tested with SPEC OMP2012 v1.1.
Report generated on Wed Oct 25 17:17:18 2017 by SPEC OMP2012 PS/PDF formatter v541.
Originally published on 25 October 2017.