



SPEC® CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Supermicro
Motherboard H8DM3-2

SPECint®_rate2006 - NA
SPECint_rate_base2006 - NA

CPU2006 license: 001176
Test sponsor: Supermicro
Tested by: Supermicro

Test date: Sep-2007
Hardware Availability: Sep-2007
Software Availability: Apr-2007

SPEC has determined that this result was not in compliance with the SPEC CPU2006 run and reporting rules. Specifically, the processor vendor reported that the processor would not meet the SPEC OSG requirements for continued availability.

- | | Copies |
|----------------|--------|
| 400.perlbench | |
| 401.bzip2 | |
| 403.gcc | |
| 429.mcf | |
| 445.gobmk | |
| 456.hmmer | |
| 458.sjeng | |
| 462.libquantum | |
| 464.h264ref | |
| 471.omnetpp | |
| 473.ast | |
| 483.xalancbmk | |

Not Available

Hardware

CPU Name: AMD Opteron 2347
CPU Characteristic: 1900
CPU MHz: Integrated
FPU: Integrated
CPU(s) enabled: 8 cores, 2 chips, 4 cores/chip
CPU(s) orderable: 1 to 2 chips
Primary Cache: 64 KB I + 64 KB D on chip per core
Secondary Cache: 512 KB I+D on chip per core
L3 Cache: 2 MB I+D on chip per chip
Other Cache: None

Continued on next page

Software

Operating System: SuSE Linux Enterprise Server 10 SP1 64-bit kernel
Compiler: The Portland Group (PGI)
PGI pgcc 7.1-0 C Compiler
PGI pgCC 7.1-0 C++ Compiler
PathScale Compiler Suite, Release 3.0
Auto Parallel: No
File System: ReiserFS
System State: --
Base Pointers: 32/64-bit
Peak Pointers: 32/64-bit

Continued on next page



SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Supermicro
Motherboard H8DM3-2

SPECint_rate2006 = NA
SPECint_rate_base2006 = NA

CPU2006 license: 001176
Test sponsor: Supermicro
Tested by: Supermicro

Test date: Sep-2007
Hardware Availability: Sep-2007
Software Availability: Apr-2007

SPEC has determined that this result was not in compliance with the SPEC CPU2006 run and reporting rules. Specifically, the processor vendor reported that the processor would not meet the SPEC OSG requirements for continued availability.

Memory: 16 GB (8x 2GB, PC2-5300 CL5 DDR2)
Disk Subsystem: 1x SATA, 500 GB, 7200 RPM
Other Hardware: None

Other Software: glibc (Heap 8.0 32-bit Library for Linux)

Results Table

| Benchmark | Base | | | | | | | | Peak | | | | | | | |
|----------------|--------|---------|-------|---------|-------|---------|-------|--------|---------|-------|---------|-------|---------|-------|--|--|
| | Copies | Seconds | Ratio | Seconds | Ratio | Seconds | Ratio | Copies | Seconds | Ratio | Seconds | Ratio | Seconds | Ratio | | |
| 400.perlbench | 8 | NA | NA | NA | NA | NA | NA | 8 | NA | NA | NA | NA | NA | NA | | |
| 401.bzip2 | 8 | NA | NA | NA | NA | NA | NA | 8 | NA | NA | NA | NA | NA | NA | | |
| 403.gcc | 8 | NA | NA | NA | NA | NA | NA | 8 | NA | NA | NA | NA | NA | NA | | |
| 429.mcf | 8 | NA | NA | NA | NA | NA | NA | 8 | NA | NA | NA | NA | NA | NA | | |
| 445.gobmk | 8 | NA | NA | NA | NA | NA | NA | 8 | NA | NA | NA | NA | NA | NA | | |
| 456.hmmer | 8 | NA | NA | NA | NA | NA | NA | 8 | NA | NA | NA | NA | NA | NA | | |
| 458.sjeng | 8 | NA | NA | NA | NA | NA | NA | 8 | NA | NA | NA | NA | NA | NA | | |
| 462.libquantum | 8 | NA | NA | NA | NA | NA | NA | 8 | NA | NA | NA | NA | NA | NA | | |
| 464.h264ref | 8 | NA | NA | NA | NA | NA | NA | 8 | NA | NA | NA | NA | NA | NA | | |
| 471.omnetpp | 8 | NA | NA | NA | NA | NA | NA | 8 | NA | NA | NA | NA | NA | NA | | |
| 473.astar | 8 | NA | NA | NA | NA | NA | NA | 8 | NA | NA | NA | NA | NA | NA | | |
| 483.xalanbmk | 8 | NA | NA | NA | NA | NA | NA | 8 | NA | NA | NA | NA | NA | NA | | |

Results appear in the order in which they were run. Bold underlined text indicates a median measurement.

Operating System Notes

Stack size set to 'unlimited'
PAGES_HUGE_PAGES set to 896.
Total number of huge pages available is 7168.

General Notes

Product description located as of
<http://www.supermicro.com/Aplus/motherboard/Opteron2000/MCP55/H8DM3-2.cfm>



SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Supermicro
Motherboard H8DM3-2

SPECint_rate2006 = NA
SPECint_rate_base2006 = NA

CPU2006 license: 001176
Test sponsor: Supermicro
Tested by: Supermicro

Test date: Sep-2007
Hardware Availability: Sep-2007
Software Availability: Apr-2007

SPEC has determined that this result was not in compliance with the SPEC CPU2006 run and reporting rules. Specifically, the processor vendor reported that the processor would not meet the SPEC OSG requirements for continued availability.

Base Compiler Invocation

C benchmarks:
pgcc
C++ benchmarks:
pgcpp

Base Portability Flags

400.perlbench: -DSPEC_CPU_LP64 -DSPEC_CPU_LINUX_X64
401.bzip2: -DSPEC_CPU_LP64
403.gcc: -DSPEC_CPU_LP64
429.mcf: -DSPEC_CPU_LP64
445.gobmk: -DSPEC_CPU_LP64
456.hmmmer: -DSPEC_CPU_LP64
458.sjeng: -DSPEC_CPU_LP64
462.libquantum: -DSPEC_CPU_LP64 -DSPEC_CPU_LINUX
464.h264ref: -DSPEC_CPU_LP64
483.xalancbmk: -DSPEC_CPU_LINUX

Base Optimization Flags

C benchmarks:
-fast -Mipa=fast -Mipa=inline -Mipa=noarg -Mfprelaxed
-huge:840 -tp barcelona-64 -Bstatic_pgi
C++ benchmarks:
-fastsse -Mipa=fast -Mipa=inline -Mfprelaxed -Msmartalloc=huge:448
--zsh -tp barcelona -Bstatic_pgi

Base Other Flags

C benchmarks:
-w

Continued on next page



SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Supermicro
Motherboard H8DM3-2

SPECint_rate2006 = NA
SPECint_rate_base2006 = NA

CPU2006 license: 001176
Test sponsor: Supermicro
Tested by: Supermicro

Test date: Sep-2007
Hardware Availability: Sep-2007
Software Availability: Apr-2007

SPEC has determined that this result was not in compliance with the SPEC CPU2006 run and reporting rules. Specifically, the processor vendor reported that the processor would not meet the SPEC OSG requirements for continued availability.

Base Other Flags (Continued)

C++ benchmarks:
-w

Peak Compiler Invocation

C benchmarks (except as noted below):

pgcc
400.perlbench: pathcc
403.gcc: pathcc
445.gobmk: pathcc
464.h264ref: pathcc

C++ benchmarks (except as noted below):

pgcpp
483.xalancbmk: pathCC

Peak Portability Flags

SPEC_CPU_LP64 -DSPEC_CPU_LINUX_X64
401.bzip2: -DSPEC_CPU_LP64
445.gobmk: -DSPEC_CPU_LP64
456.hmmer: -DSPEC_CPU_LP64
458.sjeng: -DSPEC_CPU_LP64
462.libquantum: -DSPEC_CPU_LP64 -DSPEC_CPU_LINUX
464.h264ref: -DSPEC_CPU_LP64
483.xalancbmk: -DSPEC_CPU_LINUX



SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Supermicro
Motherboard H8DM3-2

SPECint_rate2006 = NA
SPECint_rate_base2006 = NA

CPU2006 license: 001176
Test sponsor: Supermicro
Tested by: Supermicro

Test date: Sep-2007
Hardware Availability: Sep-2007
Software Availability: Apr-2007

SPEC has determined that this result was not in compliance with the SPEC CPU2006 run and reporting rules. Specifically, the processor vendor reported that the processor would not meet the SPEC OSG requirements for continued availability.

Peak Optimization Flags

C benchmarks:

400.perlbench: -fb_create fbdata(pass 1) -fb_opt fbdata(pass 2) -Ofast
-LNO:opt=0

401.bzip2: -Mpfi(pass 1) -Mpfo(pass 2) -fast
-Msmartalloc=huge:448 -tp barcelona-64 -Bstatic_pgi

403.gcc: -fb_create fbdata(pass 1) -fb_opt fbdata(pass 2) -m32 -O3
-OPT:Ofast

429.mcf: -fastsse -Mipa=fast -Mipa=inline:1 -Msmartalloc=huge:420
-tp barcelona -Bstatic_pgi

445.gobmk: -fb_create fbdata(pass 1) -fb_opt fbdata(pass 2) -O3
-OPT:alias=disjoint -LNO:simd=0 -LNO:minvariant=off
-WOPT:ctype_expr=on

456.hmmr: -fast -Msmartalloc=huge:448 -Mfprelaxed -Msafeptr
-Mipconservative -Mipa=ptr -Mipa=arg -tp barcelona-64
-Bstatic_pgi

458.sjeng: -Mpfi(pass 1) -Mipa=fast(pass 2) -Mipa=inline:1(pass 2)
-Mipa=noarg(pass 2) -Mpfo(pass 2) -fast
-Msmartalloc=huge:448 -Mfprelaxed -tp barcelona-64
-Bstatic_pgi

459.gcc: -fast -Mfprelaxed -Msmartalloc=huge:448 -Munroll=m:4
-Mipa=fast -Mipa=inline -Mipa=noarg -Bstatic_pgi

464.h264ref: -fb_create fbdata(pass 1) -fb_opt fbdata(pass 2) -O3
-IPA:plimit=20000 -OPT:alias=disjoint -LNO:prefetch=0

C++ benchmarks:

471.omnetpp: basepeak = yes

473.astar: basepeak = yes

Continued on next page



SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Supermicro
Motherboard H8DM3-2

SPECint_rate2006 = NA
SPECint_rate_base2006 = NA

CPU2006 license: 001176
Test sponsor: Supermicro
Tested by: Supermicro

Test date: Sep-2007
Hardware Availability: Sep-2007
Software Availability: Apr-2007

SPEC has determined that this result was not in compliance with the SPEC CPU2006 run and reporting rules. Specifically, the processor vendor reported that the processor would not meet the SPEC OSG requirements for continued availability.

Peak Optimization Flags (Continued)

483.xalancbmk: -Ofast -m32 -OPT:unroll_times_max=8
-L/cpu2006/work/cpu2006/SmartHeap -lsmatcheap

Peak Other Flags

C benchmarks (except as noted below):
-w

400.perlbench: No flags used
403.gcc: No flags used
445.gobmk: No flags used
464.h264ref: No flags used

C++ benchmarks (except as noted below):
-w

483.xalancbmk: No flags used

The flags file that was used to format this result can be browsed at
<http://www.spec.org/cpu2006/flags/amd814GH-flags.20090714.00.html>

You can also download the XML flags source by saving the following link:
<http://www.spec.org/cpu2006/flags/amd814GH-flags.20090714.00.xml>



SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Supermicro
Motherboard H8DM3-2

SPECint_rate2006 = NA
SPECint_rate_base2006 = NA

CPU2006 license: 001176
Test sponsor: Supermicro
Tested by: Supermicro

Test date: Sep-2007
Hardware Availability: Sep-2007
Software Availability: Apr-2007

SPEC has determined that this result was not in compliance with the SPEC CPU2006 run and reporting rules. Specifically, the processor vendor reported that the processor would not meet the SPEC OSG requirements for continued availability.

Not Available

SPEC and SPECint are registered trademarks of the Standard Performance Evaluation Corporation. All other brand and product names appearing in this result are trademarks or registered trademarks of their respective holders.

For questions about this result, please contact the tester.
For other inquiries, please contact webmaster@spec.org.

Tested with SPEC CPU2006 v1.0.1.
Report generated on Tue Jul 22 14:00:24 2014 by SPEC CPU2006 PS/PDF formatter v6932.
Originally published on 2 October 2007.