



SPEC® CFP2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Microsoft Corporation
(Test Sponsor: Intel Corporation)

SPECfp®_rate2006 = 70.4

Surface Pro 3

SPECfp_rate_base2006 = 69.5

CPU2006 license: 13


Test date: Jul-2014

Test sponsor: Intel Corporation

Hardware Availability: Jun-2014

Tested by: Intel Corporation

Software Availability: Oct-2013



SPECfp_rate_base2006 = 69.5

SPECfp_rate2006 = 70.4

Hardware

CPU Name: Intel Core i7-4650U
 CPU Characteristics: Intel Turbo Boost Technology up to 3.30 GHz
 CPU MHz: 1700
 FPU: Integrated
 CPU(s) enabled: 2 cores, 1 chip, 2 cores/chip, 2 threads/core
 CPU(s) orderable: 1 chip
 Primary Cache: 32 KB I + 32 KB D on chip per core
 Secondary Cache: 256 KB I+D on chip per core

Continued on next page

Software

Operating System: Microsoft Windows 8.1 Pro
 6.3.9600 N/A Build 9600
 Compiler: C/C++: Version 14.0.1.139 of Intel C++ Studio XE for Windows;
 Fortran: Version 14.0.1.139 of Intel Fortran Studio XE for Windows;
 Libraries: Version 16.00.30319.01 of Microsoft Visual Studio 2010 Professional SP1
 Auto Parallel: No

Continued on next page



SPEC CFP2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Microsoft Corporation
(Test Sponsor: Intel Corporation)

SPECfp_rate2006 = 70.4

Surface Pro 3

SPECfp_rate_base2006 = 69.5

CPU2006 license: 13
Test sponsor: Intel Corporation
Tested by: Intel Corporation

Test date: Jul-2014
Hardware Availability: Jun-2014
Software Availability: Oct-2013

L3 Cache: 4 MB I+D on chip per chip
Other Cache: None
Memory: 8 GB (4 x 2 GB 2Rx32 PC3L-12800U-11)
Disk Subsystem: 512 GB SSD
Other Hardware: None

File System: NTFS
System State: Default
Base Pointers: 32/64-bit
Peak Pointers: 32/64-bit
Other Software: SmartHeap Library Version 10.0 from <http://www.microquill.com/>

Results Table

Benchmark	Base							Peak						
	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio
410.bwaves	4	694	78.4	<u>679</u>	<u>80.0</u>	673	80.8	4	694	78.4	<u>679</u>	<u>80.0</u>	673	80.8
416.gamess	4	1421	55.2	<u>1385</u>	<u>56.4</u>	1360	57.6	4	1421	55.2	<u>1385</u>	<u>56.4</u>	1360	57.6
433.milc	4	433	84.8	<u>429</u>	<u>85.6</u>	428	85.6	4	433	84.8	<u>429</u>	<u>85.6</u>	428	85.6
434.zeusmp	4	466	78.0	<u>460</u>	<u>79.2</u>	449	81.2	4	466	78.0	<u>460</u>	<u>79.2</u>	449	81.2
435.gromacs	4	407	70.4	391	73.2	<u>392</u>	<u>72.8</u>	4	407	70.4	391	73.2	<u>392</u>	<u>72.8</u>
436.cactusADM	4	<u>622</u>	<u>76.8</u>	622	76.8	602	79.2	4	<u>622</u>	<u>76.8</u>	622	76.8	602	79.2
437.leslie3d	4	770	48.8	<u>761</u>	<u>49.6</u>	760	49.6	4	770	48.8	<u>761</u>	<u>49.6</u>	760	49.6
444.namd	4	665	48.4	<u>643</u>	<u>50.0</u>	639	50.4	4	626	51.2	<u>625</u>	<u>51.2</u>	603	53.2
447.dealII	4	560	81.6	<u>554</u>	<u>82.4</u>	538	85.2	4	560	81.6	<u>554</u>	<u>82.4</u>	538	85.2
450.soplex	4	664	50.4	644	51.6	<u>646</u>	<u>51.6</u>	2	336	49.8	<u>337</u>	<u>49.6</u>	349	47.8
453.povray	4	282	75.6	265	80.4	<u>269</u>	<u>79.2</u>	4	224	95.2	<u>225</u>	<u>94.4</u>	239	89.2
454.calculix	4	404	81.6	<u>401</u>	<u>82.4</u>	390	84.4	4	404	81.6	<u>401</u>	<u>82.4</u>	390	84.4
459.GemsFDTD	4	920	46.0	<u>911</u>	<u>46.4</u>	903	47.2	4	920	46.0	<u>911</u>	<u>46.4</u>	903	47.2
465.tonto	4	623	63.2	618	63.6	<u>622</u>	<u>63.2</u>	4	591	66.4	<u>594</u>	<u>66.4</u>	634	62.0
470.lbm	4	602	91.2	<u>592</u>	<u>92.8</u>	591	92.8	4	602	91.2	<u>592</u>	<u>92.8</u>	591	92.8
481.wrf	4	508	88.0	497	90.0	<u>504</u>	<u>88.8</u>	4	508	88.0	497	90.0	<u>504</u>	<u>88.8</u>
482.sphinx3	4	1221	64.0	1068	72.8	<u>1077</u>	<u>72.4</u>	4	1221	64.0	1068	72.8	<u>1077</u>	<u>72.4</u>

Results appear in the order in which they were run. Bold underlined text indicates a median measurement.

Compiler Invocation Notes

To compile these binaries, the Intel Compiler 14.0 was set up to generate 64-bit binaries with the command:
"ipsxe-comp-vars.bat intel64 vs2010" (shortcut provided in the Intel(r) Parallel Studio XE 2013 program folder)

Submit Notes

Processes were bound to specific processors using the start command with the /affinity switch. The config file option 'submit' was used to generate the affinity mask for each process.



SPEC CFP2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Microsoft Corporation
(Test Sponsor: Intel Corporation)

SPECfp_rate2006 = 70.4

Surface Pro 3

SPECfp_rate_base2006 = 69.5

CPU2006 license: 13
Test sponsor: Intel Corporation
Tested by: Intel Corporation

Test date: Jul-2014
Hardware Availability: Jun-2014
Software Availability: Oct-2013

Platform Notes

Sysinfo program C:\Users\peca\Desktop\SPEC14.0\SPEC14.0/Docs/sysinfo
\$Rev: 6775 \$ \$Date:: 2011-08-16 #\$ \8787f7622badcf24e01c368b1db4377c
running on peca_i7 Fri Jul 11 17:20:21 2014

This section contains SUT (System Under Test) info as seen by
some common utilities. To remove or add to this section, see:
<http://www.spec.org/cpu2006/Docs/config.html#sysinfo>

```
Trying 'systeminfo'
OS Name           : Microsoft Windows 8.1 Pro
OS Version        : 6.3.9600 N/A Build 9600
System Manufacturer: Microsoft Corporation
System Model      : Surface Pro 3
Processor(s)      : 1 Processor(s) Installed.
                   [01]: Intel64 Family 6 Model 69 Stepping 1 GenuineIntel ~1700 Mhz
BIOS Version      : American Megatrends Inc. 3.10.0250, 8/28/2014
Total Physical Memory: 8,097 MB
```

```
Trying 'wmic cpu get /value'
DeviceID          : CPU0
L2CacheSize       : 512
L3CacheSize       : 4096
MaxClockSpeed     : 2301
Name              : Intel(R) Core(TM) i7-4650U CPU @ 1.70GHz
NumberOfCores     : 2
NumberOfLogicalProcessors: 4
```

(End of data from sysinfo program)

Component Notes

Test ran with power supply connected
Power Supply: 12V, 2.58A

General Notes

Binaries compiled on a system with 1x Intel Core i7-860 CPU
+ 8GB memory using Windows 7 Enterprise 64-bit

Base Compiler Invocation

C benchmarks:
icl -Qvc10 -Qstd=c99

C++ benchmarks:
icl -Qvc10

Continued on next page



SPEC CFP2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Microsoft Corporation
(Test Sponsor: Intel Corporation)

SPECfp_rate2006 = 70.4

Surface Pro 3

SPECfp_rate_base2006 = 69.5

CPU2006 license: 13
Test sponsor: Intel Corporation
Tested by: Intel Corporation

Test date: Jul-2014
Hardware Availability: Jun-2014
Software Availability: Oct-2013

Base Compiler Invocation (Continued)

Fortran benchmarks:
ifort

Benchmarks using both Fortran and C:
icl -Qvc10 -Qstd=c99 ifort

Base Portability Flags

410.bwaves: -DSPEC_CPU_P64
416.gamess: -DSPEC_CPU_P64
433.milc: -DSPEC_CPU_P64
434.zeusmp: -DSPEC_CPU_P64
435.gromacs: -DSPEC_CPU_P64
436.cactusADM: -DSPEC_CPU_P64 /names:lowercase /assume:underscore
437.leslie3d: -DSPEC_CPU_P64
444.namd: -DSPEC_CPU_P64 /TP
447.dealII: -DSPEC_CPU_P64 -DDEAL_II_MEMBER_VAR_SPECIALIZATION_BUG
-Qoption,cpp,--ms_incompat_treatment_of_commas_in_macros
450.soplex: -DSPEC_CPU_P64
453.povray: -DSPEC_CPU_P64 -DSPEC_CPU_NEED_INVHYP -DNEED_INVHYP
454.calculix: -DSPEC_CPU_P64 -DSPEC_CPU_NOZMODIFIER /names:lowercase
459.GemsFDTD: -DSPEC_CPU_P64
465.tonto: -DSPEC_CPU_P64
470.lbm: -DSPEC_CPU_P64
481.wrf: -DSPEC_CPU_P64 -DSPEC_CPU_WINDOWS_ICL
482.sphinx3: -DSPEC_CPU_P64

Base Optimization Flags

C benchmarks:
-QxCORE-AVX2 -Qipo -O3 -Qprec-div- -Qansi-alias -Qopt-prefetch
-Qauto-ilp32 /F1000000000 -link /FORCE:MULTIPLE

C++ benchmarks:
-QxCORE-AVX2 -Qipo -O3 -Qprec-div- -Qansi-alias -Qopt-prefetch
-Qcxx-features -Qauto-ilp32 /F1000000000 shlw64M.lib
-link /FORCE:MULTIPLE

Fortran benchmarks:
-QxCORE-AVX2 -Qipo -O3 -Qprec-div- -Qansi-alias -Qopt-prefetch
/F1000000000 -link /FORCE:MULTIPLE

Benchmarks using both Fortran and C:
-QxCORE-AVX2 -Qipo -O3 -Qprec-div- -Qansi-alias -Qopt-prefetch
-Qauto-ilp32 /F1000000000 -link /FORCE:MULTIPLE



SPEC CFP2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Microsoft Corporation
(Test Sponsor: Intel Corporation)

SPECfp_rate2006 = 70.4

Surface Pro 3

SPECfp_rate_base2006 = 69.5

CPU2006 license: 13
Test sponsor: Intel Corporation
Tested by: Intel Corporation

Test date: Jul-2014
Hardware Availability: Jun-2014
Software Availability: Oct-2013

Peak Compiler Invocation

C benchmarks:
icl -Qvc10 -Qstd=c99

C++ benchmarks:
icl -Qvc10

Fortran benchmarks:
ifort

Benchmarks using both Fortran and C:
icl -Qvc10 -Qstd=c99 ifort

Peak Portability Flags

Same as Base Portability Flags

Peak Optimization Flags

C benchmarks:

433.milc: basepeak = yes

470.lbm: basepeak = yes

482.sphinx3: basepeak = yes

C++ benchmarks:

444.namd: -QxCORE-AVX2(pass 2) -Qprof_gen(pass 1) -Qprof_use(pass 2)
-Qipo -O3 -Qprec-div- -Oa -Qauto-ilp32 /F1000000000
shlW64M.lib -link /FORCE:MULTIPLE

447.dealIII: basepeak = yes

450.soplex: -QxCORE-AVX2(pass 2) -Qprof_gen(pass 1) -Qprof_use(pass 2)
-Qipo -O3 -Qauto-ilp32 /F1000000000 shlW64M.lib
-link /FORCE:MULTIPLE

453.povray: -QxCORE-AVX2(pass 2) -Qprof_gen(pass 1) -Qprof_use(pass 2)
-Qipo -O3 -Qprec-div- -Qopt-prefetch -Qauto-ilp32
/F1000000000 shlW64M.lib -link /FORCE:MULTIPLE

Fortran benchmarks:

410.bwaves: basepeak = yes

Continued on next page



SPEC CFP2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Microsoft Corporation
(Test Sponsor: Intel Corporation)

SPECfp_rate2006 = 70.4

Surface Pro 3

SPECfp_rate_base2006 = 69.5

CPU2006 license: 13
Test sponsor: Intel Corporation
Tested by: Intel Corporation

Test date: Jul-2014
Hardware Availability: Jun-2014
Software Availability: Oct-2013

Peak Optimization Flags (Continued)

416.gamess: basepeak = yes

434.zeusmp: basepeak = yes

437.leslie3d: basepeak = yes

459.GemsFDTD: basepeak = yes

465.tonto: -QxCORE-AVX2(pass 2) -Qprof_gen(pass 1) -Qprof_use(pass 2)
-Qipo -O3 -Qprec-div- -Qunroll4 -Qauto /F1000000000
-link /FORCE:MULTIPLE

Benchmarks using both Fortran and C:

435.gromacs: basepeak = yes

436.cactusADM: basepeak = yes

454.calculix: basepeak = yes

481.wrf: basepeak = yes

The flags file that was used to format this result can be browsed at

<http://www.spec.org/cpu2006/flags/Intel-ic14.0-official-windows.html>

You can also download the XML flags source by saving the following link:

<http://www.spec.org/cpu2006/flags/Intel-ic14.0-official-windows.xml>

SPEC and SPECfp are registered trademarks of the Standard Performance Evaluation Corporation. All other brand and product names appearing in this result are trademarks or registered trademarks of their respective holders.

For questions about this result, please contact the tester.
For other inquiries, please contact webmaster@spec.org.

Tested with SPEC CPU2006 v1.2.
Report generated on Thu Nov 6 13:46:27 2014 by SPEC CPU2006 PS/PDF formatter v6932.
Originally published on 6 November 2014.