



# SPEC® CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Microsoft Corporation

(Test Sponsor: Intel Corporation)

## Surface Pro 3

SPECint®2006 = 42.2

SPECint\_base2006 = 40.7

CPU2006 license: 13


Test sponsor: Intel Corporation

Tested by: Intel Corporation

Test date: Sep-2014

Hardware Availability: Jun-2014

Software Availability: Oct-2013



### Hardware

CPU Name: Intel Core i5-4300U  
 CPU Characteristics: Intel Turbo Boost Technology up to 2.90 GHz  
 CPU MHz: 1900  
 FPU: Integrated  
 CPU(s) enabled: 2 cores, 1 chip, 2 cores/chip, 2 threads/core  
 CPU(s) orderable: 1 chip  
 Primary Cache: 32 KB I + 32 KB D on chip per core  
 Secondary Cache: 256 KB I+D on chip per core  
 L3 Cache: 3 MB I+D on chip per chip  
 Other Cache: None  
 Memory: 4 GB (4 x 1 GB 2Rx32 PC3L-12800U-11)  
 Disk Subsystem: 128 GB SSD  
 Other Hardware: None

### Software

Operating System: Microsoft Windows 8.1 Pro  
 6.3.9600 N/A Build 9600  
 Compiler: C/C++: Version 14.0.1.139 of Intel C++ Studio XE for Windows;  
 Libraries: Version 16.00.30319.01 of Microsoft Visual Studio 2010 Professional SP1  
 Auto Parallel: Yes  
 File System: NTFS  
 System State: Default  
 Base Pointers: 32/64-bit  
 Peak Pointers: 32/64-bit  
 Other Software: SmartHeap Library Version 10.0 from <http://www.microquill.com/>



# SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Microsoft Corporation  
(Test Sponsor: Intel Corporation)

## Surface Pro 3

SPECint2006 = 42.2

SPECint\_base2006 = 40.7

CPU2006 license: 13  
Test sponsor: Intel Corporation  
Tested by: Intel Corporation

Test date: Sep-2014  
Hardware Availability: Jun-2014  
Software Availability: Oct-2013

## Results Table

Benchmark	Base						Peak					
	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio
400.perlbench	355	27.5	<u>339</u>	<u>28.8</u>	337	29.0	<u>271</u>	<u>36.0</u>	271	36.0	271	36.1
401.bzip2	486	19.9	<u>469</u>	<u>20.6</u>	468	20.6	467	20.7	471	20.5	<u>469</u>	<u>20.6</u>
403.gcc	323	25.0	<u>323</u>	<u>24.9</u>	323	24.9	296	27.2	<u>298</u>	<u>27.0</u>	298	27.0
429.mcf	178	51.3	172	53.0	<u>173</u>	<u>52.7</u>	178	51.3	172	53.0	<u>173</u>	<u>52.7</u>
445.gobmk	446	23.5	446	23.5	<u>446</u>	<u>23.5</u>	<u>422</u>	<u>24.8</u>	422	24.8	422	24.9
456.hammer	161	57.9	160	58.2	<u>161</u>	<u>58.0</u>	161	57.9	160	58.2	<u>161</u>	<u>58.0</u>
458.sjeng	451	26.8	<u>451</u>	<u>26.8</u>	451	26.8	451	26.8	<u>451</u>	<u>26.8</u>	451	26.8
462.libquantum	28.5	727	28.8	719	<u>28.7</u>	<u>722</u>	28.5	727	28.8	719	<u>28.7</u>	<u>722</u>
464.h264ref	472	46.9	458	48.3	<u>460</u>	<u>48.1</u>	472	46.9	458	48.3	<u>460</u>	<u>48.1</u>
471.omnetpp	<u>313</u>	<u>20.0</u>	312	20.0	319	19.6	292	21.4	<u>293</u>	<u>21.3</u>	297	21.0
473.astar	293	24.0	<u>293</u>	<u>24.0</u>	293	23.9	293	24.0	<u>293</u>	<u>24.0</u>	293	23.9
483.xalancbmk	<u>158</u>	<u>43.6</u>	160	43.2	158	43.7	<u>158</u>	<u>43.6</u>	160	43.2	158	43.7

Results appear in the order in which they were run. Bold underlined text indicates a median measurement.

## Compiler Invocation Notes

To compile these binaries, the Intel Compiler 14.0 was set up to generate 64-bit binaries with the command:  
"ipsxe-comp-vars.bat intel64 vs2010" (shortcut provided in the Intel(r) Parallel Studio XE 2013 program folder)

## Platform Notes

Sysinfo program C:\Users\peca\Desktop\SPEC14.0\SPEC14.0\Docs/sysinfo  
\$Rev: 6775 \$ \$Date:: 2011-08-16 #\$ \8787f7622badcf24e01c368b1db4377c  
running on ea\_i5 Wed Sep 10 16:01:09 2014

This section contains SUT (System Under Test) info as seen by some common utilities. To remove or add to this section, see:  
<http://www.spec.org/cpu2006/Docs/config.html#sysinfo>

```
Trying 'systeminfo'
OS Name       : Microsoft Windows 8.1 Pro
OS Version    : 6.3.9600 N/A Build 9600
System Manufacturer: Microsoft Corporation
System Model   : Surface Pro 3
Processor(s)  : 1 Processor(s) Installed.
               [01]: Intel64 Family 6 Model 69 Stepping 1 GenuineIntel ~1900 Mhz
BIOS Version  : American Megatrends Inc. 3.10.0250, 8/28/2014
Total Physical Memory: 4,001 MB
```

```
Trying 'wmic cpu get /value'
DeviceID      : CPU0
```

Continued on next page



# SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Microsoft Corporation

(Test Sponsor: Intel Corporation)

## Surface Pro 3

SPECint2006 = 42.2

SPECint\_base2006 = 40.7

CPU2006 license: 13

Test sponsor: Intel Corporation

Tested by: Intel Corporation

Test date: Sep-2014

Hardware Availability: Jun-2014

Software Availability: Oct-2013

### Platform Notes (Continued)

L2CacheSize : 512  
L3CacheSize : 3072  
MaxClockSpeed : 2501  
Name : Intel(R) Core(TM) i5-4300U CPU @ 1.90GHz  
NumberOfCores : 2  
NumberOfLogicalProcessors: 4

(End of data from sysinfo program)

### Component Notes

Test ran with power supply connected  
Power Supply: 12V, 2.58A

### General Notes

OMP\_NUM\_THREADS set to number of processors cores  
KMP\_AFFINITY set to granularity=fine,scatter  
Binaries compiled on a system with 1x Intel Core i7-860 CPU  
+ 8GB memory using Windows 7 Enterprise 64-bit

### Base Compiler Invocation

C benchmarks:

icl -Qvc10 -Qstd=c99

C++ benchmarks:

icl -Qvc10

### Base Portability Flags

400.perlbench: -DSPEC\_CPU\_P64 -DSPEC\_CPU\_WIN64\_X64  
-DSPEC\_CPU\_NO\_NEED\_VA\_COPY  
401.bzip2: -DSPEC\_CPU\_P64  
403.gcc: -DSPEC\_CPU\_P64 -DSPEC\_CPU\_WIN64  
429.mcf: -DSPEC\_CPU\_P64  
445.gobmk: -DSPEC\_CPU\_P64  
456.hmmmer: -DSPEC\_CPU\_P64  
458.sjeng: -DSPEC\_CPU\_P64  
462.libquantum: -DSPEC\_CPU\_P64  
464.h264ref: -DSPEC\_CPU\_P64 -DWIN32 -DSPEC\_CPU\_NO\_INTTYPES  
471.omnetpp: -DSPEC\_CPU\_P64 -DSPEC\_CPU\_WIN64  
473.astar: -DSPEC\_CPU\_P64  
483.xalancbmk: -DSPEC\_CPU\_P64 -Qoption,cpp,--no\_wchar\_t\_keyword



# SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Microsoft Corporation  
(Test Sponsor: Intel Corporation)

SPECint2006 = 42.2

## Surface Pro 3

SPECint\_base2006 = 40.7

CPU2006 license: 13  
Test sponsor: Intel Corporation  
Tested by: Intel Corporation

Test date: Sep-2014  
Hardware Availability: Jun-2014  
Software Availability: Oct-2013

## Base Optimization Flags

C benchmarks:

-QxCORE-AVX2 -Qipo -O3 -Qprec-div- -Qopt-prefetch -Qparallel  
-Qauto-ilp32 /F512000000

C++ benchmarks:

-QxCORE-AVX2 -Qipo -O3 -Qprec-div- -Qopt-prefetch -Qcxx-features  
-Qauto-ilp32 /F512000000 shlw64M.lib -link /FORCE:MULTIPLE

## Base Other Flags

C benchmarks:

403.gcc: -Dalloca=\_alloca

## Peak Compiler Invocation

C benchmarks:

icl -Qvc10 -Qstd=c99

C++ benchmarks:

icl -Qvc10

## Peak Portability Flags

Same as Base Portability Flags

## Peak Optimization Flags

C benchmarks:

400.perlbench: -QxCORE-AVX2(pass 2) -Qprof\_gen(pass 1) -Qprof\_use(pass 2)  
-Qipo -O3 -Qprec-div- -Qansi-alias -Qopt-prefetch  
-Qauto-ilp32 /F512000000 shlw64M.lib  
-link /FORCE:MULTIPLE

401.bzip2: -QxCORE-AVX2(pass 2) -Qprof\_gen(pass 1) -Qprof\_use(pass 2)  
-Qipo -O3 -Qprec-div- -Qopt-prefetch -Qansi-alias  
-Qauto-ilp32 /F512000000

403.gcc: -QxCORE-AVX2(pass 2) -Qprof\_gen(pass 1) -Qprof\_use(pass 2)  
-Qipo -O3 -Qprec-div- -Qauto-ilp32 /F512000000

Continued on next page



# SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Microsoft Corporation  
(Test Sponsor: Intel Corporation)

SPECint2006 = 42.2

## Surface Pro 3

SPECint\_base2006 = 40.7

CPU2006 license: 13  
Test sponsor: Intel Corporation  
Tested by: Intel Corporation

Test date: Sep-2014  
Hardware Availability: Jun-2014  
Software Availability: Oct-2013

## Peak Optimization Flags (Continued)

429.mcf: basepeak = yes

445.gobmk: -QxCORE-AVX2(pass 2) -Qprof\_gen(pass 1) -Qprof\_use(pass 2)  
-Qipo -O2 -Qprec-div- -Qansi-alias -Qauto-ilp32  
/F512000000

456.hmmer: basepeak = yes

458.sjeng: basepeak = yes

462.libquantum: basepeak = yes

464.h264ref: basepeak = yes

C++ benchmarks:

471.omnetpp: -QxCORE-AVX2(pass 2) -Qprof\_gen(pass 1) -Qprof\_use(pass 2)  
-Qipo -O3 -Qprec-div- -Qansi-alias  
-Qopt-ra-region-strategy=block -Qauto-ilp32 /F512000000  
shlW64M.lib -link /FORCE:MULTIPLE

473.astar: basepeak = yes

483.xalancbmk: basepeak = yes

## Peak Other Flags

C benchmarks:

403.gcc: -Dalloca=\_alloca

The flags file that was used to format this result can be browsed at  
<http://www.spec.org/cpu2006/flags/Intel-ic14.0-official-windows.html>

You can also download the XML flags source by saving the following link:  
<http://www.spec.org/cpu2006/flags/Intel-ic14.0-official-windows.xml>



# SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Microsoft Corporation

(Test Sponsor: Intel Corporation)

## Surface Pro 3

SPECint2006 = 42.2

SPECint\_base2006 = 40.7

CPU2006 license: 13

Test sponsor: Intel Corporation

Tested by: Intel Corporation

Test date: Sep-2014

Hardware Availability: Jun-2014

Software Availability: Oct-2013

SPEC and SPECint are registered trademarks of the Standard Performance Evaluation Corporation. All other brand and product names appearing in this result are trademarks or registered trademarks of their respective holders.

For questions about this result, please contact the tester.  
For other inquiries, please contact [webmaster@spec.org](mailto:webmaster@spec.org).

Tested with SPEC CPU2006 v1.2.  
Report generated on Thu Nov 6 13:46:32 2014 by SPEC CPU2006 PS/PDF formatter v6932.  
Originally published on 6 November 2014.