



# SPEC® CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Quanta Cloud Technology

(Test Sponsor: Quanta Computer Inc.)

SPECint®2006 = 66.3

## QuantaGrid D51B-2U

SPECint\_base2006 = 63.0

CPU2006 license: 9050

Test date: Nov-2014

Test sponsor: Quanta Computer Inc.

Hardware Availability: Nov-2014

Tested by: Quanta Cloud Technology

Software Availability: Nov-2014



### Hardware

CPU Name: Intel Xeon E5-2699 v3  
 CPU Characteristics: Intel Turbo Boost Technology up to 3.60 GHz  
 CPU MHz: 2300  
 FPU: Integrated  
 CPU(s) enabled: 36 cores, 2 chips, 18 cores/chip, 2 threads/core  
 CPU(s) orderable: 1,2 chip  
 Primary Cache: 32 KB I + 32 KB D on chip per core  
 Secondary Cache: 256 KB I+D on chip per core  
 L3 Cache: 45 MB I+D on chip per chip  
 Other Cache: None  
 Memory: 256 GB (16 x 16 GB 2Rx4 PC4-2133P-R)

Disk Subsystem: 673 GB 1 x 800 GB SATA, SSD  
 Other Hardware: None

### Software

Operating System: Red Hat Enterprise Linux Server release 6.5 (Santiago)  
 2.6.32-431.el6.x86\_64  
 Compiler: C/C++: Version 14.0.0.080 of Intel C++ Studio XE for Linux  
 Auto Parallel: Yes  
 File System: ext4  
 System State: Run level 3 (Multi-user mode)  
 Base Pointers: 32/64-bit  
 Peak Pointers: 32/64-bit  
 Other Software: Microquill SmartHeap V10.0



# SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Quanta Cloud Technology

(Test Sponsor: Quanta Computer Inc.)

## QuantaGrid D51B-2U

SPECint2006 = 66.3

SPECint\_base2006 = 63.0

CPU2006 license: 9050

Test sponsor: Quanta Computer Inc.

Tested by: Quanta Cloud Technology

Test date: Nov-2014

Hardware Availability: Nov-2014

Software Availability: Nov-2014

## Results Table

Benchmark	Base						Peak					
	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio
400.perlbench	246	39.7	<u>245</u>	<u>39.8</u>	245	39.8	<u>206</u>	<u>47.5</u>	206	47.4	205	47.6
401.bzip2	396	24.3	<u>398</u>	<u>24.3</u>	398	24.2	390	24.7	391	24.7	<u>391</u>	<u>24.7</u>
403.gcc	230	34.9	229	35.1	<u>230</u>	<u>35.0</u>	228	35.3	<u>227</u>	<u>35.4</u>	227	35.4
429.mcf	152	59.9	151	60.3	<u>152</u>	<u>60.1</u>	150	60.6	149	61.1	<u>150</u>	<u>60.8</u>
445.gobmk	<u>432</u>	<u>24.3</u>	431	24.3	432	24.3	<u>358</u>	<u>29.3</u>	358	29.3	358	29.3
456.hammer	133	69.9	<u>133</u>	<u>70.2</u>	132	70.4	<u>142</u>	<u>65.9</u>	141	66.2	145	64.3
458.sjeng	347	34.9	348	34.8	<u>347</u>	<u>34.8</u>	<u>342</u>	<u>35.4</u>	342	35.4	342	35.3
462.libquantum	2.64	7840	<u>2.65</u>	<u>7820</u>	2.65	7810	2.64	7840	<u>2.65</u>	<u>7820</u>	2.65	7810
464.h264ref	515	42.9	<u>515</u>	<u>43.0</u>	515	43.0	515	42.9	<u>515</u>	<u>43.0</u>	515	43.0
471.omnetpp	<u>140</u>	<u>44.8</u>	140	44.6	139	45.0	115	54.4	116	53.8	<u>115</u>	<u>54.4</u>
473.astar	214	32.8	<u>213</u>	<u>32.9</u>	212	33.2	210	33.4	212	33.2	<u>211</u>	<u>33.3</u>
483.xalancbmk	106	65.2	<u>105</u>	<u>65.5</u>	105	65.5	101	68.2	101	68.2	<u>101</u>	<u>68.2</u>

Results appear in the order in which they were run. Bold underlined text indicates a median measurement.

## Submit Notes

The config file option 'submit' was used.

## Operating System Notes

Stack size set to unlimited using "ulimit -s unlimited"

## Platform Notes

```
Sysinfo program /root/speccpu_linux_matt/config/sysinfo.rev6818
$Rev: 6818 $ $Date:: 2012-07-17 #$ e86d102572650a6e4d596a3cee98f191
running on localhost.localdomain Sat Nov 22 09:21:55 2014
```

This section contains SUT (System Under Test) info as seen by some common utilities. To remove or add to this section, see: <http://www.spec.org/cpu2006/Docs/config.html#sysinfo>

```
From /proc/cpuinfo
model name : Intel(R) Xeon(R) CPU E5-2699 v3 @ 2.30GHz
 2 "physical id"s (chips)
 72 "processors"
cores, siblings (Caution: counting these is hw and system dependent. The
following excerpts from /proc/cpuinfo might not be reliable. Use with
caution.)
cpu cores : 18
siblings : 36
physical 0: cores 0 1 2 3 4 8 9 10 11 16 17 18 19 20 24 25 26 27
physical 1: cores 0 1 2 3 4 8 9 10 11 16 17 18 19 20 24 25 26 27
```

Continued on next page



# SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Quanta Cloud Technology

(Test Sponsor: Quanta Computer Inc.)

SPECint2006 = 66.3

QuantaGrid D51B-2U

SPECint\_base2006 = 63.0

CPU2006 license: 9050

Test sponsor: Quanta Computer Inc.

Tested by: Quanta Cloud Technology

Test date: Nov-2014

Hardware Availability: Nov-2014

Software Availability: Nov-2014

## Platform Notes (Continued)

cache size : 46080 KB

From /proc/meminfo

MemTotal: 264409480 kB

HugePages\_Total: 0

Hugepagesize: 2048 kB

/usr/bin/lsb\_release -d

Red Hat Enterprise Linux Server release 6.5 (Santiago)

From /etc/\*release\* /etc/\*version\*

redhat-release: Red Hat Enterprise Linux Server release 6.5 (Santiago)

system-release: Red Hat Enterprise Linux Server release 6.5 (Santiago)

system-release-cpe: cpe:/o:redhat:enterprise\_linux:6server:ga:server

uname -a:

Linux localhost.localdomain 2.6.32-431.el6.x86\_64 #1 SMP Sun Nov 10 22:19:54 EST 2013 x86\_64 x86\_64 x86\_64 GNU/Linux

run-level 3 Nov 21 12:53

SPEC is set to: /root/speccpu\_linux\_matt

```
Filesystem      Type  Size  Used Avail Use% Mounted on
/dev/sda2       ext4  673G  15G  624G   3% /
```

Additional information from dmidecode:

BIOS American Megatrends Inc. S2B\_3A17 11/07/2014

Memory:

8x NO DIMM NO DIMM

16x Samsung M393A2G40DB0-CPB 16 GB 2133 MHz 2 rank

(End of data from sysinfo program)

## General Notes

Environment variables set by runspec before the start of the run:

KMP\_AFFINITY = "granularity=fine,scatter"

LD\_LIBRARY\_PATH = "/root/speccpu\_linux\_matt/libs/32:/root/speccpu\_linux\_matt/libs/64:/root/speccpu\_linux\_matt/sh"

OMP\_NUM\_THREADS = "36"

Binaries compiled on a system with 1x Core i7-860 CPU + 8GB

memory using RedHat EL 6.4

Transparent Huge Pages enabled with:

echo always > /sys/kernel/mm/redhat\_transparent\_hugepage/enabled

runspec command invoked through numactl i.e.:

numactl --interleave=all runspec <etc>



# SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Quanta Cloud Technology

(Test Sponsor: Quanta Computer Inc.)

SPECint2006 = 66.3

QuantaGrid D51B-2U

SPECint\_base2006 = 63.0

CPU2006 license: 9050

Test sponsor: Quanta Computer Inc.

Tested by: Quanta Cloud Technology

Test date: Nov-2014

Hardware Availability: Nov-2014

Software Availability: Nov-2014

## Base Compiler Invocation

C benchmarks:

icc -m64

C++ benchmarks:

icpc -m64

## Base Portability Flags

400.perlbench: -DSPEC\_CPU\_LP64 -DSPEC\_CPU\_LINUX\_X64  
 401.bzip2: -DSPEC\_CPU\_LP64  
 403.gcc: -DSPEC\_CPU\_LP64  
 429.mcf: -DSPEC\_CPU\_LP64  
 445.gobmk: -DSPEC\_CPU\_LP64  
 456.hmmer: -DSPEC\_CPU\_LP64  
 458.sjeng: -DSPEC\_CPU\_LP64  
 462.libquantum: -DSPEC\_CPU\_LP64 -DSPEC\_CPU\_LINUX  
 464.h264ref: -DSPEC\_CPU\_LP64  
 471.omnetpp: -DSPEC\_CPU\_LP64  
 473.astar: -DSPEC\_CPU\_LP64  
 483.xalancbmk: -DSPEC\_CPU\_LP64 -DSPEC\_CPU\_LINUX

## Base Optimization Flags

C benchmarks:

-xCORE-AVX2 -ipo -O3 -no-prec-div -parallel -opt-prefetch -auto-p32

C++ benchmarks:

-xCORE-AVX2 -ipo -O3 -no-prec-div -opt-prefetch -auto-p32  
-Wl,-z,muldefs -L/sh -lsmartheap64

## Base Other Flags

C benchmarks:

403.gcc: -Dalloca=\_alloca

## Peak Compiler Invocation

C benchmarks (except as noted below):

icc -m64

Continued on next page



# SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Quanta Cloud Technology

(Test Sponsor: Quanta Computer Inc.)

## QuantaGrid D51B-2U

SPECint2006 = 66.3

SPECint\_base2006 = 63.0

CPU2006 license: 9050

Test sponsor: Quanta Computer Inc.

Tested by: Quanta Cloud Technology

Test date: Nov-2014

Hardware Availability: Nov-2014

Software Availability: Nov-2014

## Peak Compiler Invocation (Continued)

400.perlbench: `icc -m32`

445.gobmk: `icc -m32`

C++ benchmarks (except as noted below):

`icpc -m32`

473.astar: `icpc -m64`

## Peak Portability Flags

400.perlbench: `-DSPEC_CPU_LINUX_IA32`  
 401.bzip2: `-DSPEC_CPU_LP64`  
 403.gcc: `-DSPEC_CPU_LP64`  
 429.mcf: `-DSPEC_CPU_LP64`  
 456.hmmer: `-DSPEC_CPU_LP64`  
 458.sjeng: `-DSPEC_CPU_LP64`  
 462.libquantum: `-DSPEC_CPU_LP64 -DSPEC_CPU_LINUX`  
 464.h264ref: `-DSPEC_CPU_LP64`  
 473.astar: `-DSPEC_CPU_LP64`  
 483.xalancbmk: `-DSPEC_CPU_LINUX`

## Peak Optimization Flags

C benchmarks:

400.perlbench: `-xCORE-AVX2(pass 2) -prof-gen(pass 1) -ipo(pass 2) -O3(pass 2) -no-prec-div(pass 2) -prof-use(pass 2) -opt-prefetch -ansi-alias`

401.bzip2: `-xCORE-AVX2(pass 2) -prof-gen(pass 1) -ipo(pass 2) -O3(pass 2) -no-prec-div -prof-use(pass 2) -auto-ilp32 -opt-prefetch -ansi-alias`

403.gcc: `-xCORE-AVX2 -ipo -O3 -no-prec-div -inline-calloc -opt-malloc-options=3 -auto-ilp32`

429.mcf: `-xCORE-AVX2 -ipo -O3 -no-prec-div -parallel -opt-prefetch -auto-p32`

445.gobmk: `-xCORE-AVX2(pass 2) -prof-gen(pass 1) -prof-use(pass 2) -ansi-alias`

456.hmmer: `-xCORE-AVX2 -ipo -O3 -no-prec-div -unroll2 -auto-ilp32 -ansi-alias`

Continued on next page



# SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Quanta Cloud Technology

(Test Sponsor: Quanta Computer Inc.)

SPECint2006 =

66.3

QuantaGrid D51B-2U

SPECint\_base2006 =

63.0

CPU2006 license: 9050

Test sponsor: Quanta Computer Inc.

Tested by: Quanta Cloud Technology

Test date: Nov-2014

Hardware Availability: Nov-2014

Software Availability: Nov-2014

## Peak Optimization Flags (Continued)

458.sjeng: -xCORE-AVX2(pass 2) -prof-gen(pass 1) -ipo(pass 2)  
-O3(pass 2) -no-prec-div(pass 2) -prof-use(pass 2)  
-unroll4

462.libquantum: basepeak = yes

464.h264ref: basepeak = yes

C++ benchmarks:

471.omnetpp: -xCORE-AVX2(pass 2) -prof-gen(pass 1) -ipo(pass 2)  
-O3(pass 2) -no-prec-div(pass 2) -prof-use(pass 2)  
-opt-ra-region-strategy=block -ansi-alias  
-Wl,-z,muldefs -L/sh -lsmartheap

473.astar: -xCORE-AVX2 -ipo -O3 -no-prec-div -opt-prefetch  
-auto-p32 -Wl,-z,muldefs -L/sh -lsmartheap64

483.xalancbmk: -xCORE-AVX2 -ipo -O3 -no-prec-div -opt-prefetch  
-ansi-alias -Wl,-z,muldefs -L/sh -lsmartheap

## Peak Other Flags

C benchmarks:

403.gcc: -Dalloca=\_alloca

The flags files that were used to format this result can be browsed at

<http://www.spec.org/cpu2006/flags/Intel-ic14.0-official-linux64.20140128.html>

<http://www.spec.org/cpu2006/flags/Quanta-Cloud-Technology-Platform-Settings-V1.0.html>

You can also download the XML flags sources by saving the following links:

<http://www.spec.org/cpu2006/flags/Intel-ic14.0-official-linux64.20140128.xml>

<http://www.spec.org/cpu2006/flags/Quanta-Cloud-Technology-Platform-Settings-V1.0.xml>

SPEC and SPECint are registered trademarks of the Standard Performance Evaluation Corporation. All other brand and product names appearing in this result are trademarks or registered trademarks of their respective holders.

For questions about this result, please contact the tester.  
For other inquiries, please contact [webmaster@spec.org](mailto:webmaster@spec.org).

Tested with SPEC CPU2006 v1.2.

Report generated on Fri Dec 19 18:51:36 2014 by SPEC CPU2006 PS/PDF formatter v6932.

Originally published on 19 December 2014.