# Server Efficiency Rating Tool (SERT)

Overview

- A rating tool for measuring server efficiency
- Built on existing SPEC methods and expertise
- Developed for government server efficiency programs in collaboration with industry partners
- Targeting worldwide server efficiency programs

Capabilities

- Flexible, adaptable and extensible to 32 and 64-bit server platform architectures and capabilities:
  - x64, POWER, SPARC, ARM
- Includes multiple workloads: CPU, Random & Sequential Storage and Memory I/O, Hybrid and Idle
  - Each comprises multiple independent worklets
- Targeting non-benchmarking specialists, via:
  - Graphical User Interface (GUI)
  - Imports XML describing approved JVM and client options from the SPEC Web site
 - Automatically enumerates system hardware and software configurations

Implementation

- Uses SPEC PTDaemon to coordinate the Controller, and System Under Test with the power analyzer and temperature sensor
- Measures AC power consumed by the entire server
- Supports single and multi-node server platforms
- Run time of around 2.5 hours
- Summary and Detailed Results Report provided
- Results submitted to the EPA via Certification
- Bodies / qualified test laboratories worldwide

energy
LEARN MORE AT
energystar.gov

SERT Worklet Timing

W = Warmup (30 sec)
PR = Pre measurement (15 sec)
Cal. N = Calibration Interval N (120 sec)

S = Sleep (10 sec)
PO = Post measurement (15 sec)
nnn% = Measurement Interval (120 Sec)

Workload	Worklet Name	Load Level
CPU	Compress	100%, 75%, 50%, 25%
	CryptoAES	
	LU	
	SHA256	
	SOR	
	SORT	
	XMLValidate	
Storage	Sequential	100%, 50%
	Random	
Hybrid	SSJ	100%, 87.5%, 75%, 62.5%, 50%, 37.5%, 25%, 12.5%
Memory	Flood	Flood: Full, Half
	Capacity	Capacity: 4GB, 8GB, 16GB, 128GB, 256GB, 512GB, 1024GB
Idle	Idle	0%

SERT Worklets

HW / SW Overview

Scoring System