

Supplemental Arrows-C

Range: 1F800–1F8FF

The Unicode Standard, Version 15.1

This file contains an excerpt from the character code tables and list of character names for *The Unicode Standard, Version 15.1*

This file may be changed at any time without notice to reflect errata, or other updates to the Unicode Standard. See <https://www.unicode.org/errata/> for an up-to-date list of errata.

See <https://www.unicode.org/charts/> for access to a complete list of the latest character code charts. See <https://www.unicode.org/charts/PDF/Unicode-15.1/> for charts showing only the characters added in Unicode 15.1. See <https://www.unicode.org/Public/15.1.0/charts/> for a complete archived file of character code charts for Unicode 15.1. See <https://www.unicode.org/charts/About.html#Conventions> for conventions used in these code charts, and other general information.

Disclaimer

These charts are provided as the online reference to the character contents of the Unicode Standard, Version 15.1 but do not provide all the information needed to fully support individual scripts using the Unicode Standard. For a complete understanding of the use of the characters contained in this file, please consult the appropriate sections of The Unicode Standard, Version 15.1, online at <https://www.unicode.org/versions/Unicode15.1.0/>, as well as Unicode Standard Annexes #9, #11, #14, #15, #24, #29, #31, #34, #38, #41, #42, #44, #45, and #50, the other Unicode Technical Reports and Standards, and the Unicode Character Database, which are available online.

See <https://www.unicode.org/ucd/> and <http://www.unicode.org/reports/>

A thorough understanding of the information contained in these additional sources is required for a successful implementation.

Copying characters from the character code tables or list of character names is not recommended, because for production reasons the PDF files for the code charts cannot guarantee that the correct character codes will always be copied.

Fonts

The shapes of the reference glyphs used in these code charts are not prescriptive. Considerable variation is to be expected in actual fonts. The particular fonts used in these charts were provided to the Unicode Consortium by a number of different font designers, who own the rights to the fonts.

See <https://www.unicode.org/charts/fonts.html> for a list.

Terms of Use

You may freely use these code charts for personal or internal business uses only. You may not incorporate them either wholly or in part into any product or publication, or otherwise distribute them without express written permission from the Unicode Consortium. However, you may provide links to these charts.

The fonts and font data used in production of these code charts may NOT be extracted, or used in any other way in any product or publication, without permission or license granted by the typeface owner(s).

The Unicode Consortium is not liable for errors or omissions in this file or the standard itself. Information on characters added to the Unicode Standard since the publication of the most recent version of the Unicode Standard, as well as on characters currently being considered for addition to the Unicode Standard can be found on the Unicode web site.

See <https://www.unicode.org/pending/pending.html> and <http://www.unicode.org/alloc/Pipeline.html>.

See <https://www.unicode.org/charts/About.html> for more information concerning the conventions and symbols used in these code charts.

Copyright © 1991-2023 Unicode, Inc. All rights reserved. See <https://www.unicode.org/copyright.html>

	1F80	1F81	1F82	1F83	1F84	1F85	1F86	1F87	1F88	1F89	1F8A	1F8B	1F8C	1F8D	1F8E	1F8F
0	1F800	1F810	1F820	1F830	1F840	1F850	1F860	1F870	1F880	1F890	1F8A0	1F8B0				
1	1F801	1F811	1F821	1F831	1F841	1F851	1F861	1F871	1F881	1F891	1F8A1	1F8B1				
2	1F802	1F812	1F822	1F832	1F842	1F852	1F862	1F872	1F882	1F892	1F8A2					
3	1F803	1F813	1F823	1F833	1F843	1F853	1F863	1F873	1F883	1F893	1F8A3					
4	1F804	1F814	1F824	1F834	1F844	1F854	1F864	1F874	1F884	1F894	1F8A4					
5	1F805	1F815	1F825	1F835	1F845	1F855	1F865	1F875	1F885	1F895	1F8A5					
6	1F806	1F816	1F826	1F836	1F846	1F856	1F866	1F876	1F886	1F896	1F8A6					
7	1F807	1F817	1F827	1F837	1F847	1F857	1F867	1F877	1F887	1F897	1F8A7					
8	1F808	1F818	1F828	1F838		1F858	1F868	1F878		1F898	1F8A8					
9	1F809	1F819	1F829	1F839		1F859	1F869	1F879		1F899	1F8A9					
A	1F80A	1F81A	1F82A	1F83A			1F86A	1F87A		1F89A	1F8AA					
B	1F80B	1F81B	1F82B	1F83B			1F86B	1F87B		1F89B	1F8AB					
C		1F81C	1F82C	1F83C			1F86C	1F87C		1F89C	1F8AC					
D		1F81D	1F82D	1F83D			1F86D	1F87D		1F89D	1F8AD					
E		1F81E	1F82E	1F83E			1F86E	1F87E		1F89E						
F		1F81F	1F82F	1F83F			1F86F	1F87F		1F89F						

Arrows with triangle arrowheads

1F800	←	LEFTWARDS ARROW WITH SMALL TRIANGLE ARROWHEAD
1F801	↑	UPWARDS ARROW WITH SMALL TRIANGLE ARROWHEAD
1F802	→	RIGHTWARDS ARROW WITH SMALL TRIANGLE ARROWHEAD
1F803	↓	DOWNWARDS ARROW WITH SMALL TRIANGLE ARROWHEAD
1F804	←	LEFTWARDS ARROW WITH MEDIUM TRIANGLE ARROWHEAD
1F805	↑	UPWARDS ARROW WITH MEDIUM TRIANGLE ARROWHEAD
1F806	→	RIGHTWARDS ARROW WITH MEDIUM TRIANGLE ARROWHEAD
1F807	↓	DOWNWARDS ARROW WITH MEDIUM TRIANGLE ARROWHEAD
1F808	←	LEFTWARDS ARROW WITH LARGE TRIANGLE ARROWHEAD
1F809	↑	UPWARDS ARROW WITH LARGE TRIANGLE ARROWHEAD
1F80A	→	RIGHTWARDS ARROW WITH LARGE TRIANGLE ARROWHEAD
1F80B	↓	DOWNWARDS ARROW WITH LARGE TRIANGLE ARROWHEAD

Arrows with equilateral triangle arrowheads

1F810	←	LEFTWARDS ARROW WITH SMALL EQUILATERAL ARROWHEAD
1F811	↑	UPWARDS ARROW WITH SMALL EQUILATERAL ARROWHEAD
1F812	→	RIGHTWARDS ARROW WITH SMALL EQUILATERAL ARROWHEAD
1F813	↓	DOWNWARDS ARROW WITH SMALL EQUILATERAL ARROWHEAD
1F814	←	LEFTWARDS ARROW WITH EQUILATERAL ARROWHEAD
1F815	↑	UPWARDS ARROW WITH EQUILATERAL ARROWHEAD
1F816	→	RIGHTWARDS ARROW WITH EQUILATERAL ARROWHEAD
1F817	↓	DOWNWARDS ARROW WITH EQUILATERAL ARROWHEAD
1F818	←	HEAVY LEFTWARDS ARROW WITH EQUILATERAL ARROWHEAD
1F819	↑	HEAVY UPWARDS ARROW WITH EQUILATERAL ARROWHEAD
1F81A	→	HEAVY RIGHTWARDS ARROW WITH EQUILATERAL ARROWHEAD
1F81B	↓	HEAVY DOWNWARDS ARROW WITH EQUILATERAL ARROWHEAD
1F81C	←	HEAVY LEFTWARDS ARROW WITH LARGE EQUILATERAL ARROWHEAD
1F81D	↑	HEAVY UPWARDS ARROW WITH LARGE EQUILATERAL ARROWHEAD
1F81E	→	HEAVY RIGHTWARDS ARROW WITH LARGE EQUILATERAL ARROWHEAD
1F81F	↓	HEAVY DOWNWARDS ARROW WITH LARGE EQUILATERAL ARROWHEAD

Triangle headed arrows with different shaft weights

1F820	←	LEFTWARDS TRIANGLE-HEADED ARROW WITH NARROW SHAFT
1F821	↑	UPWARDS TRIANGLE-HEADED ARROW WITH NARROW SHAFT
1F822	→	RIGHTWARDS TRIANGLE-HEADED ARROW WITH NARROW SHAFT

1F823	↓	DOWNWARDS TRIANGLE-HEADED ARROW WITH NARROW SHAFT
1F824	←	LEFTWARDS TRIANGLE-HEADED ARROW WITH MEDIUM SHAFT
1F825	↑	UPWARDS TRIANGLE-HEADED ARROW WITH MEDIUM SHAFT
1F826	→	RIGHTWARDS TRIANGLE-HEADED ARROW WITH MEDIUM SHAFT
1F827	↓	DOWNWARDS TRIANGLE-HEADED ARROW WITH MEDIUM SHAFT
1F828	←	LEFTWARDS TRIANGLE-HEADED ARROW WITH BOLD SHAFT
1F829	↑	UPWARDS TRIANGLE-HEADED ARROW WITH BOLD SHAFT
1F82A	→	RIGHTWARDS TRIANGLE-HEADED ARROW WITH BOLD SHAFT
1F82B	↓	DOWNWARDS TRIANGLE-HEADED ARROW WITH BOLD SHAFT
1F82C	←	LEFTWARDS TRIANGLE-HEADED ARROW WITH HEAVY SHAFT
1F82D	↑	UPWARDS TRIANGLE-HEADED ARROW WITH HEAVY SHAFT
1F82E	→	RIGHTWARDS TRIANGLE-HEADED ARROW WITH HEAVY SHAFT
1F82F	↓	DOWNWARDS TRIANGLE-HEADED ARROW WITH HEAVY SHAFT
1F830	←	LEFTWARDS TRIANGLE-HEADED ARROW WITH VERY HEAVY SHAFT
1F831	↑	UPWARDS TRIANGLE-HEADED ARROW WITH VERY HEAVY SHAFT
1F832	→	RIGHTWARDS TRIANGLE-HEADED ARROW WITH VERY HEAVY SHAFT
1F833	↓	DOWNWARDS TRIANGLE-HEADED ARROW WITH VERY HEAVY SHAFT

Finger-post arrows

1F834	←	LEFTWARDS FINGER-POST ARROW
1F835	↑	UPWARDS FINGER-POST ARROW
1F836	→	RIGHTWARDS FINGER-POST ARROW
1F837	↓	DOWNWARDS FINGER-POST ARROW

Squared arrows

1F838	←	LEFTWARDS SQUARED ARROW
1F839	↑	UPWARDS SQUARED ARROW
1F83A	→	RIGHTWARDS SQUARED ARROW
1F83B	↓	DOWNWARDS SQUARED ARROW

Compressed arrows

1F83C	←	LEFTWARDS COMPRESSED ARROW
1F83D	↑	UPWARDS COMPRESSED ARROW
1F83E	→	RIGHTWARDS COMPRESSED ARROW
1F83F	↓	DOWNWARDS COMPRESSED ARROW
1F840	←	LEFTWARDS HEAVY COMPRESSED ARROW
1F841	↑	UPWARDS HEAVY COMPRESSED ARROW
1F842	→	RIGHTWARDS HEAVY COMPRESSED ARROW
		→ 27A7 ↘ squat black rightwards arrow
1F843	↓	DOWNWARDS HEAVY COMPRESSED ARROW

Heavy arrows

1F844	←	LEFTWARDS HEAVY ARROW
1F845	↑	UPWARDS HEAVY ARROW
1F846	→	RIGHTWARDS HEAVY ARROW
1F847	↓	DOWNWARDS HEAVY ARROW

Sans-serif arrows

1F850	←	LEFTWARDS SANS-SERIF ARROW
		→ 2190 ← leftwards arrow

- 1F851 ↑ UPWARDS SANS-SERIF ARROW
→ 2191 ↑ upwards arrow
- 1F852 → RIGHTWARDS SANS-SERIF ARROW
→ 2192 → rightwards arrow
- 1F853 ↓ DOWNWARDS SANS-SERIF ARROW
→ 2193 ↓ downwards arrow
- 1F854 ↖ NORTH WEST SANS-SERIF ARROW
→ 2196 ↖ north west arrow
- 1F855 ↗ NORTH EAST SANS-SERIF ARROW
→ 2197 ↗ north east arrow
- 1F856 ↘ SOUTH EAST SANS-SERIF ARROW
→ 2198 ↘ south east arrow
- 1F857 ↙ SOUTH WEST SANS-SERIF ARROW
→ 2199 ↙ south west arrow
- 1F858 ↔ LEFT RIGHT SANS-SERIF ARROW
→ 2194 ↔ left right arrow
- 1F859 ⇕ UP DOWN SANS-SERIF ARROW
→ 2195 ⇕ up down arrow

Wide-headed barb arrows

- 1F860 ← WIDE-HEADED LEFTWARDS LIGHT BARB ARROW
- 1F861 ↑ WIDE-HEADED UPWARDS LIGHT BARB ARROW
- 1F862 → WIDE-HEADED RIGHTWARDS LIGHT BARB ARROW
- 1F863 ↓ WIDE-HEADED DOWNWARDS LIGHT BARB ARROW
- 1F864 ↖ WIDE-HEADED NORTH WEST LIGHT BARB ARROW
- 1F865 ↗ WIDE-HEADED NORTH EAST LIGHT BARB ARROW
- 1F866 ↘ WIDE-HEADED SOUTH EAST LIGHT BARB ARROW
- 1F867 ↙ WIDE-HEADED SOUTH WEST LIGHT BARB ARROW
- 1F868 ← WIDE-HEADED LEFTWARDS BARB ARROW
- 1F869 ↑ WIDE-HEADED UPWARDS BARB ARROW
- 1F86A → WIDE-HEADED RIGHTWARDS BARB ARROW
- 1F86B ↓ WIDE-HEADED DOWNWARDS BARB ARROW
- 1F86C ↖ WIDE-HEADED NORTH WEST BARB ARROW
- 1F86D ↗ WIDE-HEADED NORTH EAST BARB ARROW
- 1F86E ↘ WIDE-HEADED SOUTH EAST BARB ARROW
- 1F86F ↙ WIDE-HEADED SOUTH WEST BARB ARROW
- 1F870 ← WIDE-HEADED LEFTWARDS MEDIUM BARB ARROW
- 1F871 ↑ WIDE-HEADED UPWARDS MEDIUM BARB ARROW
- 1F872 → WIDE-HEADED RIGHTWARDS MEDIUM BARB ARROW
→ 2794 → heavy wide-headed rightwards arrow
- 1F873 ↓ WIDE-HEADED DOWNWARDS MEDIUM BARB ARROW
- 1F874 ↖ WIDE-HEADED NORTH WEST MEDIUM BARB ARROW
- 1F875 ↗ WIDE-HEADED NORTH EAST MEDIUM BARB ARROW
- 1F876 ↘ WIDE-HEADED SOUTH EAST MEDIUM BARB ARROW
- 1F877 ↙ WIDE-HEADED SOUTH WEST MEDIUM BARB ARROW
- 1F878 ← WIDE-HEADED LEFTWARDS HEAVY BARB ARROW
- 1F879 ↑ WIDE-HEADED UPWARDS HEAVY BARB ARROW

- 1F87A → WIDE-HEADED RIGHTWARDS HEAVY BARB ARROW
- 1F87B ↓ WIDE-HEADED DOWNWARDS HEAVY BARB ARROW
- 1F87C ↖ WIDE-HEADED NORTH WEST HEAVY BARB ARROW
- 1F87D ↗ WIDE-HEADED NORTH EAST HEAVY BARB ARROW
- 1F87E ↘ WIDE-HEADED SOUTH EAST HEAVY BARB ARROW
- 1F87F ↙ WIDE-HEADED SOUTH WEST HEAVY BARB ARROW
- 1F880 ← WIDE-HEADED LEFTWARDS VERY HEAVY BARB ARROW
- 1F881 ↑ WIDE-HEADED UPWARDS VERY HEAVY BARB ARROW
- 1F882 → WIDE-HEADED RIGHTWARDS VERY HEAVY BARB ARROW
- 1F883 ↓ WIDE-HEADED DOWNWARDS VERY HEAVY BARB ARROW
- 1F884 ↖ WIDE-HEADED NORTH WEST VERY HEAVY BARB ARROW
- 1F885 ↗ WIDE-HEADED NORTH EAST VERY HEAVY BARB ARROW
- 1F886 ↘ WIDE-HEADED SOUTH EAST VERY HEAVY BARB ARROW
- 1F887 ↙ WIDE-HEADED SOUTH WEST VERY HEAVY BARB ARROW

Arrowheads

- 1F890 ◀ LEFTWARDS TRIANGLE ARROWHEAD
- 1F891 ▲ UPWARDS TRIANGLE ARROWHEAD
- 1F892 ▶ RIGHTWARDS TRIANGLE ARROWHEAD
- 1F893 ▼ DOWNWARDS TRIANGLE ARROWHEAD
- 1F894 ◀ LEFTWARDS WHITE ARROW WITHIN TRIANGLE ARROWHEAD
- 1F895 ▲ UPWARDS WHITE ARROW WITHIN TRIANGLE ARROWHEAD
- 1F896 ▶ RIGHTWARDS WHITE ARROW WITHIN TRIANGLE ARROWHEAD
- 1F897 ▼ DOWNWARDS WHITE ARROW WITHIN TRIANGLE ARROWHEAD

Notched arrows

- 1F898 ← LEFTWARDS ARROW WITH NOTCHED TAIL
- 1F899 ↑ UPWARDS ARROW WITH NOTCHED TAIL
- 1F89A → RIGHTWARDS ARROW WITH NOTCHED TAIL
→ 27AF ⇨ notched lower right-shadowed white rightwards arrow
- 1F89B ↓ DOWNWARDS ARROW WITH NOTCHED TAIL

Heavy arrow shafts

The vertical alignment and thickness of this set are compatible with heavy shaft arrows.

- 1F89C ▬ HEAVY ARROW SHAFT WIDTH ONE
- 1F89D ▬ HEAVY ARROW SHAFT WIDTH TWO THIRDS
- 1F89E ▬ HEAVY ARROW SHAFT WIDTH ONE HALF
- 1F89F ▬ HEAVY ARROW SHAFT WIDTH ONE THIRD

Shaded white arrows

- 1F8A0 ⇐ LEFTWARDS BOTTOM-SHADED WHITE ARROW
- 1F8A1 ⇨ RIGHTWARDS BOTTOM SHADED WHITE ARROW
- 1F8A2 ⇐ LEFTWARDS TOP SHADED WHITE ARROW
- 1F8A3 ⇨ RIGHTWARDS TOP SHADED WHITE ARROW
- 1F8A4 ⇐ LEFTWARDS LEFT-SHADED WHITE ARROW

- 1F8A5 ⇨ RIGHTWARDS RIGHT-SHADED WHITE ARROW
 → 27A9 ⇨ right-shaded white rightwards arrow
- 1F8A6 ⇦ LEFTWARDS RIGHT-SHADED WHITE ARROW
- 1F8A7 ⇨ RIGHTWARDS LEFT-SHADED WHITE ARROW
 → 27AA ⇨ left-shaded white rightwards arrow
- 1F8A8 ⇦ LEFTWARDS BACK-TILTED SHADOWED WHITE ARROW
- 1F8A9 ⇨ RIGHTWARDS BACK-TILTED SHADOWED WHITE ARROW
 → 27AB ⇨ back-tilted shadowed white rightwards arrow
- 1F8AA ⇦ LEFTWARDS FRONT-TILTED SHADOWED WHITE ARROW
- 1F8AB ⇨ RIGHTWARDS FRONT-TILTED SHADOWED WHITE ARROW
 → 27AC ⇨ front-tilted shadowed white rightwards arrow

White arrow shafts

The vertical alignment and thickness of this set are compatible with white arrows.

- 1F8AC ◻ WHITE ARROW SHAFT WIDTH ONE
- 1F8AD ◻ WHITE ARROW SHAFT WIDTH TWO THIRDS

Arrows for legacy computing

- 1F8B0 ↯ ARROW POINTING UPWARDS THEN NORTH WEST
- 1F8B1 ↻ ARROW POINTING RIGHTWARDS THEN CURVING SOUTH WEST