

Letterlike Symbols

Range: 2100–214F

The Unicode Standard, Version 4.1

This file contains an excerpt from the character code tables and list of character names for *The Unicode Standard, Version 4.1*.

Characters in this chart that are new for The Unicode Standard, Version 4.1 are shown in conjunction with any existing characters. For ease of reference, the new characters have been highlighted in the chart grid and in the names list.

This file will not be updated with errata, or when additional characters are assigned to the Unicode Standard. See <http://www.unicode.org/charts/> for access to a complete list of the latest character code charts. See <http://www.unicode.org/Public/4.1.0/charts/> for a complete archived file of character code charts for Unicode 4.1.

Disclaimer

These charts are provided as the on-line reference to the character contents of the Unicode Standard, Version 4.1 but do not provide all the information needed to fully support individual scripts using the Unicode Standard. For a complete understanding of the use of the characters contained in this excerpt file, please consult the appropriate sections of The Unicode Standard, Version 4.1, at <http://www.unicode.org/versions/Unicode4.1.0/>, including sections unchanged in The Unicode Standard, Version 4.0 (ISBN 0-321-18578-1), as well as Unicode Standard Annexes #9, #11, #14, #15, #24, #29, #31, and #34, the other Unicode Technical Reports and Standards, and the Unicode Character Database, which are available on-line.

See <http://www.unicode.org/ucd/> and <http://www.unicode.org/reports/>

A thorough understanding of the information contained in these additional sources is required for a successful implementation.

Fonts

The shapes of the reference glyphs used in these code charts are not prescriptive. Considerable variation is to be expected in actual fonts. The particular fonts used in these charts were provided to the Unicode Consortium by a number of different font designers, who own the rights to the fonts.

See <http://www.unicode.org/charts/fonts.html> for a list.

Terms of Use

You may freely use these code charts for personal or internal business uses only. You may not incorporate them either wholly or in part into any product or publication, or otherwise distribute them without express written permission from the Unicode Consortium. However, you may provide links to these charts.

The fonts and font data used in production of these Code Charts may NOT be extracted, or used in any other way in any product or publication, without permission or license granted by the typeface owner(s).

The Unicode Consortium is not liable for errors or omissions in this excerpt file or the standard itself. Information on characters added to the Unicode Standard since the publication of Version 4.1 as well as on characters currently being considered for addition to the Unicode Standard can be found on the Unicode web site.

See <http://www.unicode.org/pending/pending.html> and <http://www.unicode.org/alloc/Pipeline.html>.

Copyright © 1991-2005 Unicode, Inc. All rights reserved.

	210	211	212	213	214
0	<i>a/c</i> 2100	<i>J</i> 2110	SM 2120	<i>E</i> 2130	Σ 2140
1	<i>a/s</i> 2101	<i>J</i> 2111	TEL 2121	<i>F</i> 2131	\mathcal{G} 2141
2	\mathcal{C} 2102	<i>L</i> 2112	TM 2122	\mathcal{H} 2132	\mathcal{T} 2142
3	$^{\circ}\mathcal{C}$ 2103	<i>l</i> 2113	\mathcal{V} 2123	<i>M</i> 2133	\mathcal{J} 2143
4	\mathcal{E} 2104	\mathcal{W} 2114	\mathcal{Z} 2124	<i>e</i> 2134	\mathcal{A} 2144
5	<i>%</i> 2105	\mathcal{N} 2115	\mathcal{Z} 2125	\mathcal{X} 2135	\mathcal{D} 2145
6	<i>%u</i> 2106	\mathcal{N}_o 2116	Ω 2126	\mathcal{J} 2136	<i>d</i> 2146
7	\mathcal{E} 2107	\mathcal{P} 2117	\mathcal{U} 2127	\mathcal{A} 2137	<i>e</i> 2147
8	\mathcal{D} 2108	\mathcal{P} 2118	\mathcal{Z} 2128	\mathcal{T} 2138	<i>i</i> 2148
9	$^{\circ}\mathcal{F}$ 2109	\mathcal{P} 2119	\mathcal{I} 2129	i 2139	<i>j</i> 2149
A	<i>J</i> 210A	\mathcal{Q} 211A	\mathcal{K} 212A	\mathcal{O} 213A	\mathcal{P} 214A
B	<i>H</i> 210B	<i>R</i> 211B	\mathcal{A} 212B	FAX 213B	\mathcal{P} 214B
C	\mathcal{H} 210C	\mathcal{R} 211C	<i>B</i> 212C	π 213C	\mathcal{P} 214C
D	\mathcal{H} 210D	\mathcal{R} 211D	\mathcal{E} 212D	γ 213D	
E	<i>h</i> 210E	\mathcal{R} 211E	<i>e</i> 212E	\mathcal{T} 213E	
F	<i>h</i> 210F	\mathcal{R} 211F	<i>e</i> 212F	\mathcal{T} 213F	

Letterlike symbols

Some of the letterlike symbols are intended to complete the set of mathematical alphanumeric symbols starting at U+1D400.

2100	‰	ACCOUNT OF ≈ 0061 a 002F / 0063 c	2115	ℕ	DOUBLE-STRUCK CAPITAL N = natural number ≈ 004E N latin capital letter n
2101	‱	ADDRESSED TO THE SUBJECT ≈ 0061 a 002F / 0073 s	2116	№	NUMERO SIGN ≈ 004E N 006F o
2102	ℂ	DOUBLE-STRUCK CAPITAL C = the set of complex numbers ≈ 0043 C latin capital letter c	2117	©	SOUND RECORDING COPYRIGHT = published = phonorecord sign → 00A9 © copyright sign
2103	°C	DEGREE CELSIUS = degrees Centigrade ≈ 00B0 ° 0043 C	2118	℘	SCRIPT CAPITAL P = Weierstrass elliptic function • actually this has the form of a lowercase calligraphic p, despite its name
2104	♢	CENTRE LINE SYMBOL = clone	2119	ℙ	DOUBLE-STRUCK CAPITAL P ≈ 0050 P latin capital letter p
2105	‰	CARE OF ≈ 0063 c 002F / 006F o	211A	ℚ	DOUBLE-STRUCK CAPITAL Q = the set of rational numbers ≈ 0051 Q latin capital letter q
2106	‰	CADA UNA ≈ 0063 c 002F / 0075 u	211B	℞	SCRIPT CAPITAL R = Riemann Integral ≈ 0052 R latin capital letter r
2107	ℰ	EULER CONSTANT → 0045 E latin capital letter e ≈ 0190 ℰ latin capital letter open e	211C	℞	BLACK-LETTER CAPITAL R = real part ≈ 0052 R latin capital letter r
2108	⊖	SCRUPLE	211D	ℝ	DOUBLE-STRUCK CAPITAL R = the set of real numbers ≈ 0052 R latin capital letter r
2109	°F	DEGREE FAHRENHEIT ≈ 00B0 ° 0046 F	211E	℞	PRESCRIPTION TAKE = recipe = cross ratio
210A	ℓ	SCRIPT SMALL G = real number symbol ≈ 0067 g latin small letter g	211F	℞	RESPONSE
210B	ℋ	SCRIPT CAPITAL H = Hamiltonian operator ≈ 0048 H latin capital letter h	2120	SM	SERVICE MARK ≈ <sup> 0053 S 004D M
210C	ℋ	BLACK-LETTER CAPITAL H = Hilbert space ≈ 0048 H latin capital letter h	2121	TEL	TELEPHONE SIGN • typical forms for this symbol may use lower case, small caps or superscripted letter shapes ≈ 0054 T 0045 E 004C L
210D	ℋ	DOUBLE-STRUCK CAPITAL H ≈ 0048 H latin capital letter h	2122	TM	TRADE MARK SIGN ≈ <sup> 0054 T 004D M
210E	ℏ	PLANCK CONSTANT ≈ 0068 h latin small letter h	2123	℣	VERSICLE
210F	ℏ	PLANCK CONSTANT OVER TWO PI → 045B ℏ cyrillic small letter tshe ≈ 0127 ℏ latin small letter h with stroke	2124	ℤ	DOUBLE-STRUCK CAPITAL Z = the set of integers ≈ 005A Z latin capital letter z
2110	ℐ	SCRIPT CAPITAL I ≈ 0049 I latin capital letter i	2125	‡	OUNCE SIGN → 021D ‡ latin small letter yogh
2111	ℑ	BLACK-LETTER CAPITAL I = imaginary part ≈ 0049 I latin capital letter i	2126	Ω	OHM SIGN • SI unit of resistance, named after G. S. Ohm, German physicist • preferred representation is 03A9 Ω ≡ 03A9 Ω greek capital letter omega
2112	ℒ	SCRIPT CAPITAL L = Laplace transform ≈ 004C L latin capital letter l	2127	∩	INVERTED OHM SIGN = MHO • archaic unit of conductance (= the SI unit siemens) • typographically a turned greek capital letter omega → 01B1 ∩ latin capital letter upsilon → 03A9 Ω greek capital letter omega
2113	ℓ	SCRIPT SMALL L = mathematical symbol 'ell' = liter (traditional symbol) • despite its character name, this symbol is derived from a special italicized version of the small letter l • the SI recommended symbol for liter is 006C l → 1D4C1 / mathematical script small l ≈ 006C l latin small letter l	2128	ℑ	BLACK-LETTER CAPITAL Z ≈ 005A Z latin capital letter z
2114	℔	L B BAR SYMBOL = pounds	2129	ι	TURNED GREEK SMALL LETTER IOTA • unique element fulfilling a description (logic) → 03B9 ι greek small letter iota
			212A	K	KELVIN SIGN ≡ 004B K latin capital letter k

- 212B Å ANGSTROM SIGN
 • non SI length unit (=0.1 nm) named after A. J. Ångström, Swedish physicist
 • preferred representation is 00C5 Å
 ≡ 00C5 Å latin capital letter a with ring above
- 212C ℬ SCRIPT CAPITAL B
 = Bernoulli function
 ≈ 0042 B latin capital letter b
- 212D ƒ BLACK-LETTER CAPITAL C
 ≈ 0043 C latin capital letter c
- 212E e ESTIMATED SYMBOL
 • used in European packaging
 → 0065 e latin small letter e
- 212F e SCRIPT SMALL E
 = error
 = natural exponent
 ≈ 0065 e latin small letter e
- 2130 ℰ SCRIPT CAPITAL E
 = emf (electromotive force)
 ≈ 0045 E latin capital letter e
- 2131 ℱ SCRIPT CAPITAL F
 = Fourier transform
 ≈ 0046 F latin capital letter f
- 2132 Ɔ TURNED CAPITAL F
 → 0046 F latin capital letter f
- 2133 ℳ SCRIPT CAPITAL M
 = M-matrix (physics)
 = German Mark (not the current Deutsche Mark)
 ≈ 004D M latin capital letter m
- 2134 o SCRIPT SMALL O
 = order, of inferior order to
 ≈ 006F o latin small letter o

Hebrew letterlike math symbols

These are left-to-right characters.

- 2135 א ALEF SYMBOL
 = first transfinite cardinal (countable)
 ≈ 05D0 א hebrew letter alef
- 2136 ב BET SYMBOL
 = second transfinite cardinal (the continuum)
 ≈ 05D1 ב hebrew letter bet
- 2137 ג GIMEL SYMBOL
 = third transfinite cardinal (functions of a real variable)
 ≈ 05D2 ג hebrew letter gimel
- 2138 ד DALET SYMBOL
 = fourth transfinite cardinal
 ≈ 05D3 ד hebrew letter dalet

Additional letterlike symbols

- 2139 i INFORMATION SOURCE
 • intended for use with 20DDⓈ
 ≈ 0069 i latin small letter i
- 213A Ɔ ROTATED CAPITAL Q
 • a binding signature mark
- 213B ƒ FACSIMILE SIGN
 • typical forms for this symbol may use lower case, small caps or superscripted letter shapes
 → 2121 ℒ telephone sign
 ≈ 0046 F 0041 A 0058 X
- 213C π DOUBLE-STRUCK SMALL PI
 ≈ 03C0 π greek small letter pi
- 213D γ DOUBLE-STRUCK SMALL GAMMA
 ≈ 03B3 γ greek small letter gamma

- 213E Γ DOUBLE-STRUCK CAPITAL GAMMA
 ≈ 0393 Γ greek capital letter gamma
- 213F Π DOUBLE-STRUCK CAPITAL PI
 ≈ 03A0 Π greek capital letter pi

Double-struck large operator

- 2140 ∑ DOUBLE-STRUCK N-ARY SUMMATION
 ≈ 2211 ∑ n-ary summation

Additional letterlike symbols

- 2141 ɢ TURNED SANS-SERIF CAPITAL G
 = game
- 2142 ƭ TURNED SANS-SERIF CAPITAL L
- 2143 Ɔ REVERSED SANS-SERIF CAPITAL L
- 2144 ʌ TURNED SANS-SERIF CAPITAL Y

Double-struck italic mathematical symbols

These stylized mathematical symbols are used in some documents to distinguish special mathematical usages from ordinary variables.

- 2145 Ɖ DOUBLE-STRUCK ITALIC CAPITAL D
 • sometimes used for the differential
 ≈ 0044 D latin capital letter d
- 2146 ɀ DOUBLE-STRUCK ITALIC SMALL D
 • sometimes used for the differential
 ≈ 0064 d latin small letter d
- 2147 Ǝ DOUBLE-STRUCK ITALIC SMALL E
 • sometimes used for the natural exponent
 ≈ 0065 e latin small letter e
- 2148 ɀ DOUBLE-STRUCK ITALIC SMALL I
 • sometimes used for the imaginary unit
 ≈ 0069 i latin small letter i
- 2149 Ɔ DOUBLE-STRUCK ITALIC SMALL J
 • sometimes used for the imaginary unit
 ≈ 006A j latin small letter j

Additional letterlike symbols

- 214A Ɔ PROPERTY LINE
- 214B Ɔ TURNED AMPERSAND
 • used in linear logic
 → 0026 & ampersand
- 214C Ɔ PER SIGN
 • abbreviates the word ‘per’